



STUDENT SAFETY SHEETS

**Combined issue, updated and new
2016**

© 2016 CLEAPSS®

The Gardiner Building, Brunel Science Park, Uxbridge UB8 3PQ

Tel: 01895 251496 Fax/answerphone: 01895 814372

E-mail: science@cleapss.org.uk Web site: www.cleapss.org.uk

Contents (Combined, all issues, 2016)

- 1 Microorganisms
- 2 Enzymes
- 3 Human body fluids and tissues
- 4 Food testing (1)
- 5 Food testing (2)
- 6 Humans as the subject of investigation (1)
- 7 Humans as the subject of investigation (2)
- 8 Humans as the subject of investigation (3)
- 9 Disinfectants

- 10 Electricity
- 11 Radioactive materials
- 12 Electromagnetic radiation

- 20 Hydrochloric acid
- 21 Nitric(V) acid
- 22 Sulfuric(VI) acid
- 23 Ethanoic (acetic) acid
- 24 Phosphoric(V) acid
- 25 Citric, Oxalic & Tartaric acid

- 30 Ammonia
- 31 Sodium hydroxide
- 32 Calcium hydroxide & oxide
- 33 Sodium & Calcium carbonates
- 34 Sodium & Potassium salts
- 35 Sodium sulfites, thiosulfate & persulfate
- 36 Magnesium & Calcium salts
- 37 Ammonium salts
- 38 Iron & its compounds
- 39 Boron compounds (*NEW, 2015)

- 40 Copper & its compounds
- 41 Sodium chlorate(I) (hypochlorite)
- 42 Barium compounds
- 43 Lead & its compounds
- 44 Mercury & its compounds
- 45 Aluminium & its compounds
- 46 Silver & its compounds
- 47 Chromium & its compounds
- 48 Manganese & its compounds
- 49 Zinc & its compounds

- 50 Hydrogen
- 51 Oxygen & Ozone
- 52 Sulfur dioxide
- 53 Nitrogen oxides
- 54 Chlorine
- 55 Bromine
- 56 Iodine
- 57 Hydrogen peroxide
- 58 Carbon & its oxides
- 59 Hydrogen sulfide & other sulfides

- 60 Ethanol
- 61 Propanone
- 62 Chlorinated hydrocarbons
- 63 Hydrocarbons
- 64 Carbohydrates
- 65 Methanol
- 66 Higher alcohols (propanols, butanols, pentanols)
- 67 Methanal (*NEW, 2012)
- 68 Ethanal and higher aldehydes (*NEW, 2012)

- 70 Dyes & indicators
- 71 Sharps (*NEW, 2012)
- 72 Animals (dead) and animal parts (*NEW, 2012)
- 73 Animals (living) (*NEW, 2012)
- 74 Plants, fungi and seeds (*NEW, 2012)
- 75 Fieldwork (*NEW, 2012)
- 76 Bioreactors and fermenters (*NEW, 2012)
- 77 Working with DNA (*NEW, 2012)
- 78 Genetic modification (*NEW, 2012)

- 80 Alkali metals
- 81 Group II metals
- 82 Sulfur & Phosphorus

- 90 Vocabulary
- 91 Safety signs & symbol letters
- 91a Hazard symbols and other safety signs
- 92 Using a Bunsen burner
- 93 Heating non-flammable liquids and solids in test tubes
- 94 Heating flammable liquids & solids in test tubes
- 95 Handling hot liquids in beakers
- 96 Risk Assessment
- 97 Transferring (handling) solid chemicals
- 98 Transferring (handling) liquid chemicals

STUDENT SAFETY SHEETS

SUMMARY

The CLEAPSS *Student Safety Sheets* are intended to:

- support the teaching of health & safety in the National Curriculum, especially at KS4 and in vocational courses;
- be used as a 'pupil-speak' version of CLEAPSS Hazcards;
- encourage pupils to think about health & safety in a guided way.

The *Student Safety Sheets*

- include non-chemical hazards, examples from everyday life and a *Teachers' Guide* giving ideas for use;
- are available on the CLEAPSS *Science Publications CD-ROM*. Minor alterations and updates will be available on the CLEAPSS web site until they have been incorporated into a new version on a subsequent CD-ROM.
- may be freely photocopied or modified, eg, for lower-ability groups within members' establishments.

The *Sheets* might be made available in a variety of ways, for example as:

- individual sheets issued when required;
- a stapled reference booklet in every laboratory;
- a class set of booklets issued when required;
- enlarged individual sheets, possibly laminated, and displayed on walls.

Uses for the *Sheets* by students include:

- general reference in the laboratory;
- raising awareness before starting a topic;
- a resource when planning a practical investigation;
- as materials for a comprehension exercise or for developing information skills;
- reviewing health & safety in a practical activity to be carried out;
- a resource for homework exercises, including home safety surveys.

Purpose of the CLEAPSS Student Safety Sheets

The Programme of Study for the National Curriculum in Science, in Key Stage 4 (2006) includes, in *How Science Works*, a requirement that:

pupils should be taught to work accurately and safely, individually and with others, when collecting first-hand data.

The current draft of the new programme of study for Key Stage 3 states that:

*Pupils should be able to:
Assess risks and work safely in the laboratory, field and workplace, ...*

It remains clear that pupils must be taught about health, safety and risk assessment in their study of secondary science.

Many science text books now routinely provide some health & safety information and guidance. However, it is usually closely matched to the activities in the text and not easily interpreted by pupils engaged on different or even related practical activities. Some schools have reported that they allow pupils to use CLEAPSS *Hazcards* and sometimes other similar model (or general) risk assessments. However, these were never written with pupils in mind, contain information which is at best irrelevant to them and which, in some cases, it might be undesirable for them to see. Their style makes them inaccessible to many pupils. The CLEAPSS *Student Safety Sheets* have been written in an attempt to meet the need for a systematic, coherent and accessible information source.

The *Student Safety Sheets* are intended to be a 'pupil-speak' version of the CLEAPSS *Hazcards*. However, they have been simplified, reorganised and expanded to cover some non-chemical hazards and situations other than those found in school science. In addition, some guidance is given on how pupils might assess risks involved in practical activities. Although most of the *Student Safety Sheets* refer to chemicals, equipment etc that pupils might themselves use, some refer to those they would NOT use. This is quite deliberate in order to help expand students' understanding and appreciation of how science works.

This set of *Student Safety Sheets* is specifically targeted at pupils at Key Stage 4 although, in trials, some sheets were used with Y9 pupils and in post-16 courses.

Teaching students to assess risks

It is important to stress that the provision of risk assessments is the responsibility of the employer; a departmental health & safety policy should make this clear. (Further details are found in the CLEAPSS Guide L196, *Managing Risk Assessment in Science*, 2005.) Nevertheless, students can be taken through the thinking process involved in assessing risks and this will help them not only satisfy the requirements of the National Curriculum but also prepare them for coping with hazards in the home, in the environment and in the world of work. The Health and Safety Executive reports that a high proportion of the serious accidents which happen at

work involve young people in their first job, on training schemes or on work experience. By encouraging pupils/students to think about hazard and risk in a systematic way, science may contribute to their safety education. **Teachers in the trials reported that pupils appreciated being involved in thinking about and discussing safety in real contexts, rather than just being told what to do.** (But beware in case they become over-concerned.)

A **hazard** is anything with the potential to cause harm, so, for example, many chemicals present hazards, as do some microorganisms and electricity at high voltages. Cluttered floors, over-crowded benches and working up ladders are also hazards.

A **risk** is the likelihood of harm actually being caused. This involves judging how likely it is that something would go wrong and also how serious the consequences would be. A hot tripod presents a hazard. The risk from it is relatively low because although it is quite likely that somebody will pick one up, the consequences - a minor burn on the fingers - are not generally serious.

Risks are reduced by adopting **control measures** (ie, taking precautions). These might, for example, involve using a more-dilute solution, wearing personal protective equipment (although this should be used as a last resort if the activity cannot be made safer) or, in the case of the hot tripod, reminding students that picking up hot objects is not a good idea!

It is important to stress that no activity is completely safe. Even when lying in bed at night there is a small risk that a satellite might come crashing through the roof! You could reduce the risk by spending a lot of money on building an extra-strong roof but nobody would ever think that the risk was large enough to justify the money. It is true, however, that some risks (eg, in sport) seem more acceptable to the public at large than others (eg, nuclear power).

Students can be taught the basic procedure of **assessing risks**.

- **What are the details of the activity to be undertaken?**
- **What are the hazards in this activity?**
- **What is the chance of something going wrong?**
- **How serious would it be if something did go wrong?**
- **How can the risk(s) be controlled for this activity?**

The CLEAPSS *Student Safety Sheets* will help students identify the hazards and risks associated with a range of activities, mainly, but not entirely, in the school laboratory and hence suggest appropriate control measures. Of course, in many cases a full risk assessment would require detailed calculations, for example, about exposure to air-borne chemicals, and this is not likely to be appropriate for most students in KS4, although a few figures are included for those aiming at A and A* grades.

About the CLEAPSS Student Safety Sheets

CLEAPSS *Student Safety Sheets* are available free of charge to each institution with pupils at KS4 or in the 6th form in local authorities which are members of CLEAPSS, and to independent schools and colleges which are associate members. These establishments are then free to copy the *Sheets* for use by their pupils but they are **NOT available to non-members of CLEAPSS**. As long as the integrity and accuracy of the safety information is preserved, teachers may, if they wish, amend the *Sheets* for example by deleting some parts, to meet the needs of pupils of varying abilities and we would encourage them to do so. When modifying the *Sheets*, we suggest schools first make copies rather than using the originals! However,

there is a customisable version of the *Sheets* on the CLEAPSS *Science Publications CD-ROM*. *CLEAPSS would appreciate receiving copies of any amended sheets together with information on how they are used*. Please send such sheets to Bob Worley at CLEAPSS, The Gardiner Building, Brunel Science Park, Kingston Lane, Uxbridge UB8 3PQ.

All the *Student Safety Sheets* follow the same basic layout. We think this will help students to find the information they need but it does impose some constraints and means that some sheets end up rather crowded. In the trials, some schools simplified the *Sheets*, for example by missing out the *Emergency Action* section before photocopying. Each *Sheet* includes the following elements.

- **A table summarising the hazards** of a series of related substances, eg, a gas and solutions of it at various concentrations. There is usually a comment about effects on the human body and sometimes other particular problems. Where appropriate, we have tried to include some examples from outside school science (but would welcome further suggestions). The hazard often depends on the concentration. We have described both the concentration in words (eg, 'moderately concentrated') and given a molarity, M (mol dm⁻³). Teachers may wish to Tippex out the molarity but then there will be some ambiguities in the descriptions.
- **A list of typical control measures** which can be taken to reduce the risk from these substances. Not all will be appropriate in any particular situation. Students will have to exercise some judgement in deciding which are the most relevant in the activity they are thinking about. We have tried to be reasonably comprehensive but there could be other control measures in some cases.
- **A series of questions about assessing the risks**. These questions are the same on every *Sheet*, although the examples given in small print are specific to each *Sheet*. These are intended to take the student through the thinking process in assessing risk - the process should be the same for any hazard and the risks arising from it (see earlier discussion for more details). During the trials, some teachers felt that these questions might be removed from the *Sheets* and put on a separate page. The 'small-print' examples would then be lost but, if any school does experiment with this approach, we would be interested to hear the outcomes.
- **Guidance on emergency action** which includes information specific to the *Sheet*, for example dealing with fires, spills, chemicals in the eye, etc. Some teachers in the trials felt that this could be removed to make the sheets less cluttered.

We have deliberately included some quantitative data, for example, molar concentrations of solutions and permitted concentrations of air-borne chemicals, in order to provide ideas which are stimulating for the most able. We recognise this may be off-putting for some youngsters but hope the layout is such that it should be easy to use correcting fluid to remove such data if required or, preferably, amend the customisable version of the *Sheets*.

The *Student Safety Sheets* are numbered and grouped so that related hazards have adjacent numbers. Thus acids are on sheets 20, 21, 22... . This may help searching, although there is an *Index*. The classification is somewhat arbitrary and there are many apparent gaps to leave space for further *Sheets* that may be issued later. Vocabulary and Safety Signs sheets are also provided.

How to use the CLEAPSS *Student Safety Sheets*

As risk assessment is the responsibility of the employer, **from the point of view of students, assessing risks is a simulation exercise**. The fact that students have used the *Sheets* to check

hazards and assess risks does **not** absolve the teacher from the task of ensuring that what the student proposes to do in a practical activity is in fact in accordance with the employer's risk assessments.

The *Sheets* may be made available in a number of ways.

- A relevant *Sheet* is issued to accompany a particular practical activity or written exercise.
- The whole set is printed and the *Sheets* stapled together as a class set of booklets to be issued when needed.
- A reference set is provided in each laboratory (possibly laminated or colour-coded).
- Particular sheets are enlarged and laminated for laboratory display.

Some possible ways of using the *Student Safety Sheets* include the following.

- To practice skills of extracting information, for example, using the *Index*, *Vocabulary* and *Safety Signs Sheets* in conjunction with the chemicals or subject *Sheets*.
- For students to check hazards before routine, illustrative practical work.
- To help students in planning practical investigations.
- In written exercises (in class or for homework) for which students are asked, for example, to state why particular safety precautions are used, or what precautions they would use if they were carrying out an activity.
- To stimulate whole-class or small-group discussion (eg. comparing the *Emergency Action* instructions with existing posters outlining procedures).
- To help students assess risks in non-laboratory situations (eg. chemicals in the kitchen, electricity in the home, pollution hazards of car exhausts).

One of the strategies suggested for teaching about hazard and risk was the use of a form for assessing risks. This might be issued as a blank to students, or partially completed, for them to fill in the gaps. Blank forms are included on pages 10, 12 and 13, with a completed example showing the use of *Student Safety Sheets* on page 11. Excessive writing might be avoided if there were tick boxes for *Eye protection*, *Fume cupboard* and other common safety measures, although this might lead to stereotyped answers.

We also include examples of ideas for using the *Sheets*, some of which emerged in the trials. For some purposes, you may want to combine information from several sheets. For example, one school in the trials simply copied the tables at the top of each of the acid sheets and put them onto one page in preparation for some work on acids. Another is considering using *Safety Certificates* for pupils' portfolios. Feel free to adopt or adapt these ideas, or to come up with new ones of your own (but *we would appreciate receiving a copy so that we can pass on your ideas to others*).

Example 1

For classes of low-attaining pupils, pupils with special needs or early bilinguals, make a series of cards with names of particular chemicals (perhaps relevant to an activity that is about to be carried out). Make another series of cards (colour-coded?) with the hazards (or hazard symbols). Pupils then match these. Use of the Index and Contents pages and the Vocabulary sheet will also help to develop information-seeking skills. The Vocabulary sheet might be translated into home languages.

Example 2

Students might be given access to Sheet 11, Radioactive Materials, together with the following task.

Smoke alarms used at home have a small radioactive source in them.

Either:

(a) Imagine that a popular newspaper has just discovered this fact and has written a sensationalist article with the headline:

Radiation Horror in your Home.

You are employed by the manufacturer of smoke alarms and have to write a letter to the paper explaining that these are in fact safe to use.

Or:

(b) You are employed by the manufacturer of these smoke alarms and have to write a safety leaflet to include in the package, explaining that users should not be worried by the fact that the alarm has the word RADIOACTIVE stamped on it.

Example 3

Students might be given the following plan of a proposed practical investigation and asked to:

- identify the hazards in the activity;
- decide how likely it would be for each hazard that something could go wrong;
- decide how serious it would be for each hazard if something did go wrong;
- rewrite the plan, changing it where necessary, to include the appropriate control measures (ie, precautions to be taken) to reduce the risks.

I am going to investigate the idea that soap is not very effective for removing bacteria from your hands.

I will get some Petri dishes and pour agar jelly into them. I will use the toilet and then I will press my fingers onto the jelly in one of the dishes. I will then wash my hands with soap and water and press my fingers onto the jelly in another dish. Finally, I will pour some bleach over my fingers and again press my fingers onto the jelly in a third dish. I will leave a fourth dish without any finger prints, as a control.

Then I will put lids on the dishes and take them back to the laboratory. I will put them in the incubator set at 37 °C. Next lesson, I will take the dishes out of the incubator, take off the lids and compare the amount of bacteria growing on each dish.

In the trials, for higher-attaining groups, one school simply copied the above onto the top of a sheet, with room for rewriting below. For lower-attaining classes, the statement was copied, with areas of concern highlighted (e.g 'use the toilet'). Each of the areas was then listed and pupils had to explain why it needed to be altered.

Another school used this as an introduction to a topic on Microbiology.

Example 4

A sheet that might be used for homework.

In the next lesson, we will be carrying out the electrolysis of copper sulfate solution. That means we have to pass an electric current through a solution of copper sulfate. Use *Sheet 40, Copper and its compounds* to answer these questions:

- (a) For 0.1 M copper sulfate, how much of a hazard is it?
- (b) What could go wrong (eg, swallowing the solution)? How likely would this be in your class? How serious would any accident be?
- (c) Can the risk be reduced by changing the chemicals or the procedure? Will the experiment still work?

Now work through the questions again, using *Sheet 10, Electricity* and thinking about the 6 V power supply, rather than the copper sulfate.

Example 5

Most students should be able to identify the hazards in the following procedure and suggest precautions [parts (a) and (b), but only the higher attainers will be able to cope with the calculations, especially part (e) onwards].

You can make ammonia gas by warming ammonium chloride crystals with sodium hydroxide solution in a test tube. Ammonium chloride solid is classified as HARMFUL.

- (a) What are the hazards of the other chemicals used or made in this reaction?
- (b) What control measures (safety precautions) would you suggest if this activity was to be done in your class?

The equation for the reaction is:



- (c) What mass of ammonia (in grams) could you obtain from 1 g of ammonium chloride?
- (d) If each group in your class used 0.5 g ammonium chloride, what mass (in grams) of ammonia would the whole class produce?
- (e) What mass of ammonia in **mg** would the whole class produce?
- (f) Estimate or measure the volume of your laboratory (in m³).
- (g) Calculate the concentration of ammonia (in mg m⁻³) in the room that would result from the whole class experiment.
- (h) Now compare this concentration with the exposure limit on *Sheet 30, Ammonia*. What conclusion do you draw from this?
- (i) The calculation assumes the room is completely sealed. Do you think this is justified and, if not, what difference will this make?

Example 6

When students are learning about preparing salts, the class might be divided into, say, six groups and told that salts can be made by the action of a suitable acid on an oxide or carbonate. Two groups of pupils could then be asked to look at the preparation of copper sulfate, one starting from copper oxide, the other from copper carbonate. Similarly for copper chloride and nitrate. Using the relevant Student Safety Sheets, pupils could be asked to prepare a poster presentation of the method they would use, emphasising and explaining the control measures they would use to reduce the risks. Some of the ideas they might come up with are given on the completed Student Form for Assessing Risk (page 11). They might be given a partially-filled-in version of this form to complete for homework, as a way of consolidating what they have learnt.

Example 7

Here is an example of a set of instructions for teachers taken from a school's Scheme of Work. Thanks to the school which submitted it.

Preparation of salts	Teachers' Notes
<p>When students are learning about salt preparation, they should assess the risk using CLEAPSS <i>Student Safety Sheets</i> and the <i>Student Form for Assessing Risk</i>.</p>	<p>Give out the sheet on the general method of salt preparations. Outline that there are various methods of making soluble salts, ie, oxide + acid, carbonate + acid, and that the particular salt made will depend upon which acid is chosen. Split the class into groups and allow them to decide which copper salt they will make. They must assess the risks taking into account the nature of the reactants and the salt to be made as well as any hazards arising from the procedure, eg, heating acids. A model answer prepared by CLEAPSS is included on page 11.</p>
<p>Students should then produce a poster of the method they would use, emphasising and explaining the control measures to reduce any risks.</p>	<p>Alternatively, the <i>Student Form for Assessing Risk</i> is on the computer network. There is an opportunity here for some IT - students can type their answers directly onto the form.</p>

Example 8

One school has taken up the suggestion of issuing a Science Safety Certificate. A copy appears on page 9. Our thanks to the school.

Examples 9, 10

There are two further suggestions for the Student Form for Assessing Risk - on pages 12 and 13. Again, thanks to the teachers who submitted these forms.

Science Safety Certificate

Name Form

I can carry out the following with due regard to safety.

	<i>Teacher's signature</i>	<i>Date</i>
Behave sensibly during practical sessions		
Wear safety spectacles or goggles when appropriate		
Recognise and understand the hazard symbols		
Control a Bunsen burner		
Heat a liquid in a boiling tube		
Heat a liquid in a beaker using a tripod and gauze		
Locate the position of the eye wash in the laboratory		
Measure and pour dilute acids		
Deal with an acid spill		
Check that mains plugs have the correct fuse & are correctly wired		
Explain why each of the Lab Safety Rules is needed		

Remember to put this Certificate into your portfolio.

Proposed practical activity:

Name(s) of pupil(s) completing form:

Class / set: **Date:**

Hazardous chemical or microorganism being used or made, or hazardous procedure or equipment	Nature of the hazard(s)	Source(s) of information	Control measures to reduce the risks

1,1,1-trichloroethane	62
2-methylpropan-1-ol	66
2-methylpropan-2-ol	66
3-methylbutan-1-ol	66
Abattoirs	72
Acetaldehyde	68
Acetic acid	23
Acetone	61
Acid blue 40	70
Acids	20, 21, 22, 23, 24, 25
Acridine orange	70
Activated carbon	58
Active chlorine	9
Agar plates	1, 9, 67
Air pollutants	52, 53
Albustix	5
Alcohol	4, 8, 9, 60
Aldehyde tests	46
Alizarin	70
Alizarin red S	70
Alkalis	30, 31, 32, 80
Alkali metals	80
Alpha radiation (α)	11
Alum	38, 45, 47
Alumina	45
Aluminium	45
Aluminium chloride	45
Aluminium hydroxide	45
Aluminium oxide	45
Aluminium potassium sulfate(VI)	45
Aluminium sulfate(VI)	45
Aluminon	70
Ammonia	30
Ammonium carbonate	37
Ammonium chloride	37
Ammonium dichromate(VI)	47
Ammonium hydroxide	30
Ammonium iron(II) sulfate	38
Ammonium iron(III) sulfate	38
Ammonium nitrate(V)	37
Ammonium sulfate(VI)	37
Ammonium sulfide	59
Amphibia	73
Amyl alcohol	66
Amylase	2
Aniline blue	70
Animals	72, 73, 75
Anti-bumping granules	93, 94
Anti-perspirants	45
Ant venom	23
Asthma	2, 82
Bacteria	1, 9, 76
Bacteriophage lambda	77

Baking powder	25
Baking soda	33
Barium chloride	42
Barium compounds	42
Barium sulfate(VI)	42
Basic fuchsin	70
Bath salts	33
Batteries	10, 46, 48
Battery acid	22
Benedict's solution	4, 40
Beakers, handling hot	95
Bees	73
Benzene	63
Beta (β) radiation	11
Bicarbonate of soda / 'bicarb'	33
Biogas	76
Biological detergents	2
Bioreactor	76
Birds	73
Biuret test	4
Blackboard chalk	33, 36
Blades	71
Bleach	9, 41
Blood	3
Blood pressure	7
Blue-green algae	75
Blue dextran	70
Bright lights	6
Brine shrimps	73
Body fluids	3
Body measurements	6
Boiling chips	93, 94, 95
Boiling tubes	93, 94
Bones	72
Boracic acid	39
Borax	39
Boric acid	39
Bottles	98
Breathing	7
Brilliant yellow	70
Brimstone	82
Bromine	55
Bromine water	55
Bromocresol green	70
Bromophenol blue	70
Bromothymol blue	70
BSE	72
Buckminsterfullerene	58
Bunsen burners	92, 93, 94
Butanal	68
Butane	63
Butan-1-ol	66
Butan-2-ol	66
Butchers	72
Butyl alcohol	66
Butyraldehyde	68
Cacti	74
Caffeine	8
Calcium	81
Calcium chloride	36
Calcium bicarbonate	33
Calcium carbonate	33

Calcium ethanedioate	25
Calcium hydrogencarbonate	33
Calcium hydroxide	32
Calcium nitrate(V)	36
Calcium oxalate	25
Calcium oxide	32
Calcium sulfate(VI)	36
Calor gas	63
Camping gas	63
Cane sugar	64
Carbohydrates	4, 64
Carbon	58
Carbon blocks	58
Carbon dioxide	58, 76
Carbon disulfide	59
Carbon monoxide	58
Carbon tetrachloride	62
Carmine	70
Castor oil plant	74
Catalase	2
Cattle	72
Caustic soda	31
Cells	3
Cellulase	2
Cellulose	64
Chalk	33
Charcoal	58
Chattaway spatula	97
Cheek cells	3, 77
Chemicals on skin	8
Chickens	72
Chimney sweeps	58
Chlorinated hydrocarbons	62
Chlorine	9, 41, 54
Chlorine water	54
Chloroform	62
Chlorophyll, extraction from leaves	94
Chrome alum	47
Chromium	47
Chromium(III) salts	47
Chromates(VI)	47
Citric acid	25
Citrus fruits	25
Clinistix	5
Cobalt chloride	8
Cobalt thiocyanate	8
Cola drinks	8, 24
Cole's modification of Millon's test	5
Colour blindness	6
Completely denatured alcohol	60
Congo red	70
Control measures	96
Copper	40
Copper(II) carbonate	40
Copper(II) chloride	40
Copper(II) nitrate(V)	40
Copper(I)/ (II) oxide	40
Copper pyrites	59
Copper(II) sulfate(V)	40, 82
Copper(II) sulfide	59
Corrosive	91, 91a
Cresol red	70
Crystal violet	70

Cultures	1
Cupric oxide	40
Cuprous oxide	40
Currents	10
Cutting board	71
Cyclohexane	63
Cyclohexene	63
Daffodils	74
Dangerous for the environment	91
DCPIP	5, 70
Decolourising charcoal	58
Dental mirrors	6, 9
Deodorants	45
De-scalers	23, 24
Detergents, biological	2
Dextrose	64
Diabetes	64
Diamond	58
Diastase	2
Diazine green	70
Dichlorofluorescein	70
Dichloromethane	62
Dichlorophenolindophenol	5, 70
Dichromates(VI)	47
Diesel oil	63
Dietary fibre	64
2,3-dihydroxybutanedioic acid	25
Dimethylbenzene	63
Dinitrogen oxide	53
Dinitrogen tetroxide	53
Dipotassium peroxomonosulfate	9
Direct red 23	70
Disclosing tablets	8
Disinfectant	1, 9, 41
Disodium tetraborate-10-water	39
Disperse yellow	70
Dissection	71, 72
Dissection tray	71
Dithizone	70
DNA	77, 78
<i>Domestos</i>	9
Drain cleaner	31
Drinking in laboratories	8, 64
Dropping bottles	98
Droppings	73
Dry-cleaning solvent	62
Dry ice	58
Drying agent	36
Dyes	70
Ear lobe attachment	6
Eating in laboratories	8, 64
Eclipses	12
E. coli	1, 78
Electricity	10
Electric shock	10
Electrolysis	10, 40, 47, 49, 54
Electromagnetic radiation	12
Electrophoresis	77
Engine oil	63
Environmental hazard	91a
Environmental samples	1

Enzymes	2
Eosin	70
Epsom salts	36
Eriochrome black	70
Etching solution	38
Ethanal	68
Ethanal tetramer	68
Ethane	63
Ethanedioic acid	25
Ethanoic acid	23
Ethanol	4, 9, 60, 72
Ethidium bromide	77
<i>Euphorbia</i>	74
Evaporation tests	8
Exercise	7
Explosive	91, 91a
Extremely flammable	91
Eyes	6, 72
Eye colour	6
Faeces	75
Farm animals	73
Fats	4
Feathers	73
Fehling's solution	4, 31, 40
Fermenter	76
Ferric alum	38
Ferric ammonium sulfate	38
Ferric bromide	38
Ferric carbonate	38
Ferric chloride	38
Ferric oxide	38
Ferric sulfate	38
Ferrous bromide	38
Ferrous carbonate	38
Ferrous chloride	38
Ferrous oxide	38
Ferrous sulfate	38
Fibre	64
Fieldwork	75
Finger dabs	1
Fish	72, 73
Fishmongers	72
Fixing agent	72
Flames	92
Flammable	91, 91a
Flammables	60, 61, 63, 65, 66, 80, 81, 82, 94
Fluorescein	70
Food	1, 4, 5, 25, 31, 40
Food additives	25, 33, 34, 35, 36, 37, 46, 64
Food tests	4, 5
Fool's gold	59
Formaldehyde	9, 67
Formalin	9, 67, 72
Formic acid	23
French beans	74
Fructose	64
Fruit sugar	64
Fungi	1, 9, 74
Fur	33
Galvanised iron	38, 49
Gamma (γ) radiation	11, 12, 74

Gasoline	63
Gas under pressure	91a
Genetics tests	6, 8
Genetic modification	78
Genetically modified organisms	78
Gentian violet	70
GHS	91a
Giant hogweed	74
Glauber's salt	34
Global warming	58
Globally harmonised system	91a
Gloves	97, 98
Glucose	64
GMOs	78
Goats	72
Grapefruit	25
Graphite	58
Greenhouse effect	58
Group I metals	80
Group II metals	81
Gypsum	36
Haematite	38
Hair	1, 73
Handling liquids	98
Handling solids	97
Hard hats	75
Hard water	33, 36
Harmful	91
Hay fever	74, 75
Hazards	96
Hazard symbols	91, 91a
Health hazard	91a
Hearing	6
Heart disease	64
Hearts	72
Heating	92, 93, 94, 95
Heptane	63
Hexamethylene	68
Hexane	63
Highly flammable	91
Highly flammables	60, 61, 63, 65, 66, 80, 81, 82, 94
Humans, investigations on	3, 6, 7, 8
Human samples	1, 3
Human tissues	3, 77
Hyacinth bulbs	74
Hydrated magnesium sulfate(VI)	36
Hydrated sodium carbonate	33
Hydrated sodium sulfate(VI)	34
Hydrocarbons	63
Hydrochloric acid	20
Hydrogen	50
Hydrogen chloride	20
Hydrogen peroxide	57
Hydrogen sulfide	38, 59
2-hydroxypropane-1,2,3-tricarboxylic acid	25
IMS	60
Indicators	70
Indigestion tablets	45
Indigo	70
Indigo carmine	70
Indoor fireworks	47

Industrial denatured alcohol	9, 60, 65
Industrial methylated spirit	9, 60
Infra-red	12
Insects	73
Invertebrates	73
Investigations on humans	6
Iodine	4, 56
Ionising radiation	11
Iron	38, 82
Iron filings	38
Iron(II) bromide	38
Iron(II) carbonate	38
Iron(II) chloride	38
Iron(II) oxide	38
Iron(II) sulfate	38
Iron(III) bromide	38
Iron(III) carbonate	38
Iron(III) chloride	38
Iron(III) oxide	38
Iron pyrites	59
Iron(III) sulfate	38
Iron(II) sulfide	59
Irritant	91
<i>iso</i> -amyl alcohol	66
<i>iso</i> -butanol	66
<i>iso</i> -propanol	66
<i>Izal</i>	9
Janus green b	70
<i>Jeyes Fluid</i>	9
Kerosene	63
Kidneys	72
Knives	71
Laburnum	74
Lactose	64
Laevulose	64
Lampblack	58
Lasers	12
Lead acetate	43
Lead bromide	43
Lead chromate(VI)	47
Lead compounds	43, 47
Lead ethanoate	43
Lead (metal)	43
Lead nitrate(V)	43
Lead oxides	43
Lemon juice	25
Light	6, 12
Lighter fuel	63
Lime	32
Limestone	33
Lime scale	33
Limewater	32
Lipase	2
Lipids	4
Liquid paraffin	63
Lithium	80
Litmus	70
Lotoxane	62
'Lo-salt'	34
Lungs	72

Lung-volume bag	7
Lyme disease	75
Lysol	9
‘Mad Hatter’	44
Magenta	70
Magnesium	81
Magnesium bicarbonate	33
Magnesium carbonate	33
Magnesium chloride	36
Magnesium hydrogencarbonate	33
Magnesium nitrate(V)	36
Magnesium sulfate(VI)	36
Magnetite	38
Mains supply	10
Malachite green	70
Maltose	64
Malt sugar	64
Mammals	73
Manganese dioxide	48
Manganese (metal)	48
Manganese(II) carbonate	48
Manganese(II) chloride	48
Manganese(II) salts	48
Manganese(II) sulfate(VI)	48
Manganese(IV) oxide	48
Manometer	7
Manure	76
Marble	33
Matches	82
May-Grunwald stain	70
MDF	67
Medicinal paraffin	63
Mercury chlorides	44
Mercury compounds	5, 44
Mercury (metal)	44
Mercury nitrates(V)	44
Mercury oxides	44
Metaldehyde	68
Metaphosphoric acid	24
Methanal	9, 67, 72
Methane	63, 76
Methanoic acid	23
Methanol	66
Methylated spirit	60, 66
Methylbenzene	63
Methyl alcohol	66
Methyl blue	70
Methyl chloroform	62
Methyl green	70
Methyl orange	70
Methyl red	70
Methyl violet	70
Methylene blue	70
Methylene dichloride	62
Mice	72
Microorganisms	1, 76, 78
Microwaves	12
Milk sugar	64
Millon’s reagent	5, 44
<i>Milton</i>	9
Minibeasts	73
Minimata disease	44

Mixing liquids	98
Mixing solids	97
Model risk assessments	96
Model steam engines	68
Moderate hazard	91a
Moulds	1
Mouthpieces, shared	7, 9
Murexide	70
Mushrooms	74
Nail polish (varnish) remover	61
Nanotubes	58
Naphthalene	63
Natural gas	63
<i>n</i> -amyl alcohol	66
<i>n</i> -butanol	66
<i>n</i> -propanol	66
Nettles	74
Neutral red	70
Nigrosine	70
Nitric(V) acid	21
Nitrogen dioxide	53
Nitrogen monoxide	53, 59
Nitrogen oxides	53
Nuffield spatula	97
Obesity	64
Oil (for oil baths)	63
Oranges	25
Orcein	70
Orthophosphoric acid	24
Oven cleaner	31
Oxalic acid	25
Oxidising	91, 91a
Oxygen	51
Ozone	51
Paint stripper	62
Paraffin	63
Paraffin oil	63
Paraffin wax	63
Pathogens	1
PCR	77
Peak-flow meter	7
Pentane	63
Pentanol	66
Pepsin	2
Perspiration	8
Pesticides	74
Petrol	63
Petroleum ethers	63
Petroleum spirit	63
Phenolic disinfectants	9
Phenol- <i>ortho</i> -2,6-dichlorophenol	5, 70
Phenolphthalein	70
Phenol red	70
Phenyl thiocarbamide	8
Phenyl thiourea	8
Philosopher's wool	49
Phosphoric(V) acid	24
Phosphorus	82
Photographic emulsions	46
Photosensitisation	74





pH indicator	70
PIDCP	5, 70
Pipettes	98
Plants	74, 75
Plasmid transfer	78
Plaster of Paris	36
Plugs	10
Pollutants	52, 53
Polyacrylamide gels	77
Polymerase chain reaction	77
Ponds	75
Pond mud	76
Potassium aluminium sulfate(VI)	45
Potassium bicarbonate	33
Potassium bisulfate	34
Potassium bisulfite	35
Potassium bromide	34
Potassium carbonate	33
Potassium chloride	34
Potassium chromate(VI)	47
Potassium dichromate(VI)	47
Potassium ethanedioate	34
Potassium hydrogencarbonate	33
Potassium hydrogensulfate(IV)	35
Potassium hydrogensulfate(VI)	34
Potassium hydrogensulfite	35
Potassium hydroxide	31
Potassium iodide	34
Potassium manganate(VII)	48
Potassium metabisulfite	35
Potassium nitrate(V)	34
Potassium oxalate	25
Potassium permanganate	48
Potassium peroxodisulfate(VI)	35
Potassium persulfate	35
Potassium sulfate(IV)	35
Potassium sulfate(VI)	34
Potassium sulfite	35
Potassium thiosulfate	35
Potato	74
Pouring	98
Preservatives	72
Pressure, blood	7
Primulas	74
Procion dyes	70
Propan-1-ol	66, 72
Propan-2-ol	66
Propanal	68
Propane	63
Propanone	61
Propionaldehyde	68
<i>ProPlus</i>	8
Propyl alcohol	66
Protease	2
Proteins	4, 5
PTC	8
PTU	8
Pupils, investigations on	3, 6, 7, 8
Quick lime	32
Radiation	11, 12
Radioactive materials	11

Radio waves	12
Rats	72, 75
Reaction time	6
<i>Red Bull</i>	8
Red kidney beans	74
Reducing sugars	4
Reptiles	73
Resazurin	70
Rhodizonic acid	70
Rhubarb	25, 74
Risk	96
Risk assessment	96
RNA	78
Road kill	72
Rocks	75
Rosaniline	70
Roughage	64
Rubbing alcohol	66
Rust treatments	24
Safety precautions	96
Safety signs	91, 91a
Safety symbols	91, 91a
Sakaguchi test	5
Sal ammoniac	37
Sal volatile	37
Saliva	3, 5, 64
<i>Salmonella</i>	1
Salmon sperm	77
Salol, heating	94
Scale	33
Scales	73
Scalpels	71
Screened methyl orange	70
Scum	33
<i>sec</i> -butyl alcohol	66
Seaside	75
Seeds	74, 75
Seekers	71
Self-cloning	78
Sensitisers	2, 47
Sharps	6, 71
Sheep	72
Sight	6
Silage	76
Silver	46
Silver bromide	46
Silver chloride	46
Silver halides	46
Silver iodide	46
Silver nitrate(V)	46
Silver oxide	46
Skin	6, 8, 73
Slaked lime	32
Smelling salts	37
Smoke alarms	11
Snails	73
Soda ash	33
Soda lime	31
Sodium	80
Sodium bicarbonate	33
Sodium bisulfate	34
Sodium bisulfite	35

Sodium bromide	34
Sodium carbonate	33
Sodium chlorate(I)	9, 41
Sodium chloride	34
Sodium chromate(VI)	47
Sodium dichromate(VI)	47
Sodium ethanedioate	34
Sodium hydrogencarbonate	33
Sodium hydrogensulfate(IV)	35
Sodium hydrogensulfate(VI)	34
Sodium hydrogensulfite	35
Sodium hydroxide	31
Sodium hypochlorite	9, 41
Sodium iodide	34
Sodium manganate(VII)	48
Sodium metabisulfite	35
Sodium nitrate(V)	34
Sodium oxalate	25
Sodium perborate	39
Sodium permanganate	48
Sodium peroxoborate-4-water	39
Sodium peroxodisulfate(VI)	35
Sodium persulfate	35
Sodium sesquicarbonate	33
Sodium sulfate(IV)	35
Sodium sulfate(VI)	34
Sodium sulfide	59
Sodium sulfite	34
Sodium tetraborate	39
Sodium thiosulfate	35, 55
Solids	97
Solochrome black	70
Soot	58
Sounds	6
Spatula	97
Sphygmomanometer	7
Spirometer	7
Splints	97
Starch	4, 64
Steam engines	68
Sterilisation	1, 7, 9, 76, 78
Stethoscope	7
Stinkdamp	59
Stomach acid	20, 64
Students, investigations on	3, 6, 7, 8
Sucrose	64
Sudan dyes	70
Sugars	4, 64
Sulfur	82
Sulfur dioxide	35, 52, 82
Sulfuric(VI) acid	22
Sunlight	12, 75
Surgical spirit	8, 60
Sweat	3
Symbol letters	91
Syringe needles	71
Tartaric acid	25
Taste testing	8, 64
Teat pipettes	98
<i>tert</i> -butyl alcohol	66
Test tubes	93, 94, 98
Test tube holders	93

Tetrachloroethene	62
Tetrachloromethane	62
Thymol blue	70
Thymolphthalein	70
Ticks	75
Toilet cleaner	34
Tollen's reagent	46
Toluene	63
Toluidine blue	70
Tomato	74
Touch sensitivity	6
Toxic	91, 91a
Toxocariasis	75
Transferring liquids	98
Transferring solids	97
Trichloroethane	62
Trichloroethene	62
Trichloroethylene	62
Trichloromethane	62
Trulla	97
Trypsin	2
Tulips	74
Ultraviolet radiation	12
<i>Umbellifers</i>	74
Universal indicator	70
Urease	2
Urine	3
Van de Graaff generator	10
Vertebrates	73
Vinegar	23
<i>VirKon</i>	9
Viruses	9
Visible radiation	12
Vitamin C	5
Vocabulary	90
Volasils	62
Voltages	10
Washing soda	33
Water bath	94
Water fleas	73
Wax	63, 94
Weil's disease	75
Wild animals	73, 75
Wiring	10
Wooden splints	97
X-rays	12
Xylene	63
Xylene cyanol FF	70
Xylenol orange	70
Yeasts	76
Yellow lines	47
Zinc	49
Zinc bromide	49
Zinc carbonate	49
Zinc chloride	49
Zinc oxide	49
Zinc sulfate	49
Zinc sulfide	59

Microorganisms

Source	Hazard	Comment
Samples from the environment	 BIOHAZARD	Air, water and soil samples could be used, but not samples from high-risk areas, eg, toilets or the floors of changing rooms. All environmental samples could be contaminated with pathogens (organisms which cause disease).
Samples from humans	 BIOHAZARD	'Finger dabs' could be used or hair from clean areas, eg, the scalp. Samples could, however, be contaminated with pathogens (see above).
Foods	 BIOHAZARD	Any uncooked animal product (eggs, meat, cheese etc) may be contaminated with bacteria, especially <i>Salmonella</i> and <i>Escherichia coli</i> (<i>E. coli</i>) from the gut, which can cause food poisoning. Take care to prevent cross contamination between cooked and uncooked foods. Thorough cooking will destroy bacteria.
Purchased cultures (ie, samples of microorganisms bought from suppliers)	 BIOHAZARD	Cultures bought from reputable suppliers (but not those from hospitals, etc) should be safe but may have become contaminated. <i>E. coli</i> is often studied in schools, but this is not the same strain of bacterium that causes food poisoning.

Typical control measures to reduce risk

- When culturing, if possible, grow bacteria and fungi on solids (agar) rather than liquids (broth) to avoid spills and aerosol formation. Choose culture media, eg, nutrient agar, that do not favour the growth of pathogens.
- Incubate at temperatures which do not encourage growth of pathogens (ie, not normally around 37 °C).
- Do **not** seal cultures completely *before* incubation (otherwise hazardous anaerobic bacteria are encouraged) but make sure they cannot be opened accidentally. *After* incubation, seal completely agar plates containing microbial samples taken from the environment or human skin before they are examined.
- Incubated cultures taken from the environment or humans must never be opened.
- Use sterile equipment and procedures (eg, by flaming loops and mouths of bottles, etc).
- Avoid draughts (from open windows and doors) which could contaminate cultures and cause spores from fungi (eg, mould) to spread.
- Work near Bunsen-burner flames so that the updraught helps to prevent contamination of cultures.
- After work is complete, treat surfaces using a suitable disinfectant, for a sufficient length of time.
- Dispose of all cultures (including mould on food) by sterilisation in an autoclave (pressure cooker).
- Always wash hands after handling cultures and before handling food.
- Wear a clean lab. coat or overall to protect cultures and food from microbes on the skin, clothing, etc.
- In cooking, ensure that food is heated to at least 70 °C for at least 2 minutes.
- Do not reheat cooked food; prepare, store and display cooked and uncooked foods separately.

Assessing the risks



- **What are the details of the activity to be undertaken? What are the hazards?**
- **What is the chance of something going wrong?**
Eg, Could a food or a culture be, or become, contaminated? Could microorganisms or their spores escape?
- **How serious would it be if something did go wrong?**
Eg, Could material pathogenic to humans be released? Could food poisoning result?
- **How can the risk(s) be controlled for this activity?**
Eg, Can it be done safely? Does the procedure need to be altered?

Emergency action

- Spill on the floor, bench, etc For spills of cultures, place paper towels over the spill, pour disinfectant (eg, *Virkon*) on top and leave for at least 15 minutes. Bleach is usually suitable in the home.

Enzymes

includes Amylase, Catalase, Cellulase, Diastase, Lipase, Proteases (eg, pepsin, trypsin), Urease

Substance	Hazard	Comment
Enzymes Powders 'Biological' detergents contain enzymes.	 HARMFUL	All enzymes may be sensitisers (see below) and may produce allergic reactions. They can cause asthma and irritate the eyes, nose and skin.
Enzymes Concentrated solutions	 IRRITANT	All enzymes may be sensitisers (see below) and may produce allergic reactions. They can cause asthma and irritate the eyes, nose and skin.
Enzymes Dilute solutions Biological systems are, of course, rich sources of enzymes, eg, liver (catalase), saliva (amylase).	LOW HAZARD	The enzymes at these concentrations are unlikely to offer any significant risk.

Note: Some people are *allergic* to particular substances; their bodies' immune system reacts to these substances to an unusual extent. *Asthma* is one type of allergy which results in breathing difficulties. A *sensitiser* is a substance that may produce only a small or even no allergic reaction when humans are first exposed to it (sometimes over an extended period of time) but can produce a much more severe reaction on subsequent occasions, even when the body is exposed to much smaller amounts.

Typical control measures to reduce risk

- Use the lowest concentration/smallest amount possible.
- Reduce the risk of skin contact by wearing disposable gloves.
- Wear eye protection.
- **Avoid powdered enzymes escaping into the air; use a fume cupboard when handling enzyme powders.**

Assessing the risks




- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?*
Eg, Could enzyme dust be breathed in?
- *How serious would it be if something did go wrong?*
- *How can the risk(s) be controlled for this activity?*
Eg, Can it be done safely? Does the procedure need to be altered?

Emergency action

- **In the eye** Flood the eye with gently-running tap water for at least 10 minutes. See a doctor.
- **Swallowed** Wash out the mouth. Give a glass of water to drink. Do **not** make the casualty vomit. See a doctor.
- **Dust breathed in** Remove the casualty to fresh air. See a doctor if breathing is difficult.
- **Spilt on the skin or clothing** Remove contaminated clothing. Wash off the skin with soap and plenty of water. Rinse contaminated clothing.
- **Spilt on the floor, bench, etc** Scoop up powders (take care not to raise dust). Wipe up solution spills or any traces of powders with a damp cloth.

Human body fluids & tissues

includes **Cheek cells, blood, saliva, sweat & urine (2013)**

Source	Hazard	Comment
Cheek cells	 BIOHAZARD	There is a very tiny risk of transmission of HIV or hepatitis virus but only if contact is made with samples other than your own. Sampling may be banned in some schools although this is very unlikely.
Blood	 BIOHAZARD	There is some risk of transmission of HIV or hepatitis virus if contact is made with blood other than your own. Taking blood samples is possible if stringent precautions are taken (full details in the CLEAPSS <i>Laboratory Handbook</i> , section 14.4.1) and may not be permitted in some schools. Never share hypodermic needles or become 'blood brothers'.
Saliva	LOW HAZARD	There is a negligible risk of transmission of HIV or hepatitis virus even if you come into contact with saliva other than your own. Kissing is rarely banned for reasons of hygiene!
Sweat	LOW HAZARD	There is a negligible risk of transmission of diseases even from contact with sweat other than your own, but this is no excuse for poor hygiene.
Urine	 BIOHAZARD	There is a very tiny risk of transmission of various diseases if you come into contact with urine other than your own, although urine is normally sterile. In investigations involving urine, take care when obtaining and transporting samples. Wash hands after using the toilet.

Typical control measures to reduce risk

- Only handle samples from your own body.
- After use, hygienically dispose of samples, disinfect contaminated containers by immersion for 30 minutes in a solution of sodium chlorate(I) (hypochlorite, eg, *Milton*) or *Virkon* (for 10 minutes); treat benches for a sufficient length of time with a suitable disinfectant (*Virkon* is preferred) and wash hands. Any swabs, slides or other equipment contaminated with blood should be collected in a suitable container, then autoclaved. If necessary, use a 'sharps' container (eg, a sturdy box, clearly labelled and sealed and wrapped before disposal).
- Treat clinical thermometers, mouthpieces, etc in *Milton* for 30 minutes before and after use (unless disposable).
- In first aid, minimise contact with blood by wearing disposable surgical gloves or by asking the casualty to carry out her/his own treatment, eg, by applying pressure to a wound using a pad of cloth.





Assessing the risks

- **What are the details of the activity to be undertaken? What are the hazards?**
- **What is the chance of something going wrong?**
Eg, Could somebody else come into contact with samples from your body, or vice versa?
If first-aid treatment was **not** applied, could the casualty's condition put his or her life at risk?
- **How serious would it be if something did go wrong?**
Eg, Could HIV or hepatitis virus or other pathogens be transmitted?
- **How can the risk(s) be controlled for this activity?**
Eg, Can it be done safely and without risk to health? Does the procedure need to be altered?

Emergency action

- **Spill on the floor, bench, etc** For spills of most body fluid samples, place paper towels over the spill, pour disinfectant (eg, *Virkon*) on top and leave for at least 15 minutes. For blood, wear disposable gloves and use sodium chlorate(I) (hypochlorite, bleach) containing at least 10 000 ppm chlorine. Leave in contact for 15-30 minutes. Wash hands thoroughly.
- **Disposal of bloody tissues, towels, etc** Avoid skin contact with tissues etc contaminated with blood. In school, place in a container for sanitary waste, etc. Then incinerate or use a clinical waste-collection service. At home, flush down the toilet or wrap carefully and place in the refuse.

Food testing (1)

Substance	Hazard	Comment
Food	 BIOHAZARD	Uncooked samples of food may be contaminated with microbes. (See <i>Student Safety Sheet 1, Microorganisms.</i>) Some people are allergic to some foods, especially peanuts.
Fehlings' solution Used to test for reducing sugars.	 CORROSIVE	See <i>Student Safety Sheets 31 and 40</i> . Solution A contains slightly-acidic copper sulfate solution, but at concentrations which present only a LOW HAZARD. Solution B contains sodium hydroxide solution which is CORROSIVE. As the mixture has to be heated in a test tube, there is a risk of alkali spitting out.
Benedict's solution Used to test for reducing sugars.	LOW HAZARD	See <i>Student Safety Sheet 40</i> . Contains slightly-alkaline copper sulfate solution, but at concentrations which present only a LOW HAZARD. Some risk of spitting when heating test tubes.
Ethanol Used to test for fats (lipids).	 HIGHLY FLAMMABLE	See <i>Student Safety Sheet 60</i> . If Bunsen burners are being used nearby for other food tests, there is a serious fire risk.
Iodine solution Used to test for starch.	LOW HAZARD	See <i>Student Safety Sheet 56</i> . Wear eye protection, though the solution in water is dilute and only presents a LOW HAZARD.
Biuret test Used to test for proteins.	 IRRITANT	See <i>Student Safety Sheets 31 and 40</i> . Uses very dilute copper sulfate solution (LOW HAZARD) and sodium hydroxide solution which is IRRITANT (not CORROSIVE) if kept dilute (below 0.5 M).

Typical control measures to reduce risk

- Do not taste foods in laboratories; avoid using products containing peanuts etc if there is a known allergy.
- Wear eye protection and use the smallest possible amounts of chemicals.
- Use Benedict's solution rather than Fehling's solution and heat with a water bath.
- Do **not** use ethanol if there are naked flames nearby.







Assessing the risks

- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?*
Eg, Could chemicals spit out of a test tube?
Might somebody using a Bunsen burner be unaware that a nearby person was using ethanol?
- *How serious would it be if something did go wrong?*
Could ethanol catch fire or alkali splash into the eye?
- *How can the risk(s) be controlled for this activity?*
Eg, Can it be done safely? Does the procedure need to be altered? Should goggles or safety spectacles be worn?

Emergency action

- **In the eye** Flood the eye with gently-running tap water for 10 minutes. See a doctor.
- **Swallowed** Do no more than wash out the mouth with water. Do **not** induce vomiting. Sips of water may help cool the throat and help keep the airway open. See a doctor.
- **Spilt on skin or clothing** Remove contaminated clothing. Drench the skin with plenty of water. If a large area is affected or blistering occurs, see a doctor.
- **Clothing catches fire** Smother flames on clothing or skin with a fire blanket or other material. Cool any burnt skin with gently-running tap water for 10 minutes.
- **Other ethanol fires** Allow fires in sinks, etc to burn out. Fires at the top of test tubes, beakers, etc should be smothered with a damp cloth or heat-proof mat if this can be done safely.
- **Spilt on floor, bench, etc** For small amounts, use a damp cloth. Rinse well. For larger amounts, cover with mineral absorbent (eg, cat litter) and scoop into a bucket. Neutralise alkali with citric acid. Rinse with water.

Food testing (2)

Substance	Hazard	Comment
Millon's reagent Used to test for proteins.	  VERY TOXIC / CORROSIVE	It contains a high concentration of a mercury compound and concentrated nitric acid (see <i>Student Safety Sheets 21 and 44</i>). Cole's modification (Millon's reagent A) is somewhat less hazardous because it contains less-concentrated sulfuric acid, but it is still classed as VERY TOXIC and CORROSIVE. It also uses sodium nitrate(III) (nitrite) solution which is HARMFUL. Careful disposal is required. There is a risk of spitting when it is heated in a test tube.
Sakaguchi test Used to test for proteins.	  TOXIC / CORROSIVE   HIGHLY FLAMMABLE / HARMFUL	The test involves mixing three solutions which contain sodium hydroxide solution (CORROSIVE), naphthalen-1-ol (HARMFUL) dissolved in ethanol (HIGHLY FLAMMABLE) and sodium chlorate(I) (hypochlorite) (CORROSIVE). See relevant <i>Student Safety Sheets</i> . Despite these hazards, it is safer to use than either form of Millon's reagent because it does not need to be heated and only a few drops are required. The biuret test is safer still (see <i>Sheet 4</i>).
DCPIP Used to test for Vitamin C.	LOW HAZARD	See <i>Student Safety Sheet 70, Dyes and indicators</i> . (Also known as PIDCP.)
Saliva Used to break down starch.	LOW HAZARD	See <i>Student Safety Sheet 3, Human body fluids and tissues</i> . Negligible risk.
Clinistix Used to test for glucose.	LOW HAZARD	The tip of the stick contains a minute amount of a known carcinogen and should not be touched. The sticks should be stored and disposed of safely. It is normally used for testing urine.
Albustix Used to test for proteins.	LOW HAZARD	This will not detect all proteins. It is normally used for testing urine.

Typical control measures to reduce risk

- Wear eye protection and use the smallest possible amounts of chemicals.
- Use the least-hazardous substance that achieves the required effect.

Assessing the risks

- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?*
 Eg, Could chemicals spit out of the test tube?
- *How serious would it be if something did go wrong?*
 Could ethanol (in the Sakaguchi test) catch fire, or acid splash into the eye?
- *How can the risk(s) be controlled for this activity?*
 Eg, Can it be done safely? Does the procedure need to be altered? Should goggles or safety spectacles be worn?




Emergency action

- **In the eye** Flood the eye with gently-running tap water for 10 minutes. See a doctor.
- **Swallowed** Do no more than wash out the mouth with water. Do **not** induce vomiting. Sips of water may help cool the throat and help keep the airway open. See a doctor.
- **Spilt on skin or clothing** Remove contaminated clothing. Drench the skin with plenty of water. If a large area is affected or blistering occurs, see a doctor.
- **Clothing catches fire** Push the casualty to the floor, roll the body or smother flames on clothing or skin with a fire blanket or other material. Cool any burnt skin with gently-running tap water for 10 minutes.
- **Other ethanol fires** Allow fires in sinks, etc to burn out. Fires at the top of test tubes, beakers, etc should be smothered with a damp cloth or heat-proof mat if this can be done safely.
- **Spilt on the floor, bench, etc** Wipe up small amounts with a damp cloth. Rinse well. For larger amounts, cover with mineral absorbent (eg, cat litter) and scoop into a bucket. Neutralise alkali with citric acid or acid with sodium carbonate. Rinse with plenty of water.

Humans as the subject of investigation (1)

including simple measurements on the body and senses and psychological effects (2013)

See also CLEAPSS *Student Safety Sheets 3, 7, 8 and 9.*

Source	Hazard	Comment
All investigations on pupils	 DANGER  BIOHAZARD	<p>Pupils should never be pressurised to take part in investigations on themselves.</p> <p>Individual pupils may become alarmed or distressed, or be subject to unpleasant comments from others in the class, if the results for their bodies are significantly different from others. In fact, a wide spread of figures may be regarded as normal and, in any case, measurement methods used in schools may not be very accurate or reliable.</p> <p>Biohazards may result if body fluids are used (see <i>Sheet 3</i>).</p>
Investigations of body mass and size, sight, colour blindness, teeth, hearing, reaction time, touch sensitivity, ear lobe attachment, eye colour, etc	 DANGER	<p>Hazards include excessively loud sounds, bright light sources, sharp objects (touch testing), falling objects (reaction timing). Hygiene issues may arise with shared dental mirrors, etc.</p> <p>Individual pupils may become alarmed or distressed, or be subject to unpleasant comments from others in the class, if genetic tests raise questions about biological or adoptive parentage, although in fact blue-eyed children can occasionally arise from biological parents with brown eyes because the inheritance of eye colour is a complex issue.</p>

Typical control measures to reduce risk

- Ensure only willing volunteers are used and re-assure them if results are exceptional or surprising.
- Be aware of any medical conditions that could affect pupils' ability to participate and/or the results.
- Use hair grips rather than pins for touch sensitivity tests.
- Avoid sounds more than 85 dB(A).
- Ensure dental mirrors etc are properly disinfected between each use (see *Student Safety Sheet 9*).
- Use non-LED torches as light sources.

Assessing the risks

- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?*
Eg, Could somebody be injured by the equipment?
- *How serious would it be if something did go wrong?*
- *How can the risk(s) be controlled for this activity?*
Eg, Can it be done safely? Does the procedure need to be altered?





Emergency action

- **Minor cuts** Wash the wound. Get the casualty to apply a small, sterilised dressing.
- **Exposure to very loud sounds** Brief exposure to sounds of the loudness likely to be achieved in a school laboratory is unlikely to cause lasting damage. Reassure the casualty. Repeated exposure to loud music on portable media players (ipods) or at pop festivals is much more damaging,
- **Exposure to very bright lights** Although looking directly at the Sun and other very bright lights can cause permanent damage, the natural aversion response of the eyes of pupils will usually prevent this unless deliberately over-ridden. Reassure the casualty.
- **Impact injury** Rest the injured part; apply ice to reduce the bruising and pain; get attention from a first-aider.

Humans as the subject of investigation (2)

including exercise, breathing and blood pressure (2013)

See also CLEAPSS *Student Safety Sheets 3, 6 and 8.*

Source	Hazard	Comment
Investigating effects of exercise	 DANGER	Over-exertion may be a hazard, especially for those with some medical conditions. Competitive situations can lead to careless behaviour and accidents. Unsuitable footwear, uneven surfaces, running up and down stairs and unstable equipment may be hazards.
Investigating breathing	 DANGER  BIOHAZARD	Shared mouthpieces are sources of infection. When using manometers, fluid may be taken into the mouth. Use of spirometers which have a large chamber filled with air or oxygen must be closely supervised by the teacher. Use of lung-volume bags (or even water-filled bell jars), data-logging sensors and peak-flow meters are much safer. It is dangerous to carry out investigations involving rebreathed air for more than 1 minute.
Investigating blood pressure	 DANGER	Using a sphygmomanometer with a mercury manometer and a stethoscope requires great skill. Electronic models, especially with automatic cuff inflation, are much more suitable but still require close teacher supervision.

Typical control measures to reduce risk

- Ensure only willing volunteers are used and reassure them if results are exceptional or surprising.
- Make sure you know how to use any equipment safely.
- When taking exercise, use step-ups on stable equipment rather than running up stairs, do not exercise more than in PE and be aware of students with asthma, diabetes, circulatory problems or those advised not to take part in normal PE lessons.
- Change and disinfect mouthpieces after each pupil.
- Ensure manometers have a trap to prevent fluid being taken into the mouth.
- Only use equipment for measuring blood pressure under the direct supervision of trained staff.

Assessing the risks



- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?*
Eg, Could somebody over-exert themselves or trip dangerously?
If first-aid treatment was not applied, could the casualty's condition put his or her life at risk?
- *How serious would it be if something did go wrong?*
Eg, Could it be life-threatening?
- *How can the risk(s) be controlled for this activity?*
Eg, Can it be done safely? Does the procedure need to be altered?

Emergency action

- **Impact injury** Rest the injured part; apply ice to reduce the bruising and pain; get attention from a first-aider.
- **Asthma or breathing difficulties** Students should use their own inhalers (if any) and inform teacher.

Humans as the subject of investigation (3)
including tasting, eating & drinking and chemicals on the skin (2013)

See also CLEAPSS Student Safety Sheets 3, 6 and 7.

Source	Hazard	Comment
Investigations where chemicals are placed on skin	 TOXIC	Hazardous chemicals may be placed on the skin during evaporation tests or when investigating perspiration. Where possible, it is safest to use substances which are deliberately intended for skin use, eg surgical spirit. Cobalt chloride (or thiocyanate) is TOXIC by inhalation but this risk is negligible when impregnated on paper. It is a sensitiser so skin contact must be minimised, although there is no evidence of problems from typical school use.
Investigations involving tasting, eating and drinking	 TOXIC	Eating and drinking should not take place in laboratories and in some circumstances it may be illegal under the <i>COSHH Regulations</i> . Use of disclosing tablets in accordance with the manufacturer's instructions is considered low hazard. Tasting small amounts of dilute solutions (eg, sugar, salt) must be done under hygienic conditions, using a drinking straw, cotton bud or impregnated filter paper. PTC (phenyl thiocarbamide, phenylthiourea, PTU), used in genetics testing, is TOXIC, and must be used only in carefully controlled very small amounts. Consuming alcohol in any form or caffeine in the form of <i>ProPlus</i> tablets is not acceptable. Use caffeine in cola drinks or coffee instead but limit total caffeine intake by avoiding it before and after testing. Limited amounts of <i>Red Bull</i> might be used if students drink it anyway, although it contains other components as well.

Typical control measures to reduce risk

- Ensure only willing volunteers are used and reassure them if results are exceptional or surprising.
- Use water or surgical spirit for testing evaporation on skin.
- If using cobalt chloride (or thiocyanate) paper on the skin, handle with forceps and wash skin afterwards.
- Do not conduct taste tests in laboratories; use dining areas or food technology rooms.
- Observe scrupulous hygiene - no sharing of cups, spoons, straws, etc.
- Use only specially-purchased food- or pharmaceutical-quality chemicals for tasting.



Assessing the risks

- **What are the details of the activity to be undertaken? What are the hazards?**
- **What is the chance of something going wrong?**
Eg, Could somebody taste the wrong substance by accident or as a result of mischief?
- **How serious would it be if something did go wrong?**
Eg, Could it be life-threatening?
- **How can the risk(s) be controlled for this activity?**
Eg, Can it be done safely? Does the procedure need to be altered?

Emergency action

- Hazardous chemicals in mouth Wash out mouth.
- Hazardous chemicals swallowed Wash out mouth. Do NOT make victim vomit. See a doctor.

Disinfectants (2013)

Substance	Hazard	Comment
Disinfectants containing active chlorine, eg <i>Domestos</i> , <i>Milton</i>	varies See CLEAPSS <i>Student Safety Sheet 41</i> , Sodium chlorate(I) (sodium hypochlorite).	Effective against wide range of microorganisms. Less suitable for dirty conditions because degraded by organic matter. Corrode metals and generate toxic chlorine with acids. A good choice where blood is involved but use is discouraged by some employers. Requires a contact time of at least 15 minutes.
Disinfectants containing methanal (formaldehyde)	varies See CLEAPSS <i>Student Safety Sheet 67</i> , Methanal.	Very effective at killing microorganisms but more concentrated solutions are hazardous. The preferred option for killing the growth of microbes on agar plates.
Ethanol, 70% industrial denatured alcohol (IDA)	 HIGHLY FLAMMABLE See CLEAPSS <i>Student Safety Sheet 60</i> , Ethanol.	Active against most bacteria, viruses and fungi, within 5 minutes. Mainly useful for swabbing benches immediately before preparing cultures or for rapid disinfection of mouthpieces, dental mirrors, etc – rinse with clean water after sterilisation.
<i>VirKon</i> , powder	 IRRITANT	Main active component is dipotassium peroxomonosulfate, which oxidises the infective material. Powder can be poured directly onto liquid spills, but usually dissolved in water.
<i>VirKon</i> , 1% aqueous solution	LOW HAZARD	Very effective with 10 minutes contact against bacteria, fungi and viruses. Solution attacks metal after 10 minutes. The best choice for most situations.
Phenolic disinfectants	varies	Clear phenolics have been phased out under the <i>Biocidal Products Regulations</i> . Other phenolics (white or black, eg <i>Jeyes Fluid</i> , <i>Izal</i> , <i>Lysol</i>) are less effective and some are TOXIC/CORROSIVE. Not generally recommended for laboratory use.

Typical control measures to reduce risk




- Where possible, avoid the use of disinfectants classed as TOXIC or CORROSIVE and use freshly-made solutions.
- Wear eye protection, including when making or disposing of solutions.

Assessing the risks

- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?*
Eg, *Is the disinfectant effective against the organisms likely to be present; will it be left long enough to be effective?*
- *How serious would it be if something did go wrong?*
Eg, *Could a failure of disinfection result in serious illness?*
- *How can the risk(s) be controlled for this activity?*
Eg, *Can it be done safely? Does the procedure need to be altered? Should goggles or safety spectacles be worn?*

Emergency action

- Sodium chlorate(I) incidents See CLEAPSS *Student Safety Sheet 41* if sodium chlorate(I) used.
- In the eye Immediately rinse the eye with gently-running tap water for at least 10 minutes. See a doctor.
- Swallowed Do no more than wash out the mouth with water. Do **not** induce vomiting. See a doctor.
- Spilt on the skin or clothing Brush off solids. Rinse skin or clothing thoroughly with water.
- Spilt on the floor, bench, etc Wear eye protection. Scoop up any solid and wipe up small amounts with a damp cloth and rinse it well. Cover solutions with mineral absorbent (eg, cat litter) and scoop into a bucket. Rinse well.

Situation	Hazard	Comment
<p>Electric power distribution 230 V ac and above at high currents (over 5 mA).</p>	 ELECTRIC SHOCK / BURN	<p><i>In non-school contexts:</i> over-head power lines and local sub-stations could cause accidents if children behave foolishly.</p>
<p>Home and school Above 28 V ac or 40 V dc and at currents over 5 mA. This includes the 230 V ac mains supply.</p>	 ELECTRIC SHOCK / BURN	<p><i>In school science:</i> problems may arise from terminals of high voltage (high tension, HT) supplies or low-voltage units with an HT outlet (as some supply 150 mA); also in activities involving electrophoresis, model transformers or conductivity of molten glass.</p> <p><i>In non-school contexts:</i> problems arise due to poor insulation (damaged wiring and plugs), incorrect wiring, over-loaded circuits, poor earthing or vandalism.</p>
<p>School science investigations Less than 28 V ac or 40 V dc and at currents over 5 mA. This includes almost all work with batteries in school or elsewhere.</p>	<p>LOW ELECTRICAL HAZARD</p>  TOXIC / CORROSIVE	<p>Most school circuit work, including electrolysis, is in this category (although problems could arise if currents over 10 A were used).</p> <p>Some cells, batteries and accumulators contain TOXIC or CORROSIVE materials.</p>
<p>Everywhere: eg, static electricity Any voltages at very low currents (well below 5 mA)</p>	<p>LOW HAZARD</p>	<p>Examples include the van de Graaff generator (but not induction coils which may give over 5 mA). Electronic equipment nearby may be damaged by static discharges or electromagnetic fields.</p>

Typical control measures to reduce risk

- Use the lowest voltage possible (and, for electrolysis, the lowest current and concentration that gives good results).
- Avoid exposed conductors which are live above 28 V.
- Avoid the possibility of water coming into contact with conductors which are live above 28 V.
- Check that primary and secondary insulation (ie, both layers of plastic coating) are in good condition.
- Avoid over-loaded circuits, too many plugs in one socket, etc.
- Check that plugs are correctly wired with appropriate fuses.
- Ensure good earth connections where necessary.




Assessing the risks

- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?*
Eg, Accidentally touching a live component through poor design or poor maintenance.
- *How serious would it be if something did go wrong?*
Eg, Could a current flow through the heart? How large a voltage and/or current?
- *How can the risk(s) be controlled for this activity?*
Eg, Can it be done safely? Does the procedure need to be altered?

Emergency action

- **Electric shock** **Take care for your own safety.**
Break contact by switching off or removing the plug. If this is not possible, use a wooden broom handle or wear rubber gloves to pull the casualty clear. See a doctor.
If the casualty is unconscious, check that airways are clear and that the casualty is breathing and has a pulse. If so, place the casualty in the 'recovery position'. If a pulse is found but the casualty is not breathing, artificial ventilation is necessary. If no pulse is found and the casualty is not breathing, cardio-pulmonary resuscitation is necessary.

Radioactive materials

Substance	Hazard	Comment
<p>Alpha sources (α radiation)</p> <p>Low-activity α sources are used in domestic smoke alarms.</p>	 <p>IONISING RADIATION</p>	<p>Produce heavy ionisation (see <i>Additional Information</i>, below) but range is less than 1 mm in living tissue. Little problem if source is kept outside body.</p>
<p>Beta sources (β radiation)</p> <p>All samples of potassium and its compounds (including granite rocks, clays, etc) contain very small amounts of a natural β emitter.</p>	 <p>IONISING RADIATION</p>	<p>Produce medium ionisation (see <i>Additional Information</i>, below) but the range is a few centimetres in living tissue. There is little problem if source is kept away from the body.</p>
<p>Gamma sources (γ radiation)</p> <p>Very active γ sources are used in hospitals for killing cancer cells. Domestic smoke alarms emit a little γ radiation.</p>	 <p>IONISING RADIATION</p>	<p>Produce little ionisation (see <i>Additional Information</i>, below) but the range is long in living tissue, some passing right through the body. In schools, use a weak source and keep well away from the body.</p>

Additional information:

- When (ionising) radiation is absorbed by living tissue, mostly it results in a few extra hydrogen ions and hydroxide ions in the cytoplasm of cells. These rapidly recombine to form water.
- Some radiation is absorbed by more-complex molecules and the ions from these can result in the death of the cell.
- Low levels of ionising radiation have little noticeable effect because biological organisms are continually replacing cells which die for other reasons anyway.
- High doses of radiation can result in skin burns (like sunburn) or radiation sickness (where so many cells have been killed that an organ ceases to function properly).
- Ionising radiation can also affect DNA in cells and change the genetic code. In reproductive organs, this could cause abnormal offspring but has never been confirmed in humans.
- Modified DNA may allow cells to reproduce out of control and form a cancer.

Typical control measures to reduce risk

- Use the lowest-activity source possible (only low-level sources are permitted in schools).
- Keep as far away from the source as possible (For school sources, use a handling tool which keeps the source at least 10 cm from the hand. Observers of demonstrations should generally keep at least 2 m away.).
- Have a clear set of local rules, including "Sources must not be handled by under-16s".
- When radioactive solids, liquids or gases (open sources) are in use, prevent contamination of people (by use of lab coats and disposable plastic gloves), of benches (by use of trays and sheets of absorbing paper) and apparatus (by handling equipment with disposable tissues).








Assessing the risks

- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?*
Eg, Source is dropped, spilt or stolen or somebody moves too close to the source.
- *How serious would it be if something did go wrong?*
- *How can the risk(s) be controlled for this activity?*
Eg, Can it be done safely? Does the procedure need to be altered?

Emergency action

- **Sealed source dropped** Do not look directly at a source; use a mirror to examine a source for damage. Check the area for radioactivity where a source was dropped.
- **Spilt on the skin or swallowed** Wash the affected area thoroughly and check for radioactivity. If swallowed, go to a hospital specialising in radiation incidents.
- **Open source spilt on the floor, bench, etc** Wipe up small amounts with damp tissues. Wipe the area until count rate is less than 50% above background. Place tissues in a plastic bag and dispose of it in solid waste.

Electromagnetic radiation

Type of radiation	Hazard	Comment
Radio waves Wavelength 10^3 m.	LOW HAZARD	-
Microwaves Wavelength 10^{-2} m.	 NON-IONISING RADIATION	They are strong sources produce local heating. Microwave ovens should be operated and maintained according to instructions, so that microwaves cannot leak out. Using mobile phones is safe if the power is less than 100 W m^{-2} .
Infra red Wavelength 10^{-5} m.	 NON-IONISING RADIATION	It can produce skin burns and strong sources (eg, furnaces for melting iron) may damage the cornea of the eye. It may ignite combustible materials.
Visible Wavelength 0.5×10^{-6} m.	 NON-IONISING RADIATION  LASER RADIATION	Intense sources (eg, from the Sun and narrow beams from class 3 & 4 lasers) may damage the retina. Class 1 lasers (eg, in laser printers) are totally enclosed. Class 2 lasers are low power (less than 1 mW) and safe unless the 'blink response' is over-ridden or ignored. Laser pointers are class 3 lasers (typical power 3 mW) and are more dangerous, especially if misused. Direct observation of eclipses of the Sun often results in blindness.
Ultra violet Wavelength 10^{-8} m. UV-A, long-wave UV; UV-B, short-wave UV	 NON-IONISING RADIATION	It can cause sunburn. There is a risk of skin cancer. Do not sunbathe without adequate protection. UV-A is used in sun beds. UV-B can damage the eyes; it is produced in electric-arc or oxy-acetylene welding. Wear snow goggles when skiing.
X-rays Wavelength 10^{-10} m.	 IONISING RADIATION	X-rays are produced in low-pressure systems by sparks and discharges at more than 6 kV. Large doses cause burns and may induce cancer.
Gamma (γ) rays Wavelength 10^{-12} m.	 IONISING RADIATION	See <i>Student Safety Sheet 11, Radioactive materials</i> .

Additional information: There is no evidence that electric and magnetic fields at ordinary intensities affect the human body. Microwaves and infra-red radiation have both been used medically to give relief from pain. X-rays are used in medicine for diagnosis and treatment (but should be avoided during pregnancy).

Typical control measures to reduce risk

- X-ray sets are permitted in schools only where there are suitably-qualified staff.
- Ultra-violet lamps must be screened or personal protective equipment used (also for welding).
- Lasers for use in schools must be class 1 or class 2, when the rule is "Do not stare down the beam".
- Use sun lotions with a suitable protection factor and do not sunbathe without adequate protection.
- Never look directly at the Sun (even during an eclipse) or through a lens, filter or pin hole.

Assessing the risks





- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?*
- *How serious would it be if something did go wrong?*
- *How can the risk(s) be controlled for this activity?*
Eg, *Can it be done safely? Does the procedure need to be altered?*

Emergency action

- **Radiation burns to the skin** Treat as for a heat burn, ie, cool burnt skin under gently-running tap water for 10 minutes. See a doctor if more than an area the size of a small coin is affected.
- **Suspected eye damage** Cover and see a doctor.

Hydrochloric acid

also applies to Hydrogen chloride gas

Substance	Hazard	Comment
Hydrogen chloride Gas	 TOXIC  CORROSIVE	It is toxic if breathed in. It causes severe burns and irritates the lungs. For a 15-minute exposure, the concentration in the atmosphere should not exceed 8 mg m ⁻³ .
Concentrated hydrochloric acid (If 6.5 M or more)	 CORROSIVE	It causes burns. The vapour irritates the lungs.
Moderately-concentrated hydrochloric acid (If less than 6.5 M but 2 M or more)	 IRRITANT	It may irritate the eyes and skin.
Dilute hydrochloric acid (If less than 2 M)	LOW HAZARD	This includes stomach acid. Dilute acid may still cause harm in the eyes or in a cut.

Typical control measures to reduce risk

- Use the lowest concentration possible.
- Use the smallest volume possible.
- Wear eye protection for all but the most-dilute solutions.
- Wear protective gloves if anything more than tiny amounts of concentrated acid are handled.
- **Avoid breathing the gas or fumes from concentrated solutions, eg, by use of a fume cupboard.**





Assessing the risks

- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?*
 Eg, Hazardous products (such as chlorine) produced as a result of a reaction with the acid or choking fumes produced if concentrated acid is over-heated.
- *How serious would it be if something did go wrong?*
 NB There are occasional reports of pupils being taken to hospital as a result of breathing in chlorine.
- *How can the risk(s) be controlled for this activity?*
 Eg, Can it be done safely? Does the procedure need to be altered? Should goggles or safety spectacles be worn?

Emergency action

- In the eye Flood the eye with gently-running tap water for 10 minutes. See a doctor.
- Vapour breathed in Remove to fresh air. Call a doctor if breathing is difficult.
- Swallowed Do no more than wash out the mouth with water. Do **not** induce vomiting. Sips of water may help cool the throat and help keep the airway open. See a doctor.
- Spilt on the skin or clothing Remove contaminated clothing. Then drench the skin with plenty of water. If a large area is affected or blistering occurs, see a doctor.
- Spilt on the floor, bench, etc **For release of gas, consider the need to evacuate the laboratory and open all windows.** For large spills, and especially for (moderately) concentrated acid, cover with mineral absorbent (eg, cat litter) and scoop into a bucket. Neutralise with sodium carbonate. Rinse with plenty of water. Wipe up small amounts with a damp cloth and rinse it well.

Nitric(V) acid

Substance	Hazard	Comment
Concentrated nitric(V) acid	 CORROSIVE  OXIDISING	It causes severe burns; skin is stained yellow and then peels. For a 15-minute exposure, the vapour concentration in the atmosphere should not exceed 2.6 mg m ⁻³ . If over 11 M, the acid may cause fire in contact with combustible materials.
Moderately-concentrated nitric(V) acid (If 0.5 M or more)	 CORROSIVE	It causes severe burns.
Moderately-dilute nitric(V) acid (If less than 0.5 M but 0.1 M or more)	 IRRITANT	It is irritating to the eyes and skin.
Dilute nitric(V) acid (If less than 0.1 M)	LOW HAZARD	It may still cause harm in the eyes or in a cut.

Typical control measures to reduce risk

- Use the lowest concentration possible.
- Use the smallest volume possible.
- Wear eye protection, including when making or disposing of solutions.
- Wear protective gloves if concentrated acid is handled on anything larger than a test-tube scale.
- Ensure good ventilation if oxides of nitrogen could be formed.




Assessing the risks

- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?*
 Eg, Hazardous products are formed in reactions with the acid (such as oxides of nitrogen) or corrosive fumes are produced if concentrated acid is over-heated.
- *How serious would it be if something did go wrong?*
 Eg, Peeling skin, from burns caused by concentrated acid, may be very painful.
- *How can the risk(s) be controlled for this activity?*
 Eg, Can it be done safely? Does the procedure need to be altered? Should goggles or safety spectacles be worn?

Emergency action

- In the eye Flood the eye with gently-running tap water for 10 minutes. See a doctor.
- Fumes breathed in Remove the casualty to fresh air. Keep him/her warm. If more than a 'sniff' is inhaled, see a doctor even if no symptoms are apparent.
- Swallowed Do no more than wash out the mouth with water. Do **not** induce vomiting. Sips of water may help cool the throat and help keep the airway open. See a doctor.
- Spilt on the skin or clothing Quickly use a dry cloth or paper towel to wipe as much liquid off the skin as possible. Then drench with plenty of water. If a large area is affected or blistering occurs, see a doctor. Remove contaminated clothing and rinse it well.
- Spilt on the floor, bench, etc Wipe up small amounts with a damp cloth and rinse it well.
 For larger amounts, and especially for (moderately) concentrated acid, cover with mineral absorbent (eg, cat litter) and scoop into a bucket. Neutralise with sodium carbonate. Rinse with plenty of water.

Sulfuric(VI) acid

Substance	Hazard	Comment
Concentrated sulfuric(VI) acid	 CORROSIVE	It causes severe burns. It reacts violently, becoming very hot, when mixed with water. For a 15-minute exposure, the vapour concentration in the atmosphere should not exceed 3.0 mg m ⁻³ .
Moderately-concentrated sulfuric(VI) acid (If 1.5 M or more) Includes acid used in car batteries.	 CORROSIVE	It causes severe burns.
Moderately-dilute sulfuric(VI) acid (If less than 1.5 M but 0.5 M or more)	 IRRITANT	It is irritating to the eyes and skin.
Dilute sulfuric(VI) acid (If less than 0.5 M)	LOW HAZARD	It may still cause harm in the eyes or in a cut.

Typical control measures to reduce risk

- Use the lowest concentration possible.
- Use the smallest volume possible.
- Wear eye protection, including when making or disposing of solutions.
- Wear protective gloves if concentrated acid is handled on anything larger than a test-tube scale.
- **Add the concentrated acid slowly to cold water (or preferably ice) when diluting, never the reverse; stir frequently to ensure good mixing.**

Assessing the risks




- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?*
Eg, Hazardous products are formed in reactions with the acid or corrosive fumes are produced if concentrated acid is over-heated.
- *How serious would it be if something did go wrong?*
Eg, Skin and eyes can be seriously burned if not treated quickly.
- *How can the risk(s) be controlled for this activity?*
Eg, Can it be done safely? Does the procedure need to be altered? Should goggles or safety spectacles be worn?

Emergency action

- **In the eye** Flood the eye with gently-running tap water for 10 minutes. See a doctor.
- **Swallowed** Do no more than wash out the mouth with water. Do **not** induce vomiting. Sips of water may help cool the throat and help keep the airway open. See a doctor.
- **Spill on the skin or clothing** Remove contaminated clothing. Especially with concentrated acid, quickly use a *dry* cloth or paper towel to wipe as much liquid as possible off the skin. Then drench the skin with plenty of water. If a large area is affected or blistering occurs, see a doctor.
- **Spill on the floor, bench, etc** Wipe up small amounts with a damp cloth and rinse it well.
For larger amounts, and especially for (moderately) concentrated acid, cover with mineral absorbent (eg, cat litter) and scoop into a bucket. Neutralise with sodium carbonate. Rinse with plenty of water.

Ethanoic (acetic) acid

also applies to Methanoic (formic) acid

Substance	Hazard	Comment
Ethanoic acid (acetic acid) Pure liquid, 'glacial' Also methanoic (formic) acid.	 CORROSIVE FLAMMABLE	It causes severe burns and irritates the lungs. For a 15-minute exposure, the concentration of the vapour in the atmosphere should not exceed 37 mg m ⁻³ (28.8 mg m ⁻³ for methanoic acid). Some descalers for kettles, irons etc use methanoic acid.
Concentrated ethanoic (acetic) acid Solution in water (If 4 M or more)	 CORROSIVE	It causes burns. Also methanoic (formic) acid.
Moderately-concentrated ethanoic (acetic) acid (If less than 4 M but 1.7 M or more)	 IRRITANT	It is irritating to the eyes and skin. Also methanoic (formic) acid, including ant venom.
Dilute ethanoic (acetic) acid (If less than 1.7 M)	LOW HAZARD	It may still cause harm in the eyes or in a cut. This includes vinegar.

Typical control measures to reduce risk

- Use the lowest concentration possible.
- Use the smallest volume possible.
- Wear eye protection for all but the most-dilute solutions.
- Wear protective gloves if anything more than tiny amounts of concentrated acid are handled.
- Avoid breathing gas or fumes from concentrated solutions, eg, by use of a fume cupboard.

Assessing the risks




- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?*
Eg, Choking fumes if concentrated acid is over-heated.
- *How serious would it be if something did go wrong?*
NB We put vinegar on chips!
- *How can the risk(s) be controlled for this activity?*
Eg, Can it be done safely? Does the procedure need to be altered? Should goggles or safety spectacles be worn?

Emergency action

- **In the eye** Flood the eye with gently running tap water for 10 minutes. See a doctor.
- **Vapour breathed in** Remove to fresh air. Call a doctor if breathing is difficult.
- **Swallowed** Do no more than wash out the mouth with water. Do **not** induce vomiting. Sips of water may help cool the throat and help keep the airway open. See doctor.
- **Spilt on the skin or clothing** Remove contaminated clothing. Then drench the skin with plenty of water. If a large area is affected or blistering occurs, see a doctor.
- **Spilt on the floor, bench, etc** Wipe up small amounts with a damp cloth and rinse it well.
For large spills, and especially for (moderately) concentrated acid, cover with mineral absorbent (eg, cat litter) and scoop into bucket. Neutralise with sodium carbonate. Rinse with plenty of water.

Phosphoric(V) acid

also known as **Orthophosphoric acid**

Substance	Hazard	Comment
Concentrated phosphoric(V) acid	 CORROSIVE	It causes burns. It reacts violently, becoming very hot, when mixed with water. It decomposes if heated strongly, forming toxic oxides of phosphorus.
Moderately-concentrated phosphoric(V) acid (If 2.5 M or more)	 CORROSIVE	It causes burns. This includes phosphoric acid used in most descaling and rust treatments.
Moderately dilute phosphoric(V) acid (If less than 2.5 M but 0.5 M or more)	 IRRITANT	It is irritating to the eyes and skin.
Dilute phosphoric(V) acid (If less than 0.5 M)	LOW HAZARD	It may still cause harm in the eyes or in a cut. This includes acid used in cola drinks, etc. Over long periods of time, the acid may attack teeth.

Typical control measures to reduce risk

- Use the lowest concentration possible.
- Use the smallest volume possible.
- Wear eye protection, including when making or disposing of solutions.
- Wear protective gloves if concentrated acid is handled on anything larger than a test-tube scale.
- **Add the concentrated acid slowly to cold water when diluting, never the reverse; stir frequently to ensure good mixing.**

Assessing the risks




- **What are the details of the activity to be undertaken? What are the hazards?**
- **What is the chance of something going wrong?**
Eg, Hazardous products are formed in reactions with the acid or corrosive fumes are produced if concentrated acid is over-heated.
- **How serious would it be if something did go wrong?**
Eg, The skin and eyes can be seriously burned if not treated quickly.
- **How can the risk(s) be controlled for this activity?**
Eg, Can it be done safely? Does the procedure need to be altered? Should goggles or safety spectacles be worn?

Emergency action

- **In the eye** Flood the eye with gently-running tap water for 10 minutes. See a doctor.
- **Swallowed** Do no more than wash out the mouth with water. Do **not** induce vomiting. Sips of water may help cool the throat and help keep the airway open. See a doctor.
- **Spilt on the skin or clothing** Remove contaminated clothing. Especially with concentrated acid, quickly use a dry cloth or paper towel to wipe as much liquid as possible off the skin. Then drench the skin with plenty of water. If a large area is affected or blistering occurs, see a doctor.
- **Spilt on the floor, bench, etc** Wipe up small amounts with a damp cloth and rinse it well.
For larger amounts, and especially for (moderately) concentrated acid, cover with mineral absorbent (eg, cat litter) and scoop into a bucket. Neutralise with sodium carbonate. Rinse with plenty of water.

Citric, Oxalic & Tartaric acids

2-hydroxypropane-1,2,3-tricarboxylic acid,
Ethanedioic acid & 2,3-dihydroxybutanedioic acid

Substance	Hazard	Comment
Citric acid Solid and concentrated solutions (If 1.0 M or more)	 IRRITANT	(2-hydroxypropane-1,2,3-tricarboxylic acid) It is irritating to eyes. It is an approved food additive, E330. Concentrated lemon juice may contain citric acid up to 1.7 M.
Dilute citric acid (If less than 1.0 M)	LOW HAZARD	Even dilute solutions will cause discomfort in the eye. It is found in citrus fruits, eg, lemons, oranges, grapefruit. Lemons contain citric acid up to about 0.25 M.
Oxalic acid (ethanedioic acid) Solid and most solutions (If 0.5 M or more)	 HARMFUL	It is harmful in contact with the skin and if swallowed. It is quite close to the limit at which it would be classed as TOXIC rather than HARMFUL. It removes calcium ions from the blood, forming insoluble calcium oxalate; this can block kidneys. Soluble salts of oxalic acid (eg, sodium, potassium) are as hazardous as the acid. It is found in rhubarb, especially in the leaves and in unripe leaf stalks (ie, the part which is eaten). Cases of poisoning have been reported, although very rarely fatal. The toxic effects of rhubarb may be due to other substances.
Dilute oxalic acid (If less than 0.5 M)	LOW HAZARD	Even dilute solutions will cause discomfort in the eye.
Tartaric acid (2,3-dihydroxybutanedioic acid) Solid and concentrated solutions (If 1.4 M or more)	 IRRITANT	It is used in baking powder and is found in many food products. It is an approved food additive, E334.
Dilute tartaric acid (If less than 1.4 M)	LOW HAZARD	Even dilute solutions will cause discomfort in the eye.

Typical control measures to reduce risk

- Use the lowest concentration possible.
- Wear eye protection for all but dilute solutions.
- Avoid the possibility of swallowing oxalic acid or its salts, eg, by using a safety pipette filler.

Assessing the risks




- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong? Eg, Specks of solid acid transferred into the eye, by rubbing with a contaminated finger.*
- *How serious would it be if something did go wrong?*
- *How can the risk(s) be controlled for this activity? Eg, Can it be done safely? Does the procedure need to be altered? Should eye protection be worn?*

Emergency action

- **In the eye** Flood the eye with gently-running tap water for 10 minutes. See a doctor if pain persists.
- **Swallowed** Do no more than wash out the mouth with water. Do **not** induce vomiting. Sips of water may help cool the throat and help keep the airway open. See a doctor.
- **Spilt on the skin or clothing** Remove contaminated clothing. Then drench the skin with plenty of water.
- **Spilt on the floor, bench, etc** Wipe up small amounts with a damp cloth and rinse it well.
For large spills, cover with mineral absorbent (eg, cat litter) and scoop into a bucket. Neutralise with sodium carbonate. Rinse with plenty of water.

Ammonia (gas & solution)

also applies to Ammonium hydroxide

Substance	Hazard	Comment
Ammonia (gas)	 TOXIC	It is irritating to the eyes and lungs; breathing it can lead to severe poisoning. However, the human nose can detect ammonia at well below danger levels. For a 15-minute exposure, the concentration in the atmosphere should not exceed 25 mg m ⁻³ . (It is also DANGEROUS FOR THE ENVIRONMENT because it is very toxic to aquatic organisms.)
Concentrated ammonia solution (If 6 M or more)	 CORROSIVE	'880' ammonia, (ammonium hydroxide solution). It causes burns; it is dangerous to the eyes (goggles should be worn). It causes severe internal damage if swallowed. Ammonia gas will be present and the pressure of gas builds up on hot days . (It is also DANGEROUS FOR THE ENVIRONMENT because it is very toxic to aquatic organisms.)
Moderately-concentrated ammonia solution (If less than 6 M but 3 M or more)	 IRRITANT	(Ammonium hydroxide solution). This includes 'household' ammonia. It is irritating to the eyes and skin. Its odour can cause distress.
Dilute ammonia solution (If less than 3 M)	LOW HAZARD	(Dilute ammonium hydroxide solution) It may still cause harm in eyes or in a cut.

Typical control measures to reduce risk

- Use the lowest concentration and smallest volume possible.
- **Wear suitable eye protection**, including when making or disposing of solutions.
- Use a fume cupboard for all but test-tube amounts of the gas and more-concentrated solutions (including opening bottles); ensure good laboratory ventilation.
- If smelling the gas, follow the safe technique for sniffing gases: use your hand to waft the gas towards your nose.

Assessing the risks




- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?*
- *Eg, Solution spurting out of test tubes when being heated; release of ammonia gas as a product of a chemical reaction; possibility of the ammonia gas concentration reaching dangerous levels.*
- *How serious would it be if something did go wrong?*
NB Alkali in the eye causes more damage than acid of equivalent concentration.
- *How can the risk(s) be controlled for this activity?*
Eg, Can it be done safely? Does the procedure need to be altered? Should goggles or safety spectacles be worn?

Emergency action

- **In the eye** Flood the eye with gently-running tap water for at least 20 minutes (for alkalis). See a doctor. If it is necessary to go to hospital, continue washing the eye during the journey in an ambulance.
- **Vapour breathed in** Remove the casualty to fresh air. Call a doctor if breathing is difficult.
- **Swallowed** Do no more than wash out the mouth with water. Do **not** induce vomiting. Sips of water may help cool the throat and help keep the airway open. See a doctor.
- **Spilt on the skin or clothing** Remove contaminated clothing. Drench the skin with plenty of water. If a large area is affected or blistering occurs, see a doctor.
- **Spilt on the floor, bench, etc** **Consider the need to evacuate the laboratory and open windows** if large amounts are spilt and especially for (moderately) concentrated solutions. Cover with mineral absorbent (eg, cat litter) and scoop into a bucket. Neutralise with citric acid. Rinse with plenty of water. Wipe up small amounts with a damp cloth and rinse it well.

Sodium hydroxide

also applies to Soda lime & Potassium hydroxide

Substance	Hazard	Comment
Sodium hydroxide Solid Also potassium hydroxide (solid)	 CORROSIVE	(Caustic soda and potash) Also soda lime. It causes severe burns; it is particularly dangerous to the eyes. It gives out heat when added to water. It is used in the home for clearing drains.
Sodium or potassium hydroxide solution (If 0.5 M or more)	 CORROSIVE	It causes severe burns; it is particularly dangerous to the eyes. Fehling's solution contains sodium hydroxide of this concentration. It is used in the home as an oven cleaner.
Dilute sodium or potassium hydroxide solution (If less than 0.5 M but 0.05 M or more)	 IRRITANT	It is irritating to the eyes and skin.
Very dilute sodium or potassium hydroxide solution (If less than 0.05 M)	LOW HAZARD	It may still cause harm in the eyes or in a cut.

Typical control measures to reduce risk

- Use the lowest concentration possible; avoid the solid if possible.
- Use the smallest amount possible.
- **Wear eye protection**, including when making or disposing of solutions. Goggles (or a face shield) rather than safety spectacles will be necessary if the chemical is classed as CORROSIVE at the concentration used.
- Wear protective gloves if the concentrated solution is handled in more than tiny amounts.
- If possible, use a safer alternative, eg, sodium carbonate when making salts or Benedict's solution rather than Fehling's solution for food tests.

Assessing the risks




- **What are the details of the activity to be undertaken? What are the hazards?**
- **What is the chance of something going wrong?**
Eg, The solution spurting out of a test tube when being heated.
- **How serious would it be if something did go wrong?**
NB Alkali in the eye causes more damage than acid of equivalent concentration.
- **How can the risk(s) be controlled for this activity?**
Eg, Can it be done safely? Does the procedure need to be altered? Should goggles or safety spectacles be worn?

Emergency action

- **In the eye** Flood the eye with gently-running tap water for at least 20 minutes. See a doctor. If a visit to hospital is necessary, continue washing the eye during the journey in an ambulance.
- **Swallowed** Do no more than wash out the mouth with water. Do **not** induce vomiting. Sips of water may help cool the throat and help keep the airway open. See a doctor.
- **Spilt on the skin or clothing** Remove contaminated clothing. Drench the skin with plenty of water. If a large area is affected or blistering occurs, see a doctor.
- **Spilt on the floor, bench, etc** Wipe up small amounts with a damp cloth and rinse it well.
For larger amounts, and especially for (moderately) concentrated solutions, cover with mineral absorbent (eg, cat litter) and scoop into a bucket. Neutralise with citric acid. Rinse with plenty of water.

Calcium hydroxide & oxide

including Slaked lime, Quick lime & Limewater

Substance	Hazard	Comment
Calcium oxide Solid Quick lime (Old samples of calcium oxide are mostly calcium hydroxide.)	 CORROSIVE	It causes burns. There is a risk of serious damage to the eyes. It is irritating to the skin, lungs, etc. It reacts violently with water, becoming very hot - dust particles may shoot out. For a 15-minute exposure, the concentration of the powder in the atmosphere should not exceed 6 mg m ⁻³ .
Calcium hydroxide Solid Slaked lime, garden lime	 (IRRITANT)	It is not officially classified, but there is a risk of serious damage to the eyes. It is irritating to the skin, lungs, etc. For a 15-minute exposure, the concentration of the powder in the atmosphere should not exceed 15 mg m ⁻³ .
Calcium hydroxide Solution Limewater (Limewater is a saturated solution of calcium hydroxide, less than 0.02 M.)	 (IRRITANT)	Even a saturated solution of calcium hydroxide is so dilute that it is not classed as IRRITANT. However, limewater is usually made in schools by adding excess solid calcium hydroxide (or oxide) to water. Undissolved solid will remain and that is irritating to the eyes and skin (but any solid present might well be calcium carbonate, LOW HAZARD).

Typical control measures to reduce risk

- Wear eye protection when handling solids.
- Eye protection is advisable when using limewater, especially if blowing into it.

Assessing the risks



- **What are the details of the activity to be undertaken? What are the hazards?**
- **What is the chance of something going wrong?**
Eg, Solid particles spitting when adding water, dust blowing around or liquid splashing into the eye when blowing into limewater.
- **How serious would it be if something did go wrong?**
NB Alkali in the eye causes more damage than acid of an equivalent concentration.
- **How can the risk(s) be controlled for this activity?**
Eg, Can it be done safely? Does the procedure need to be altered? Should goggles or safety spectacles be worn?

Emergency action

- **In the eye** Solids: flood the eye with gently-running tap water for at least 20 minutes. See a doctor. If a visit to hospital is necessary, continue washing the eye during the journey in an ambulance. Limewater is unlikely to cause serious problems; flood the eye with gently-running tap water for at least 10 minutes. See a doctor if there are any concerns.
- **Swallowed** Do no more than wash out the mouth with water. Do **not** induce vomiting. Sips of water may help cool the throat and help keep the airway open. Limewater is unlikely to cause serious problems. Wash out the mouth. See a doctor if there are any concerns.
- **Spilt on the skin or clothing** Brush off the solid. Remove contaminated clothing. Drench the skin with plenty of water. If a large area is affected or blistering occurs, see a doctor. For limewater, wash with water.
- **Spilt on the floor, bench, etc** Wipe up limewater or small amounts of solid with a damp cloth and rinse it well. For larger amounts of solid, scoop into a bucket, add water to the area followed by mineral absorbent (eg, cat litter).

Sodium & Calcium carbonates

including Hydrogencarbonates (bicarbonates) & Potassium/Magnesium salts

Substance	Hazard	Comment
Sodium & potassium carbonate Hydrated or anhydrous solid	 IRRITANT	They are irritating to the eyes but the anhydrous solid presents a bigger risk because it is finely powdered, whereas the hydrate is crystalline (usually large crystals). Soda ash is an impure (industrial) form. Hydrated sodium carbonate is used as washing soda. They are approved food additives, E500 & E501.
Sodium & potassium carbonate Concentrated solution (If 1.8 M or more)	 IRRITANT	This is almost a saturated solution.
Sodium & potassium carbonate Dilute solution (If less than 1.8 M)	LOW HAZARD	They are used as a dilute solution in bath salts.
Sodium & potassium hydrogencarbonate (bicarbonate) Solid and solution Also Sodium sesquicarbonate	LOW HAZARD	They liberate carbon dioxide on gentle heating (or with acids). Sodium hydrogencarbonate is an approved food additive, E500, and is used as baking soda. 'Bicarb' or 'bicarbonate of soda' are old-fashioned names. Bath salts contain sodium sesquicarbonate, (sodium carbonate hydrogencarbonate), $\text{Na}_2\text{CO}_3 \cdot \text{NaHCO}_3 \cdot \text{H}_2\text{O}$.
Calcium & magnesium carbonate Solid	LOW HAZARD	Calcium carbonate occurs naturally as marble, chalk and limestone. It decomposes if heated above 800 °C and gives carbon dioxide with acids (unless the calcium salt is insoluble). It is an approved food additive, E170. Blackboard chalk may be calcium carbonate but is more likely to be calcium sulfate. Magnesium carbonate also occurs naturally. It decomposes more easily and is also an approved food additive, E504.
Calcium & magnesium hydrogencarbonate (bicarbonate) Solution	LOW HAZARD	The solid does not exist. The solution is the cause of temporary hardness of water. On warming, calcium (or magnesium) carbonate ('limescale', 'fur') is deposited. The solution reacts with soap to produce insoluble calcium (or magnesium) salts ('scum').

Typical control measures to reduce risk

- Wear eye protection when handling irritant solids and avoid raising dust.
- Avoid contact with acids, especially in sealed containers, because large volumes of carbon dioxide will be formed.




Assessing the risks

- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?*
Eg, Specks of solid transferred into the eye, by rubbing with a contaminated finger.
- *How serious would it be if something did go wrong?*
- *How can the risk(s) be controlled for this activity?*
Eg, Can it be done safely? Does the procedure need to be altered? Should eye protection be worn?

Emergency action

- **In the eye** Flood the eye with gently-running tap water for 10 minutes. See a doctor if pain persists.
- **Swallowed** Do no more than wash out the mouth with water. Do **not** induce vomiting. Sips of water may help cool the throat and help keep the airway open. See a doctor.
- **Spilt on the skin or clothing** Brush solid off contaminated clothing. Rinse clothing or the skin as necessary.
- **Spilt on the floor, bench, etc** Brush up solid spills, trying to avoid raising dust, then wipe with a damp cloth.
Wipe up solution spills with a cloth and rinse it well.

Sodium & Potassium salts

Substance	Hazard	Comment
Sodium chloride, bromide and iodide Also potassium chloride, bromide and iodide	LOW HAZARD	Although regarded as low hazard, there have been cases of people killed through consuming a very large amount of sodium chloride. Even at 'normal' levels it can cause high blood pressure and hence heart disease. Adults should not eat more than 6 g per day, children even less. Potassium chloride is an approved food additive, E508, sometimes used as a 'low-salt' substitute.
Sodium sulfate(VI) Also potassium sulfate(VI)	LOW HAZARD	Hydrated sodium sulfate(VI), Na ₂ SO ₄ .10H ₂ O is known as Glauber's salt. Sodium sulfate(VI) is an approved food additive, E514, as is the potassium salt, E515.
Sodium hydrogensulfate(VI) (bisulfate) Solid and concentrated solution (If 0.8 M or more)	 CORROSIVE	It is strongly acidic because of acidic hydrogen in NaHSO ₄ . It causes burns and is irritating to the respiratory system. It is used in some toilet cleaners.
Sodium hydrogensulfate(VI) (bisulfate) Fairly dilute solution (If 0.3 M or more but less than 0.8 M)	 IRRITANT	It is strongly acidic because of acidic hydrogen in NaHSO ₄ .
Sodium hydrogensulfate(VI) (bisulfate) Solution (If less than 0.3 M)	LOW HAZARD	It is strongly acidic because of acidic hydrogen in NaHSO ₄ .
Sodium nitrate(V) Also potassium nitrate(V)	 OXIDISING	Only the solid is considered hazardous although the solution does have oxidising properties. Sodium nitrate(V) is an approved food additive, E251, as is the potassium salt, E252.
Sodium or potassium carbonate and hydrogencarbonate		See <i>Student Safety Sheet 33</i> .
Sodium chlorate(I) (hypochlorite)		See <i>Student Safety Sheet 41</i> .
Sodium or potassium chromate(VI) or dichromate(VI)		See <i>Student Safety Sheet 47</i> .
Sodium or potassium manganate(VII) (permanganate)		See <i>Student Safety Sheet 48</i> .
Sodium or potassium oxalate (ethanedioate)		See <i>Student Safety Sheet 25</i> .

Typical control measures to reduce risk

- Wear eye protection when handling hazardous solids and solutions.
- Avoid raising dust.

Assessing the risks





- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?*
Eg, Specks of solid transferred into the eye, by rubbing with a contaminated finger.
- *How serious would it be if something did go wrong?*
- *How can the risk(s) be controlled for this activity?*
Eg, Can it be done safely? Does the procedure need to be altered? Should eye protection be worn?

Emergency action

- **In the eye** Flood the eye with gently-running tap water for 10 minutes. See a doctor if pain persists.
- **Swallowed** Do no more than wash out the mouth with water. Do **not** induce vomiting. Sips of water may help cool the throat and help keep the airway open. See a doctor.
- **Spilt on the skin or clothing** Brush solid off contaminated clothing. Rinse clothing or the skin as necessary.
- **Spilt on the floor, bench, etc** Brush up solid spills, trying to avoid raising dust, then wipe with a damp cloth. Wipe up solution spills with a cloth and rinse it well.

Sodium sulfites, thiosulfate & persulfate

including metabisulfite & Potassium salts

Substance	Hazard	Comment
Sodium & potassium sulfite [sulfate(IV)] Solid and concentrated solution (If 0.25 M or more)	 HARMFUL	They are harmful if swallowed. There is a risk of serious damage to the eyes. With acids, produce sulfur dioxide (SO ₂) (a TOXIC & CORROSIVE gas, see <i>Sheet 52</i>); do not inhale. Smell of SO ₂ due to acidification by CO ₂ in air. An approved food additive, E221, as a preservative.
Sodium & potassium sulfite [sulfate(IV)] Dilute solution (If less than 0.25 M)	LOW HAZARD	They smell of sulfur dioxide due to acidification by carbon dioxide in the air; do not inhale.
Sodium & potassium hydrogensulfite [hydrogensulfate(IV)]	LOW HAZARD	The pure solid NaHSO ₃ does not exist. Products sold as bisulfite contain metabisulfite. Sodium and potassium hydrogensulfites are approved food additives, E222 and E228, as preservatives.
Sodium & potassium metabisulfite [disulfate(IV)] Solid and most solutions (If 0.25 M or more)	 HARMFUL	They are harmful if swallowed. There is a risk of serious damage to the eyes. With acids, they produce sulfur dioxide (SO ₂) (TOXIC & CORROSIVE gas, see <i>Sheet 52</i>); do not inhale. They smell of SO ₂ due to acidification by CO ₂ in air. Sodium & potassium metabisulfites are approved food additives, E223 and E224, as preservatives.
Sodium & potassium metabisulfite [disulfate(IV)] Dilute solution (If less than 0.25 M)	LOW HAZARD	Although sodium metabisulfite solid is Na ₂ S ₂ O ₅ , it behaves as sodium hydrogensulfite, NaHSO ₃ , in solution.
Sodium & potassium thiosulfate	LOW HAZARD	They produce sulfur (see <i>Sheet 82</i>) & sulfur dioxide (TOXIC & CORROSIVE gas, see <i>Sheet 52</i>) with acids, including carbon dioxide. Carbon dioxide may cause solutions to go cloudy.
Sodium & potassium persulfate [peroxodisulfate(VI)] Solid and solutions (If 0.04 M or more)	  OXIDISING / HARMFUL	Na ₂ S ₂ O ₈ is used as an oxidising agent, eg, for bleaching hair, etching printed-circuit boards and to initiate polymerisation reactions. (If less than 0.04 M, the solutions are LOW HAZARD.)
Sodium sulfate(VI) and hydrogensulfate(VI)		See <i>Student Safety Sheet 34</i> .

Typical control measures to reduce risk

- Use the smallest quantity or concentration possible.
- Wear eye protection when handling hazardous solids and solutions.
- Take care not to inhale sulfur dioxide; asthmatics should be especially careful.
- Avoid exposure to sulfur dioxide, eg, by using a fume cupboard.






Assessing the risks

- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?*
Eg, Accidental inhalation of sulfur dioxide when opening a bottle or dissolving a solid in water.
- *How serious would it be if something did go wrong?*
- *How can the risk(s) be controlled for this activity?*
Eg, Can it be done safely? Does the procedure need to be altered? Should eye protection be worn?

Emergency action

- In the eye Flood the eye with gently-running tap water for 10 minutes. See a doctor if pain persists.
- Swallowed Do no more than wash out the mouth with water. Do **not** induce vomiting. Sips of water may help cool the throat and help keep the airway open. See a doctor.
- Spilt on the skin or clothing Brush solid off contaminated clothing. Rinse clothing or the skin as necessary.
- Spilt on the floor, bench, etc Brush up solid spills, trying to avoid raising dust, then wipe with a damp cloth. Wipe up solution spills with a cloth and rinse it well.

Magnesium & Calcium salts

Substance	Hazard	Comment
Magnesium chloride	LOW HAZARD	It is an approved food additive, E511.
Calcium chloride Anhydrous and hydrated solid and concentrated solution (If 1 M or more)	 IRRITANT	It is an approved food additive, E509. Anhydrous calcium chloride is often used as a drying agent.
Calcium chloride Dilute solution (If less than 1 M)	LOW HAZARD	-
Magnesium sulfate(VI)	LOW HAZARD	Hydrated magnesium sulfate, known as Epsom salts, is used as a medicine (a purgative). It is a cause of permanently hard water.
Calcium sulfate(VI)	LOW HAZARD	It is used as Plaster of Paris, for setting broken bones: $\text{CaSO}_4 \cdot \frac{1}{2}\text{H}_2\text{O}$ absorbs water, becomes hot and expands slightly forming $\text{CaSO}_4 \cdot 2\text{H}_2\text{O}$ (gypsum). It is not safe to attempt to make a cast of the whole hand or encase any other part of the body. Unlike magnesium sulfate(VI), calcium sulfate(VI) is only sparingly soluble. It is commonly used as blackboard chalk. It is a cause of permanently-hard water. It is an approved food additive, E516.
Magnesium nitrate(V)	 OXIDISING	Only the solid is considered hazardous, although the solution does have oxidising properties.
Calcium nitrate(V) Solid	  OXIDISING / IRRITANT	-
Calcium nitrate(V) Concentrated solution (If 0.8 M or more)	 IRRITANT	The solution has oxidising properties.
Calcium nitrate(V) Dilute solution (If less than 0.8 M)	LOW HAZARD	The solution has oxidising properties.
Calcium (and magnesium) carbonate and hydrogencarbonate Calcium oxalate (ethanedioate)		See <i>Student Safety Sheet 33</i> . See <i>Student Safety Sheet 25</i> .

Typical control measures to reduce risk

- Wear eye protection when handling hazardous solids and solutions.
- Avoid raising dust.




Assessing the risks

- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?*
Eg, Specks of solid transferred into the eye, by rubbing with a contaminated finger.
- *How serious would it be if something did go wrong?*
- *How can the risk(s) be controlled for this activity?*
Eg, Can it be done safely? Does the procedure need to be altered? Should eye protection be worn?

Emergency action

- In the eye Flood the eye with gently-running tap water for 10 minutes. See a doctor if pain persists.
- Swallowed Do no more than wash out the mouth with water. Do **not** induce vomiting. Sips of water may help cool the throat and help keep the airway open. See a doctor.
- Spill on the skin or clothing Brush solid off contaminated clothing. Rinse clothing or the skin as necessary.
- Spill on the floor, bench, etc Brush up solid spills, trying to avoid raising dust, then wipe with a damp cloth. Wipe up solution spills with a cloth and rinse it well.

Ammonium salts

Substance	Hazard	Comment
Ammonium chloride Solid and concentrated solution (If 1.8 M or more)	 HARMFUL	Once called <i>sal ammoniac</i> . It decomposes on heating to form ammonia gas (see <i>Sheet 30</i>) and hydrogen chloride gas (see <i>Sheet 20</i>) but they recombine on cooling. Warming with alkali will generate ammonia gas.
Ammonium chloride Dilute solution (If less than 1.8 M)	LOW HAZARD	Warming with alkali will generate ammonia gas (see <i>Sheet 30</i>).
Ammonium sulfate(VI) Solid	LOW HAZARD	It decomposes on heating to form ammonia gas (see <i>Safety Sheet 30</i>) and sulfuric acid 'gas' (see <i>Sheet 22</i>) but they recombine on cooling. It is an approved food additive, E517. Warming with alkali will generate ammonia gas.
Ammonium carbonate Solid	 HARMFUL	Also known as <i>sal volatile</i> or smelling salts. The solid decomposes, even at room temperature, to ammonia (see <i>Sheet 30</i>) and carbon dioxide (see <i>Sheet 58</i>). It is an approved food additive, E503. Warming with alkali generates ammonia gas.
Ammonium carbonate Solution	LOW HAZARD	Warming with alkali generates ammonia gas (see <i>Sheet 30</i>).
Ammonium nitrate(V) Solid	 OXIDISING	It may decompose explosively if heated; many industrial accidents have occurred in this way. Warming with alkali will generate ammonia gas (see <i>Sheet 30</i>).
Ammonium nitrate(V) Solution	LOW HAZARD	The solution does have oxidising properties. Warming with alkali will generate ammonia gas (see <i>Sheet 30</i>). Heating the solution to dryness produces fumes of nitrogen dioxide.
Ammonium dichromate(VI)	See <i>Student Safety Sheet 47</i> .	

Typical control measures to reduce risk

- Wear eye protection when handling hazardous solids and solutions.
- Do **not** heat solid ammonium nitrate(V) and do **not** heat ammonium nitrate(V) solution to dryness.
- Avoid exposure to hazardous decomposition products if ammonium carbonate, chloride or sulfate(VI) are heated, eg, by using a fume cupboard.
- Avoid exposure to ammonia gas when reacting ammonium salts with alkalis, eg, by using a fume cupboard.

Assessing the risks

- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?*
Eg, Specks of solid transferred into the eye, by rubbing with a contaminated finger.
- *How serious would it be if something did go wrong?*
- *How can the risk(s) be controlled for this activity?*
Eg, Can it be done safely? Does the procedure need to be altered? Should eye protection be worn?





Emergency action

- In the eye Flood the eye with gently-running tap water for 10 minutes. See a doctor if pain persists.
- Swallowed Do no more than wash out the mouth with water. Do **not** induce vomiting. Sips of water may help cool the throat and help keep the airway open. See a doctor.
- Spilt on the skin or clothing Brush solid off contaminated clothing. Rinse clothing or the skin as necessary.
- Spilt on the floor, bench, etc Brush up solid spills, trying to avoid raising dust, then wipe with a damp cloth. Wipe up solution spills with a cloth and rinse it well.

Iron & its compounds

including Iron(II) and iron(III) oxides, carbonates, sulfates(VI), chlorides, bromide

Note: iron(II) compounds are often called **ferrous** and iron(III) compounds **ferric**

Substance	Hazard	Comment
Iron metal (filings, sheets or bars of metal)	LOW HAZARD	Iron filings or powder in the eye are very painful because the iron oxidises rapidly in the saline environment. Samples of iron are often not very pure and on reacting with dilute acids may produce toxic hydrogen sulfide gas (smelling of bad eggs). Iron is often coated with zinc (galvanised) to protect it from corrosion. For reaction with sulfur, see <i>Sheet 82</i> .
Iron metal (powder)	 HIGHLY FLAMMABLE	
Iron oxides or iron(II) carbonate	LOW HAZARD	Applies to all iron oxides: iron(II) oxide, iron(III) oxide (haematite), iron(II) iron(III) oxide (magnetite). Iron(II) carbonate is usually sold mixed with a sugar (saccharated), to slow down oxidation.
Iron(II) sulfate(VI) or ammonium iron(II) sulfate Solid or concentrated solutions (If 1 M or more)	 HARMFUL	Harmful if swallowed. Usually solutions are made up in dilute sulfuric acid (which may itself be hazardous – see <i>Sheet 22</i>) to slow down oxidation. Ammonium iron(II) solutions are more stable but are still made up in acid to limit oxidation.
Iron(III) sulfate(VI) or ammonium iron(III) sulfate Solid or concentrated solutions (If 0.3 M or more)	 IRRITANT	Irritating to eyes and skin. Usually solutions are made up in dilute sulfuric acid (which may itself be hazardous – see <i>Sheet 22</i>) to slow down formation of iron oxide. Ammonium iron(III) sulfate is sometimes known as ferric alum.
Iron(II) or iron(III) sulfate(VI) or ammonium iron(II) or iron(III) sulfate Dilute solutions [If less than 1 M iron(II) or 0.3 M iron(III)]	LOW HAZARD	Solutions which have been made up in sulfuric acid may be hazardous if the acid is more than 0.5 M (see <i>Sheet 22</i>).
Iron(II) or iron(III) chloride Hydrated or anhydrous solid or concentrated solutions (If 0.2 M or more). Includes etching solution (about 2 M).	 HARMFUL / IRRITANT	Harmful if swallowed, irritating to skin, risk of serious damage to eyes. The solutions are classed as IRRITANT, the solids as HARMFUL. Some suppliers classify anhydrous solid iron(III) chloride as CORROSIVE. Usually solutions are made up in hydrochloric acid (see <i>Sheet 20</i>) to slow down oxidation.
Iron(II) or iron(III) chloride Dilute solutions (If less than 0.3 M)	LOW HAZARD	-

Typical control measures to reduce risk

- Use the lowest possible quantities and concentrations.
- Take care not to rub the eye with fingers contaminated with iron filings or powder.
- Wear eye protection.

Assessing the risks






- What are the details of the activity to be undertaken? What are the hazards?
- What is the chance of something going wrong?
Eg, Solutions spurting out of test tubes when heated or solutions heated to dryness and decomposing.
- How serious would it be if something did go wrong?
- How can the risk(s) be controlled for this activity?
Eg, Can it be done safely? Does the procedure need to be altered? Should goggles or safety spectacles be worn?

Emergency action

- In the eye Flood the eye with gently-running tap water for at least 10 minutes. See a doctor.
- Swallowed Do no more than wash out the mouth with water. Do **not** induce vomiting. Sips of water may help cool the throat and help keep the airway open. See a doctor.
- Dust breathed in Remove the casualty to fresh air. See a doctor if breathing is difficult.
- Spill on the skin or clothing Remove contaminated clothing and rinse it. Wash off the skin with plenty of water.
- Spill on the floor, bench, etc Scoop up solid (take care not to raise dust). Wipe up small solution spills or any traces of solid with cloth; for larger spills use mineral absorbent (eg, cat litter).

Boron compounds (2015)

including borax, boric acid, sodium borohydride, sodium perborate

Substance	Hazard	Comment
Borax [sodium tetraborate, disodium tetraborate-10-water] Solid and concentrated solutions (if 80 g dm ⁻³ or more)	 TOXIC	Possible risk of harm to the unborn child, although this classification is controversial and some authorities consider it to be LOW HAZARD. It has been/is used in some laundry and cleaning products, as a fire retardant and as a food additive (E285, to aid food preservation and improve the texture).
Borax Dilute solutions (if less than 80 g dm ⁻³)	LOW HAZARD	The borax solution commonly used for making slime is about 40 g dm ⁻³ or less.
Boric acid [boracic acid]	LOW HAZARD	In solution used as a mild antiseptic. The powder is used as an insecticide and to treat wood that is rotten.
Sodium perborate [sodium peroxoborate-4-water]	  OXIDISING IRRITANT	Contact with combustible material may cause fire; irritating to eyes. Used in the past in detergents, bleaches, cleaning products and for tooth-whitening but almost entirely replaced now. Releases oxygen if heated above 60°C, or in presence of catalyst.
Sodium borohydride [sodium tetrahydridoborate(III)]	  HIGHLY FLAMMABLE TOXIC	Contact with water liberates highly flammable gas (hydrogen). Toxic if swallowed. Causes burns. Widely used in chemistry as a reducing agent

Typical control measures to reduce risk

- Wear eye protection when handling hazardous solids & solutions; wear gloves when handling solid borax.
- Avoid the risk of inhaling dust from sodium tetraborate, eg by weighing in a fume cupboard.
- Avoid naked flames when handling sodium borohydride.
- Slime made using sodium tetraborate should not be taken home; should only be handled wearing gloves.

Assessing the risks





- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?*
- *How serious would it be if something did go wrong?*
- *How can the risk(s) be controlled for this activity?*
Eg, Can it be done safely? Does the procedure need to be altered? Should goggles or safety spectacles be worn?

Emergency action

- **In the eye** Immediately rinse the eye with gently-running water for 10 minutes. See a doctor if pain persists.
- **Swallowed** Do no more than wash out the mouth with water. Do **not** induce vomiting. Sips of water may help cool the throat and help keep the airway open. See a doctor for all but trivial cases.
- **Spilt on the skin or clothing** Brush solid off contaminated clothing. Rinse clothing or skin as necessary.
- **Spilt on the floor, bench, etc** Brush up solid spills, trying to avoid raising dust, then wipe with damp cloth (EXCEPT sodium borohydride). Wipe up solution spills with a cloth. Rinse well.

Copper & its compounds

including Copper oxides, sulfate(VI), chloride, nitrate(V), carbonate

Substance	Hazard	Comment
Copper (metal)	LOW HAZARD	-
Copper(I)/(II) oxides Cuprous or cupric oxide	 HARMFUL	They are harmful if swallowed; dust irritates the lungs and eyes.
Copper(II) sulfate(VI) or nitrate(V) Solid or concentrated solutions (If 1 M or more)	 HARMFUL	They are harmful if swallowed (especially saturated solutions for crystal-growing); the solid may irritate the eyes and skin. Water added to anhydrous solid sulfate(VI) produces heat.
Copper(II) sulfate(VI) or nitrate(V) Dilute solutions (If less than 1 M)	LOW HAZARD	Benedict's solution and Fehling's solution both contain dilute copper(II) sulfate(VI) but Fehling's solution has other hazards.
Copper(II) carbonate Solid (Malachite)	 HARMFUL	It is harmful if swallowed; dust irritates the lungs and eyes.
Copper(II) chloride Solid or concentrated solutions (If 1.4 M or more)	 HARMFUL	It is harmful if swallowed; solid may irritate the eyes and skin.
Copper(II) chloride Dilute solutions (If less than 1.4 M)	LOW HAZARD	-

Typical control measures to reduce risk

- Use the lowest possible quantities and concentrations.
- Avoid the use of copper(II) chloride if possible (except for electrolysis of the solution).
- Avoid raising dust (eg, by dampening powders).
- Take care if evaporating solutions to dryness.
- Wear eye protection.

Assessing the risks



- **What are the details of the activity to be undertaken? What are the hazards?**
- **What is the chance of something going wrong?**
Eg, Solutions spurting out of test tubes when heated or solutions heated to dryness and decomposing.
- **How serious would it be if something did go wrong?**
Eg, Are there hazardous reaction products (such as chlorine from the electrolysis of copper chloride)?
- **How can the risk(s) be controlled for this activity?**
Eg, Can it be done safely? Does the procedure need to be altered? Should goggles or safety spectacles be worn?

Emergency action

- **In the eye** Flood the eye with gently-running tap water for at least 10 minutes. See a doctor.
- **Swallowed** Do no more than wash out the mouth with water. Do **not** induce vomiting. Sips of water may help cool the throat and help keep the airway open. See a doctor.
- **Dust breathed in** Remove the casualty to fresh air. See a doctor if breathing is difficult.
- **Spilt on the skin or clothing** Remove contaminated clothing and rinse it. Wash off the skin with plenty of water.
- **Spilt on the floor, bench, etc** Scoop up solid (take care not to raise dust). Wipe up small solution spills or any traces of solid with cloth; for larger spills use mineral absorbent (eg, cat litter).

Sodium chlorate(I)

also known as Sodium hypochlorite

Substance	Hazard	Comment
Concentrated sodium chlorate(I) Solution (If more than 1.4 M or more than 10% (w/v) available chlorine)	 CORROSIVE	It causes severe burns; it is especially dangerous to the eyes, similar to sodium hydroxide solution. It produces a toxic gas (chlorine) with acids. Pressure may build up in bottles during storage, due to slow decomposition. It removes the colour from many dyes.
Moderately-dilute sodium chlorate(I) Solution (If between 1.4 M and 0.7 M or between 10% and 5% (w/v) available chlorine)	 IRRITANT	This includes most domestic bleach. It is irritating to eyes and skin. It produces a toxic gas (chlorine) with acids. It removes the colour from many dyes.
Dilute sodium chlorate(I) Solution (If less than 0.7 M or less than 5% (w/v) available chlorine)	LOW HAZARD	It may still cause harm in eyes or in a cut. Microbiological spills can be dealt with using a 10% solution diluted 100 times (ie, 0.1%), but it is quickly made inactive by organic matter and so a 10 times dilution (ie, 1%) is often preferred.

Typical control measures to reduce risk

- Use the lowest concentration possible.
- Use the smallest volume possible.
- Wear eye protection, including when making or disposing of solutions.
- Wear protective gloves if the concentrated solution is handled on anything larger than a test-tube scale.
- Never mix domestic bleach with other household cleaners, because these could be acidic.





Assessing the risks

- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?*
 Eg, Hazardous products of reaction (such as chlorine gas) are formed if sodium chlorate(I) is mixed with acid.
- *How serious would it be if something did go wrong?*
 NB Alkali in the eye causes more damage than acid of equivalent concentration.
- *How can the risk(s) be controlled for this activity?*
 Eg, Can it be done safely? Does the procedure need to be altered? Should goggles or safety spectacles be worn?

Emergency action

- **In the eye** Flood the eye with gently-running tap water for 20 minutes. See a doctor. If a visit to hospital is necessary, continue washing the eye during the journey in an ambulance.
- **Chlorine breathed in** Remove the casualty to another room to rest. If more than a 'sniff' is inhaled, see a doctor.
- **Swallowed** Do no more than wash out the mouth with water. Do **not** induce vomiting. Sips of water may help cool the throat and help keep the airway open. See a doctor.
- **Spilt on the skin or clothing** Remove contaminated clothing. Drench the skin with plenty of water. If a large area is affected or blistering occurs, see a doctor. Rinse contaminated clothing with water.
- **Spilt on the floor, bench, etc** Wipe up small amounts with a damp cloth and rinse it well. For larger amounts, open the windows and, especially for quite-concentrated solutions, cover with mineral absorbent (eg, cat litter) and scoop into a bucket. Rinse with plenty of water.

Barium compounds

Substance	Hazard	Comment
Barium chloride Solid	 TOXIC	Until recently, it was classed as HARMFUL if swallowed or if dust is breathed in. It is irritating to the eyes, skin, lungs etc.
Barium chloride Solution (If 1 M or more)	 TOXIC	Until recently, it was classed as HARMFUL if swallowed. It is irritating to the eyes, skin, lungs etc.
Barium chloride Solution (If 0.1 M or more but less than 1 M)	 HARMFUL	It is harmful if swallowed and irritating to the eyes, skin, lungs, etc.
Barium chloride Solution (If less than 0.1 M)	LOW HAZARD	-
Barium nitrate(V) Solid	 OXIDISING / HARMFUL	It is harmful if swallowed and inhaled.
Barium nitrate(V) Solution	LOW HAZARD	-
Barium sulfate(VI) Solid	LOW HAZARD	Unlike most barium compounds, barium sulfate(VI) is LOW HAZARD because it does not dissolve in water or acids. Hence it is safe to eat a 'barium (sulfate) meal', before being X-rayed.

Typical control measures to reduce risk

- Use the lowest concentration possible.
- Use the smallest quantity possible.
- Wear eye protection.
- Wash hands after handling barium compounds.

Assessing the risks



- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?*
Eg, Somebody drinking a toxic solution by mistake.
- *How serious would it be if something did go wrong?*
- *How can the risk(s) be controlled for this activity?*
Eg, Can it be done safely? Does the procedure need to be altered? Should goggles or safety spectacles be worn?

Emergency action

- **In the eye** Flood the eye with gently-running tap water for at least 10 minutes. See a doctor.
- **Swallowed** Do no more than wash out the mouth with water. Do **not** induce vomiting. Sips of water may help cool the throat and help keep the airway open. See a doctor.
- **Spilt on the skin or clothing** Brush off any solid. Remove contaminated clothing. Drench the skin with plenty of water. If a large area is affected or blistering occurs, see a doctor. Rinse contaminated clothing with water.
- **Spilt on the floor, bench, etc** Scoop up any solid. Rinse the area with water, diluting greatly. Solutions should be treated with mineral absorbent (eg, cat litter).

Lead & its compounds

including Lead oxides, bromide, nitrate(V), ethanoate (acetate) etc

Substance	Hazard	Comment
Lead (metal)	LOW HAZARD	Wash hands after handling lead metal.
Lead compounds Solids	 TOXIC	These are harmful if swallowed or dust is breathed in. They may accumulate over time. They may harm unborn children (ie, act as teratogens). Lead ethanoate (acetate) may reduce fertility & may cause cancer. Lead chromate(VI) (used in the yellow lines on roads) may cause cancer. Young children may be at risk if they chew old objects painted with a lead-based paint. When burnt in cars, leaded petrol produces particles of lead compounds. (They are also DANGEROUS FOR THE ENVIRONMENT because they are very toxic to aquatic organisms.)
Lead compounds Solutions of lead salts in water (If 0.01 M or more)	 TOXIC	They are harmful; there is a danger of serious damage to health by prolonged exposure if swallowed. They may accumulate over time. They may harm unborn children (teratogens). Lead ethanoate (acetate) may reduce fertility & may cause cancer.
Lead compounds Extremely-dilute solutions of lead salts in water (If less than 0.01 M)	LOW HAZARD	They may accumulate over time. In soft-water areas, lead pipes may very slowly dissolve.

Typical control measures to reduce risk

- Wear eye protection; use the lowest possible amounts and concentrations.
- Preferably, heat lead compounds in a fume cupboard; avoid raising dust (eg, by dampening powders).
- Less-volatile compounds (eg, oxides) may be heated in small amounts in a well-ventilated room (but not if those who are, or who might be, pregnant are present).
- Use lead nitrate rather than lead ethanoate (acetate) when a soluble lead salt is needed.

Assessing the risks





- **What are the details of the activity to be undertaken? What are the hazards?**
- **What is the chance of something going wrong?**
Eg, Solution spurts out of a test tube when heated or dust is breathed in.
- **How serious would it be if something did go wrong?**
Eg, Could anybody be exposed to dangerous lead levels for long periods of time?
- **How can the risk(s) be controlled for this activity?**
Eg, Can it be done safely? Does the procedure need to be altered? Should goggles or safety spectacles be worn?

Emergency action

- **In the eye** Flood the eye with gently-running tap water for at least 10 minutes. See a doctor.
- **Swallowed** Do no more than wash out the mouth with water. Do **not** induce vomiting. Sips of water may help cool the throat and help keep the airway open. See a doctor.
- **Spilt on the skin or clothing** Brush off as much solid as possible. Remove contaminated clothing. Wash the skin and clothes with large quantities of water.
- **Spilt on the floor, bench, etc** Scoop up solid. Rinse the area with water, diluting very greatly. Solutions should be treated with mineral absorbent (eg, cat litter).

Mercury & its compounds

including Mercury(I/II) oxides, chlorides, nitrates(V), etc

Substance	Hazard	Comment
Mercury Liquid metal	 TOXIC	Its vapour is toxic if breathed in over long periods of time. Spills should be cleared up promptly, but there is no reason to panic. One thermometer contains little mercury and dangerous levels rarely arise in schools. Wear gloves when handling mercury. It forms alloys with gold, silver, etc (eg, jewellery) - remove rings. (It is also DANGEROUS FOR THE ENVIRONMENT because it is very toxic to aquatic organisms.)
Mercury compounds Solid	 VERY TOXIC	These are very toxic if dust is breathed in, in contact with the skin or if swallowed. They may irritate the eyes and skin. Vomiting and 'feeling sick' are early signs of poisoning. Mercury ('button') batteries contain mercury oxide and should be recycled. (They are also DANGEROUS FOR THE ENVIRONMENT because they are very toxic to aquatic organisms.)
Mercury compounds Solutions in water (If 0.04 M or more)	 TOXIC	They are toxic if in contact with the skin or if swallowed. They may irritate the eyes and skin. Vomiting and 'feeling sick' are early signs of poisoning. Mercury compounds used in making Victorian hats caused disease, as in the 'Mad hatter' of <i>Alice in Wonderland</i> .
Mercury compounds Solutions in water (If less than 0.04 M but 0.004 M or more)	 HARMFUL	They are harmful in contact with the skin or if swallowed. They may irritate the eyes and skin. Pollution by mercury compounds in a Japanese river in the 1950s caused serious poisoning of humans who ate fish from the river (Minimata disease).
Mercury compounds (If less than 0.004 M)	LOW HAZARD	This only applies to extremely-dilute solutions in water.

Typical control measures to reduce risk

- Wear eye protection and suitable gloves; use the lowest possible concentration.
- Avoid the use of mercury compounds where possible (eg, avoid Millon's reagent).
- Handle liquid mercury over a tray to contain spills; do not leave mercury surfaces exposed to the air.
- Avoid raising dust (eg, by dampening powder); work in a fume cupboard., clear up spills promptly and with care.

Assessing the risks




- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?*
Eg, Solution spurts out of a test tube when heated, mercury metal spills on the floor or a thermometer is broken.
- *How serious would it be if something did go wrong?* Eg, Could anybody be exposed to dangerous mercury levels for long periods of time?
- *How can the risk(s) be controlled for this activity?*
Eg, Can it be done safely? Does the procedure need to be altered? Should goggles or safety spectacles be worn?

Emergency action

- **In the eye** Flood the eye with gently-running tap water for at least 10 minutes. See a doctor.
- **Swallowed** There is little problem with mercury metal (but see a doctor). For compounds, do no more than wash out the mouth with water. Do **not** induce vomiting. Sips of water may help cool the throat and help keep the airway open. See a doctor.
- **Vapour breathed in** Dangerous only if large amounts of vapour are breathed in over a short period of time (eg, when heating metal) or from long-term exposure. See a doctor.
- **Spill on the skin or clothing** For mercury metal, remove contaminated clothing and wash off the skin. Check jewellery for damage. For mercury compounds, flood the area with large amounts of water. Remove and repeatedly rinse clothing. See a doctor for large areas affected or if blistering occurs.
- **Spill on the floor, bench, etc** For mercury metal, remove jewellery, collect up mechanically (eg, with a syringe). Mop up the remainder with a hot paste of 1:1 calcium oxide/sulfur mixture in water. Spread the same (dry) mixture over cracks and other inaccessible areas. For compounds, scoop up the solid. Rinse the area with water, diluting very greatly. For solutions, use mineral absorbent (eg, cat litter).

Aluminium & its compounds

including Aluminium oxide, hydroxide, sulfate(VI) and chloride; also Potash alum

Substance	Hazard	Comment
Aluminium (metal) Solid (large pieces, sheets, etc)	LOW HAZARD	It is used in cooking utensils and is generally considered safe. There were suggestions at one time that aluminium might cause Alzheimer's disease but these are now considered unlikely.
Aluminium (metal) Fine powder	 HIGHLY FLAMMABLE	Eg, it is used as a food additive E173. Under suitable conditions, it may react with water to produce hydrogen, an extremely flammable gas (see <i>Sheet 50</i>). A dust explosion is possible if it is exposed to flame. Although difficult to ignite, it is difficult to extinguish.
Aluminium oxide (alumina), or aluminium hydroxide	LOW HAZARD	It is used in indigestion tablets.
Aluminium sulfate(VI) or aluminium potassium sulfate(VI) (potash alum) Solid or solution	LOW HAZARD	Solutions are acidic. They are added in small amounts to cloudy water in reservoirs to coagulate clay particles. When large amounts were accidentally added to a reservoir at Camelford in Cornwall, some ill effects were reported. It is used as a mordant in dyeing.
Aluminium chloride Anhydrous solid	 CORROSIVE	It causes burns. It reacts violently and exothermically with water to produce fumes of hydrogen chloride (see <i>Sheet 20</i>). Pressure may build up in a closed container due to absorbed moisture.
Aluminium chloride Hydrated solid or moderately-concentrated solution (If 0.8 M or more)	 IRRITANT	The solution is acidic. It is irritating to the eyes and skin.
Aluminium chloride Dilute solution (If less than 0.8 M)	LOW HAZARD	In antiperspirants and deodorants, it is mixed with other substances and is not classed as hazardous. However, it may be an IRRITANT to people with sensitive skin.

Typical control measures to reduce risk

- Use the lowest possible concentration; wear eye protection.
- Avoid the use of aluminium powder or anhydrous aluminium chloride if possible.
- Avoid raising dust and keep aluminium powder away from naked flames.

Assessing the risks




- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?* Eg, Solution spurts out of a test tube when heated or a solution decomposes when heated to dryness.
- *How serious would it be if something did go wrong?*
Eg, Are there hazardous reaction products, eg, hydrogen chloride gas from the action of water on anhydrous aluminium chloride?
- *How can the risk(s) be controlled for this activity?* Eg, Can it be done safely? Does the procedure need to be altered? Should goggles or safety spectacles be worn?

Emergency action

- In eye Flood the eye with gently-running tap water for at least 10 minutes. See a doctor.
- Swallowed Do no more than wash out the mouth with water. Do **not** induce vomiting. Sips of water may help cool the throat and help keep the airway open. See a doctor.
- Dust breathed in Remove the casualty to fresh air. See a doctor if breathing is difficult.
- Spill on the skin or clothing Remove and rinse contaminated clothing. Wash off the skin with plenty of water.
- Spill on the floor, bench, etc Scoop up the solid (take care not to raise dust). Wipe up small solution spills or any traces of solid with a cloth.
- Fire Powdered aluminium fires should be extinguished by smothering with clean, dry sand.

Silver & its compounds

including Silver bromide, chloride, iodide, nitrate(V) and oxide

Substance	Hazard	Comment
Silver (metal) Solid	LOW HAZARD	It is used in jewellery. It is an approved food additive, E174.
Silver halides , ie, silver bromide , silver chloride and silver iodide Solids	LOW HAZARD	They are widely used in photographic emulsions. They are decomposed by light to give silver metal and the halogen.
Silver nitrate(V) Solid and fairly-concentrated solutions (If 0.5 M or more)	 CORROSIVE	It causes burns and is dangerous to the eyes. If swallowed, it causes internal damage due to absorption into the blood, followed by deposition of silver in various tissues. It produces black stains on the skin, which, however, wear off in a few days. The solid explodes dangerously with magnesium powder and a drop of water. (It is also DANGEROUS FOR THE ENVIRONMENT because it is very toxic to aquatic organisms.)
Silver nitrate(V) Fairly-dilute solutions (If less than 0.5 M but 0.2 M or more)	 IRRITANT	It may produce black stains on the skin, which, however, wear off in a few days.
Silver nitrate(V) Dilute solutions (If less than 0.2 M)	LOW HAZARD	Very dilute solutions are adequate for most school work when testing for halides in solution.
Silver nitrate(V) Ammoniacal solution (Tollen's Reagent)	 IRRITANT / EXPLOSIVE	It is used for aldehyde tests and should be prepared only on a test-tube scale , when needed, and discarded into plenty of water within ½ hour, otherwise explosives may form.
Silver oxide Solid	LOW HAZARD	It is used in some batteries, eg, button cells for watches and calculators.

Typical control measures to reduce risk

- Use the lowest possible concentration; wear eye protection.
- Avoid keeping solutions of silver compounds and ammonia for more than a few minutes.
- Avoid handling solid silver nitrate.

Assessing the risks









- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong? Eg, Silver nitrate accidentally coming into contact with the skin.*
- *How serious would it be if something did go wrong? Eg, Are there hazardous reaction products, eg, from solutions of silver compounds with ammonia?*
- *How can the risk(s) be controlled for this activity?*
Eg, Can it be done safely? Does the procedure need to be altered? Should goggles or safety spectacles be worn? Are gloves needed?

Emergency action

- In the eye Flood the eye with gently-running tap water for at least 10 minutes. See a doctor.
- Swallowed Do no more than wash out the mouth with water. Do **not** induce vomiting. Sips of water may help cool the throat and help keep the airway open. See a doctor.
- Spilt on the skin or clothing Remove contaminated clothing and rinse it. Wash off the skin with plenty of water. If the silver nitrate produces more than small burns, see a doctor.
- Spilt on the floor, bench, etc Wear eye protection and gloves. Scoop up the solid. Rinse the area with water and wipe up, rinsing repeatedly. Rinse the mop or cloth thoroughly.

Chromium & its compounds

including Chromium(III) salts, chrome alum, chromates and dichromates

Substance	Hazard	Comment
Chromium (metal) Solid	LOW HAZARD	It is used (as chromium plate) to give a shiny, protective surface on steel, eg, on cars and bicycles.
Chromium(III) oxide Solid	LOW HAZARD	It is used as a green pigment, eg, in pottery.
Chromium(III) salts Solid and most solutions (If 0.5 M or more)	 HARMFUL	These include chromium potassium sulfate(VI) (chrome alum). They are harmful if swallowed and irritating to the eyes and skin.
Chromium(III) salts Dilute solutions (If less than 0.5 M)	LOW HAZARD	These include chromium potassium sulfate(VI) (chrome alum).
Potassium/sodium chromate(VI)/dichromate(VI) Solid and most solutions (If 0.2 M or more)	  VERY TOXIC / OXIDISING	These are very toxic by inhalation or if swallowed. They may cause sensitisation and/or ulcers in contact with the skin. They may cause cancer by inhalation but inhalation is unlikely in most school uses. Oxidation, eg, of alcohols, may be quite violent. (They are also DANGEROUS FOR THE ENVIRONMENT because they are very toxic to aquatic organisms.)
All chromates(VI)/ dichromates(VI) Solutions less than 0.2 M but 0.003 M or more.	  TOXIC / OXIDISING	They are toxic by inhalation or if swallowed. They may cause sensitisation and/or ulcers in contact with the skin. They may cause cancer by inhalation but inhalation is not at all likely in most school uses.
All chromates(VI)/ dichromates(VI)	LOW HAZARD	This only applies to any solutions less than 0.003 M.
Ammonium dichromate(VI) Solid	  VERY TOXIC / EXPLOSIVE	In addition to the hazards of potassium/sodium salts, this decomposes if heated and will explode in confined spaces. It is used in indoor fireworks.
Lead chromate(VI) Solid	 TOXIC	It is used as the pigment for yellow lines on roads. There is limited evidence of carcinogenic effects. It may cause harm to the unborn child. See <i>Sheet 43</i> .

Typical control measures to reduce risk

- Use the lowest possible concentration; wear eye protection; consider the use of gloves for chromates/dichromates.
- For the volcano experiment, prevent exposure to dust by the use of a fume cupboard or mineral-wool plug in the vessel.
- Avoid inhaling chromate/dichromate dust or spray (eg, during electrolysis).

Assessing the risks





- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?* Eg, Chromate or dichromate dust or solution are accidentally inhaled.
- *How serious would it be if something did go wrong?* Eg, Are there hazardous reactions, eg, violent oxidations or decompositions?
- *How can the risk(s) be controlled for this activity?* Eg, Can it be done safely? Does the procedure need to be altered? Should goggles or safety spectacles be worn? Are gloves needed?

Emergency action

- **In the eye** Flood the eye with gently-running tap water for at least 10 minutes. See a doctor.
- **Swallowed** Do no more than wash out the mouth with water. Do **not** induce vomiting. Sips of water may help cool the throat and help keep the airway open. See a doctor.
- **Spilt on the skin or clothing** Remove contaminated clothing and rinse it until no colour remains. Wash off the skin with plenty of water. If skin contamination is more than small, see a doctor.
- **Spilt on the floor, bench, etc** Wear eye protection and gloves. Scoop up the solid. Rinse the area with water and wipe up, rinsing repeatedly until no colour remains. Rinse the mop or cloth thoroughly.

Manganese & its compounds

including Manganese(IV) oxide (dioxide) & Potassium manganate(VII) (permanganate)

Substance	Hazard	Comment
Manganese (metal) Solid	 HARMFUL	It is harmful by inhalation, hence exposure to dust or fume would present a risk but not bulk metal.
Manganese(II) salts Solid and concentrated solutions (If about 1 M or more)	 HARMFUL	These include manganese(II) chloride and sulfate(VI). Manganese(II) carbonate is considered LOW HAZARD.
Manganese(II) salts Dilute solutions (If less than about 1 M)	LOW HAZARD	These include manganese(II) chloride and sulfate(VI).
Manganese(IV) oxide (Manganese dioxide) Solid	 HARMFUL	It is harmful by inhalation or if swallowed. It is often used as a fine powder. Many hazardous reactions occur with reducing agents or concentrated acids. It is used in dry cells (batteries).
Potassium manganate(VII) (permanganate) Solid	 HARMFUL / OXIDISING	It is harmful if swallowed and stains the hands and clothing. Many hazardous reactions occur with reducing agents or concentrated acids. On heating, it liberates oxygen gas and releases a fine dust of potassium manganate(VI).
All manganates(VII) (permanganates) Solutions	LOW HAZARD	They stain hands and clothing.

Typical control measures to reduce risk

- Wear eye protection.
- Avoid inhaling dusts.
- Avoid skin contact, especially with manganates(VII).
- Avoid contact between manganates(VII) or manganese(IV) oxide and concentrated acids or reducing agents.

Assessing the risks





- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?*
Eg, Dust is accidentally inhaled.
- *How serious would it be if something did go wrong?*
Eg, Are there hazardous reactions, eg, violent oxidations or decompositions?
- *How can the risk(s) be controlled for this activity?*
Eg, Can it be done safely? Does the procedure need to be altered? Should goggles or safety spectacles be worn? Are gloves needed?

Emergency action

- In the eye Flood the eye with gently-running tap water for at least 10 minutes. See a doctor.
- Swallowed Do no more than wash out the mouth with water. Do **not** induce vomiting. Sips of water may help cool the throat and help keep the airway open. See a doctor.
- Spilt on the skin or clothing Remove contaminated clothing and rinse it. Wash off the skin with plenty of water. [Manganate(VII) will give permanent stains to clothing and the skin.] If skin contamination is more than small, see a doctor.
- Spilt on the floor, bench, etc Wear eye protection and gloves. Scoop up the solid. Rinse the area with water and wipe up, rinsing repeatedly. [Manganate(VII) will give permanent stains.] Rinse the mop or cloth thoroughly.

Zinc & its compounds

including Zinc oxide, carbonate, sulfate(VI), chloride, bromide

Substance	Hazard	Comment
Zinc metal (granulated or sheets of metal)	LOW HAZARD	Pure zinc does not react readily with dilute acids, without a catalyst [usually copper(II) sulfate]. Iron or steel is often coated with zinc (galvanised) to protect it from rusting.
Zinc metal (powder or dust)	 HIGHLY FLAMMABLE	Under suitable conditions may react with water to produce extremely flammable gas (see <i>Sheet 50</i>). Can ignite spontaneously in air or react violently with iodine, sulfur and copper(II) oxide. Most school samples have a surface coating of zinc oxide, making reactions unpredictable.
Zinc oxide or carbonate	LOW HAZARD	The zinc oxide fumes ('philosopher's wool') formed when zinc dust burns in air are regarded as hazardous dust.
Zinc sulfate(VI) Solid or concentrated solutions (If 0.4 M or more)	 HARMFUL / IRRITANT	Harmful if swallowed (especially saturated solutions for crystal-growing). There is a risk of serious damage to the eyes. When preparing zinc sulfate by reacting zinc and sulfuric acid, the reaction can be slow and is often incomplete.
Zinc sulfate(VI) Dilute solutions (If less than 0.4 M)	LOW HAZARD	
Zinc chloride or bromide Solid or concentrated solutions (If 0.7 M or more)	 CORROSIVE	These cause burns and are harmful if swallowed. The anhydrous solids are especially dangerous. The solids absorb water from the atmosphere. Electrolysis of molten zinc chloride/bromide or solutions produce chlorine or bromine.
Zinc chloride or bromide Fairly dilute solutions (If less than 0.7 M but more than 0.3 M)	 IRRITANT	-
Zinc chloride or bromide Dilute solutions (If less than 0.3 M)	LOW HAZARD	-

Typical control measures to reduce risk

- Use the lowest possible quantities and concentrations.
- Only electrolyse zinc chloride/bromide solutions briefly, unless in a fume cupboard (essential for the molten compounds).
- Assume zinc powder/dust is fresh and not partially oxidised on the surface.
- When reacting zinc and acid, check no acid remains before evaporating solutions (pH should be 4 or higher).
- Wear eye protection.


Assessing the risks

- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?*
Eg, Solutions spurting out of test tubes when heated or solutions heated to dryness and decomposing.
- *How serious would it be if something did go wrong?*
Eg, Are there hazardous reaction products (such as chlorine from the electrolysis of zinc chloride)?
- *How can the risk(s) be controlled for this activity?*
Eg, Can it be done safely? Does the procedure need to be altered? Should goggles or safety spectacles be worn?

Emergency action

- In the eye Flood the eye with gently-running tap water for at least 10 minutes. See a doctor.
- Swallowed Do no more than wash out the mouth with water. Do **not** induce vomiting. Sips of water may help cool the throat and help keep the airway open. See a doctor.
- Dust breathed in Remove the casualty to fresh air. See a doctor if breathing is difficult.
- Spill on the skin or clothing Remove contaminated clothing and rinse it. Wash off the skin with plenty of water.
- Spill on the floor, bench, etc Scoop up solid (take care not to raise dust). Wipe up small solution spills or any traces of solid with cloth; for larger spills use mineral absorbent (eg, cat litter).

Hydrogen

Substance	Hazard	Comment
Hydrogen Gas	 EXTREMELY FLAMMABLE	<p>It forms explosive mixtures with air and oxygen.</p> <p>Mixtures with air between 4% and 74% hydrogen by volume are explosive.</p> <p>Explosive mixtures will ignite below 500 °C and well below this temperature in the presence of catalysts such as transition metals and their oxides.</p> <p>The explosion with oxygen produces a very loud noise which can damage hearing.</p> <p>Mixtures of hydrogen and oxygen can arise when recharging a car battery (or model cells in schools); ensure good ventilation, avoid sparks and naked flames.</p>

Typical control measures to reduce risk

- If preparing the gas in test-tube reactions, use the smallest possible amounts.
- Wear eye protection and stand well back.
- Use safety screens for all but test-tube amounts of the gas; ensure good laboratory ventilation.
- If preparing the gas on anything larger than a test-tube scale, make sure the apparatus has the smallest possible volume, so that only a little air has to be flushed out. If lighting the gas at a jet, test a sample to make sure that all the air has been flushed out and light from a distance.
- If possible, use a gas cylinder rather than generate your own hydrogen, because the cylinder produces a more-rapid flow which flushes air more quickly from the apparatus.
- When reducing, eg, metal oxides, consider alternative reducing agents such as methane or ammonia gas.





Assessing the risks

- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?*
Eg, Could the hydrogen be ignited accidentally? How easy is it to make sure that all the air has been flushed out?
- *How serious would it be if something did go wrong?*
- NB There are occasional reports of pupils being taken to hospital (for treatment to cuts or for splashes of chemicals) as a result of damage to apparatus in hydrogen explosions.
- *How can the risk(s) be controlled for this activity?*
Eg, Can it be done safely? Does the procedure need to be altered? Should goggles or safety spectacles be worn?

Emergency action

- Gas escape Open all the windows. Make sure there are no naked flames.
- Explosion If there are cuts from flying glass, apply pressure using a clean pad of cloth. Do **not** attempt to remove large pieces of embedded glass, etc. If there is arterial bleeding, the casualty should be laid down and the injured limb raised up. Send for a doctor.

Oxygen & Ozone

Substance	Hazard	Comment
Oxygen Gas	 OXIDISING	<p>Air contains about 21% oxygen.</p> <p>Contact between oxygen and combustible material may cause fire. Combustible substances burn much more fiercely in air which has been only slightly enriched with oxygen (eg, 25%).</p> <p>Products of combustion are often strongly acidic or basic (alkaline) oxides.</p> <p>If the amount of oxygen in the air becomes too low, headaches, unconsciousness and death may result. First effects may be noticed when the percentage drops to 18%. Similar effects may be observed on high mountains due to lower pressure.</p>
Ozone Gas	 OXIDISING  TOXIC  IRRITANT	<p>It is toxic if breathed in. It irritates the eyes and respiratory system. For a 15-minute exposure, the concentration in the atmosphere should not exceed 0.4 mg m⁻³. It is not normally made or used in school science.</p> <p>In the presence of sunlight, traces of hydrocarbons in the air react with nitrogen oxides (see <i>Sheet 53</i>), eg, from car exhausts, to form ozone. This causes photochemical smog in certain hot weather conditions. Small amounts of ozone are also formed in some photocopiers but this is only likely to be a problem in a small room with poor ventilation.</p> <p>Although dangerous if breathed in, ozone in the upper atmosphere performs a very important safety role, where it absorbs much of the ultraviolet radiation reaching the earth, thus preventing dangerous exposures (see <i>Sheet 12</i>). There is considerable concern that pollution by certain chlorinated hydrocarbons (see <i>Sheet 62</i>) is destroying the ozone layer.</p>

Typical control measures to reduce risk

- Wear eye protection when preparing oxygen or burning substances in oxygen.
- Avoid looking directly at the very bright light from magnesium burning in oxygen.
- Avoid inhaling products when non-metals are burning in oxygen.
- Use safety screens when burning substances in oxygen on anything larger than a test-tube scale.
- If using cylinders of oxygen, do **not** lubricate controls with oil or grease as this might catch fire.


Assessing the risks

- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong? Eg, Could substances burn much more fiercely than expected?*
- *How serious would it be if something did go wrong?*
Eg, *Would there be widespread health effects if the ozone layer is damaged by pollution?*
- *How can the risk(s) be controlled for this activity?*
Eg, *Can it be done safely? Does the procedure need to be altered? Should goggles or safety spectacles be worn?*

Emergency action

- **Gas escape** If a large quantity is released, open all windows. Extinguish all naked flames.
- **Clothing catches fire** Smother flames on clothing or the skin with a fire blanket or other material. Cool any burnt skin with gently-running tap water for 10 minutes. See a doctor if the area of burn is larger than a small coin.
- **Other fires** Allow fires in sinks etc to burn out. Fires at the top of test tubes, beakers, etc should be smothered with a damp cloth or heat-proof mat.

Sulfur dioxide

Substance	Hazard	Comment
Sulfur dioxide Gas	 TOXIC	It is toxic if breathed in. It may cause burns and it irritates the eyes and respiratory system. It is a choking gas and may trigger an asthma attack (even some hours after exposure). For a 15-minute exposure, the concentration of the gas in the atmosphere should not exceed 2.7 mg m ⁻³ . It is produced naturally in large amounts by volcanoes. Most fossil fuels contain traces of sulfur compounds. When burnt, these result in sulfur dioxide released into the atmosphere, causing acid rain. It may be produced in the laboratory by the action of heat or dilute acid on sulfites or thiosulfates. It is used in small amounts as a preservative in some foodstuffs and wines.
Sulfur dioxide Dilute solution in water	LOW HAZARD (BUT BEWARE OF TOXIC GAS GIVEN OFF)	The gas is very soluble in water and may cause suck back. Alternatively, a sulfur dioxide solution can be prepared using sodium metabisulfite and adding sulfuric acid. The gas escapes easily from solution, especially if this is warmed, and should not be inhaled.

Typical control measures to reduce risk

- If preparing the gas in test-tube reactions, use the smallest amounts possible.
- Wear eye protection.
- Take steps to prevent suck back of water, eg, by the use of Bunsen valves.
- Use a fume cupboard for anything larger than test-tube amounts of gas; ensure good laboratory ventilation and quickly dispose of solutions containing sulfur dioxide.
- If testing for the gas by its smell, follow the safe technique for sniffing gases: use your hand to waft the gas towards your nose.
- Do **not** expose asthmatics to the gas.
- Use fuels which are naturally low in sulfur, remove sulfur compounds before use or use scrubbers to absorb sulfur dioxide from the exhaust gases of coal- or oil-burning power stations.

Assessing the risks





- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?*
Eg, A leak of gas into the laboratory from apparatus or a warmed solution, or suck back.
- *How serious would it be if something did go wrong?*
- *How can the risk(s) be controlled for this activity?*
Eg, Can it be done safely? Does the procedure need to be altered? Should goggles or safety spectacles be worn?

Emergency action

- In the eye Flood the eye with gently-running tap water for 10 minutes. See a doctor.
- Vapour breathed in Remove the casualty to fresh air. Call a doctor if breathing is difficult.
- Gas escape in a laboratory Open all windows. If over 1 litre of gas is released, evacuate the laboratory.

Nitrogen oxides

includes Nitrogen monoxide, Nitrogen dioxide, Dinitrogen tetroxide & Dinitrogen oxide

Substance	Hazard	Comment
Nitrogen monoxide (Nitric oxide; NO) Gas	 VERY TOXIC	It is very toxic if breathed in and irritates the eyes and respiratory system. For a 15-minute exposure, the concentration in the atmosphere should not exceed 1.4 mg m ⁻³ . It reacts with oxygen in the atmosphere to form nitrogen dioxide (see below). It may be formed by the reaction between oxygen and nitrogen in the air, especially in car engines. This is a major contributor to acid rain and photochemical smog. The mixture of NO and NO ₂ formed in this way is often referred to as NO _x .
Nitrogen dioxide (NO₂) Dinitrogen tetroxide (N₂O₄) Gases	 VERY TOXIC  CORROSIVE	These are very toxic if breathed in. They may cause dizziness, headaches and coldness. They also irritate the eyes and respiratory system. Serious effects may be delayed until after apparent recovery. They may trigger an asthma attack. For a 15-minute exposure, the concentration in the atmosphere should not exceed 1.9 mg m ⁻³ . They are formed as air pollutants from nitrogen monoxide (see above). They are formed in the laboratory by the action of heat on many nitrates and by the reaction of nitric acid on some metals. They are very soluble in water; there is a risk of suck back.
Dinitrogen oxide (N₂O) 'Laughing gas'	 OXIDISING	This is an anaesthetic in large amounts. It has been used as a general anaesthetic, eg, by dentists.

Typical control measures to reduce risk

- If preparing gases in test-tube reactions, use the smallest possible amounts and take steps to avoid suck back.
- Wear eye protection.
- Use a fume cupboard for anything larger than test-tube amounts of gas; ensure good laboratory ventilation.
- If testing for the gases by their smell, follow the safe technique for sniffing gases: use your hand to waft the gas towards your nose.
- Prevent exposure to the gases by asthmatics.
- Use catalytic converters in car exhausts to reduce the amount of nitrogen oxides released into the air.

Assessing the risks



- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?*
 Eg, Leak of a gas from apparatus into the laboratory atmosphere.
- *How serious would it be if something did go wrong?*
- *How can the risk(s) be controlled for this activity?*
 Eg, Can it be done safely? Does the procedure need to be altered? Should goggles or safety spectacles be worn?

Emergency action

- In eye Flood the eye with gently-running tap water for 10 minutes. See a doctor.
- Vapour breathed in Remove the casualty to fresh air. Call a doctor if breathing is difficult.
- Gas escape in a laboratory Open all windows. If over 1 litre of gas is released, evacuate the laboratory.

Chlorine

includes Chlorine water

Substance	Hazard	Comment
Chlorine Gas	 TOXIC  DANGEROUS FOR THE ENVIRONMENT	<p>This is toxic if breathed in, causing severe lung damage. It irritates the eyes, skin and respiratory system. It may trigger an asthma attack and the effects of exposure may be delayed for some hours. For a 15-minute exposure, the concentration of the gas in the atmosphere should not exceed 1.5 mg m⁻³.</p> <p>It is very toxic to the aquatic environment and is used to kill microbes in public water supplies, at a concentration between about 0.1 and 1.0 mg per litre. It is also used to treat swimming pool water at a concentration between about 1.4 and 4.0 mg per litre.</p> <p>It may be formed in the laboratory by electrolysis and the oxidation of some chlorides.</p> <p>It may be formed in the laboratory, in the home or at work by the action of acid on bleaches; see <i>Sheet 41</i>.</p>
Chlorine water Solution in water	LOW HAZARD (BUT BEWARE OF TOXIC GAS GIVEN OFF)	<p>It can be made in a fume cupboard by diluting a saturated solution with a little more than its own volume of water.</p> <p>Chlorine gas escapes easily from the solution, especially if it is warmed.</p>

Typical control measures to reduce risk

- If preparing the gas in test-tube reactions, use the smallest possible amounts; where possible, absorb excess gas with a soda lime tube.
- Wear eye protection.
- Use a fume cupboard for anything larger than test-tube amounts; ensure good laboratory ventilation.
- If testing for the gas by its smell, follow the safe technique for sniffing gases: use your hand to waft the gas towards your nose.
- Prevent exposure to the gas by asthmatics. Even with chlorine water, take care not to breathe in chlorine.

Assessing the risks








- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?*
- *How serious would it be if something did go wrong?*
NB There are occasional reports of pupils being taken to hospital as a result of breathing in chlorine.
- *How can the risk(s) be controlled for this activity?*
Eg, Can it be done safely? Does the procedure need to be altered? Should goggles or safety spectacles be worn?

Emergency action

- In the eye Flood the eye with gently-running tap water for 10 minutes. See a doctor.
- Vapour breathed in Remove the casualty to fresh air. Call a doctor if breathing is even slightly affected.
- Swallowed Do no more than wash out the mouth with water. Do **not** induce vomiting. Sips of water may help cool the throat and help keep the airway open. See a doctor.
- Spilt on the skin or clothing For chlorine water, remove contaminated clothing and rinse it. Then drench the skin with plenty of water.
- Spilt on the floor, bench, etc Open all windows. For a release of more than 1 litre of chlorine gas, evacuate the laboratory. Mop up chlorine water and rinse with plenty of water.

Bromine

includes Bromine water

Substance	Hazard	Comment
Bromine Liquid	  VERY TOXIC / CORROSIVE	It produces a vapour which is very toxic if breathed in. The liquid causes severe burns to the eyes and skin. For a 15-minute exposure, the concentration of the vapour in the atmosphere should not exceed 1.3 mg m ⁻³ .
Concentrated bromine solution, in organic solvents (If 0.3 M or more)	  VERY TOXIC / CORROSIVE	It produces a vapour which is very toxic if breathed in. The solution causes severe burns to the eyes and skin. There may also be hazards associated with the organic solvent; see relevant <i>Student Safety Sheets</i> .
Moderately-concentrated bromine solution, in water or organic solvents (If 0.06 M or more but less than 0.3 M)	  TOXIC / IRRITANT	It produces a vapour which is very toxic if breathed in. The solution causes severe burns to the eyes and skin. A saturated solution in water is about 0.25 M. There may also be hazards associated with the organic solvent; see relevant <i>Student Safety Sheets</i> .
Moderately-dilute bromine solution, in water or organic solvents (If 0.006 M or more but less than 0.06 M)	 HARMFUL	There may be hazards associated with the organic solvent; see relevant <i>Student Safety Sheets</i> .
Very dilute bromine solution, in water or organic solvents (If less than 0.006 M)	LOW HAZARD	There may be hazards associated with the organic solvent; see relevant <i>Student Safety Sheets</i> . This concentration is suitable for testing alkenes for unsaturation.

Typical control measures to reduce risk

- Use the lowest concentration and smallest volume possible.
- Wear eye protection and protective nitrile gloves for all but the most-dilute solutions.
- **Avoid breathing the fumes from concentrated solutions, eg, by the use of a fume cupboard.**
- When bromine liquid is in use, have plenty of sodium thiosulfate solution available to deal with spills.

Assessing the risks

- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong? How serious would it be if something did go wrong?*
- *How can the risk(s) be controlled for this activity?*



Eg, Can it be done safely? Does the procedure need to be altered? Should goggles or safety spectacles be worn?

Emergency action

- **In the eye** Flood the eye with gently-running tap water for 10 minutes. See a doctor.
- **Vapour breathed in** Remove the casualty to fresh air. Call a doctor if breathing is even slightly affected.
- **Swallowed** Do no more than wash out the mouth with water. Do **not** induce vomiting. Sips of water may help cool the throat and help keep the airway open. See a doctor.
- **Spilt on the skin or clothing** For liquid bromine or the moderately-concentrated solution, immerse in sodium thiosulfate solution (20%, 1 M). Remove contaminated clothing, soak it and drench the skin with plenty of water. See a doctor.
- **Spilt on the floor, bench, etc** **For spills of all but a few drops of liquid bromine, open windows and evacuate the laboratory.** For small bromine spills, add sodium thiosulfate solution (20%, 1 M) and leave for 1 hour. Mop up and rinse with plenty of water.

Iodine

includes **Iodine solutions**

Substance	Hazard	Comment
Iodine Solid	 HARMFUL	It is harmful if breathed in or by contact with the skin. It causes burns to the skin if left for some time. It is easily vapourised if heated - the violet vapour is dangerous to the eyes. For a 15-minute exposure, the concentration in the atmosphere should not exceed 1.1 mg m ⁻³ . (It is also DANGEROUS FOR THE ENVIRONMENT because it is very toxic to aquatic organisms.)
Iodine solution, in potassium iodide / water or in organic solvent (If 1 M or more)	 HARMFUL	There may be hazards associated with the organic solvent; see relevant <i>Student Safety Sheets</i> . Ethanol is often used; it is HIGHLY FLAMMABLE.
Dilute iodine solution, in potassium iodide / water or in organic solvent (If less than 1 M)	LOW HAZARD	There may be hazards associated with the organic solvent; see relevant <i>Student Safety Sheets</i> . Ethanol is often used; it is HIGHLY FLAMMABLE. 'Tincture of iodine', used as a mild antiseptic, is a dilute solution in ethanol (about 0.1 M).

Typical control measures to reduce risk

- Use the lowest concentration and smallest amount possible.
- Wear eye protection for all but the most-dilute solutions.
- Handle iodine solid using forceps or, better, wear protective gloves as well.
- **Avoid breathing iodine vapour, eg, by the use of a fume cupboard.**



Assessing the risks

- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?*
- *How serious would it be if something did go wrong?*
NB Iodine vapour can crystallise painfully on the eye.
- *How can the risk(s) be controlled for this activity?*
Eg, Can it be done safely? Does the procedure need to be altered? Should goggles or safety spectacles be worn?

Emergency action

- **In the eye** Flood the eye with gently-running tap water for 10 minutes. See a doctor.
- **Vapour breathed in** Remove the casualty to fresh air. Call a doctor if breathing is even slightly affected.
- **Swallowed** Do no more than wash out the mouth with water. Do **not** induce vomiting. Sips of water may help cool the throat and help keep the airway open. See a doctor.
- **Spill on the skin or clothing** Brush off solid iodine and immerse in sodium thiosulfate solution (20%, 1 M). Remove contaminated clothing, soak it and drench the skin with plenty of water. See a doctor if a large area is affected or blistering occurs.
- **Spill on the floor, bench, etc** Scoop up any solid iodine, add sodium thiosulfate solution (20%, 1 M) to the remaining spill and leave for 1 hour. Mop up and rinse with plenty of water.

Hydrogen peroxide

Substance	Hazard	Comment
Concentrated hydrogen peroxide solution <i>[If less than 13.6 M, ie, '170 volume strength' (50%) but 2.3 M or more, ie, over '28 volume strength' (8%)]</i>	 HARMFUL	<p>It is harmful if swallowed. There is a risk of serious damage to the eyes. The most-concentrated solution found in schools is normally in this category.</p> <p>It decomposes slowly to produce oxygen gas (see <i>Sheet 51</i>); pressure may build up and care needs to be taken when opening a bottle. It should be stored in the dark. Decomposition is speeded up by catalysts such as some metal oxides and some enzymes. The oxygen formed will assist fires.</p>
Dilute hydrogen peroxide solution <i>[If less than 2.3 M but 1.5 M or more, ie, less than '28 volume strength' (8%) but '18 volume strength' (5%) or more]</i>	 IRRITANT	<p>It irritates the eyes and skin.</p> <p>The typical concentration used in school science practical work.</p> <p>It decomposes slowly to produce oxygen gas (see <i>Sheet 51</i>); pressure may build up and care needs to be taken when opening a bottle. It should be stored in the dark. Decomposition is speeded up by catalysts such as some metal oxides and some enzymes.</p>
Very dilute hydrogen peroxide solution <i>[If less than 1.5 M, ie, less than '18 volume strength' (5%)]</i>	LOW HAZARD	<p>It is used for bleaching hair.</p> <p>It decomposes slowly to produce oxygen gas (see <i>Sheet 51</i>); pressure may build up and care needs to be taken when opening a bottle. It should be stored in the dark. Decomposition is speeded up by catalysts such as some metal oxides and some enzymes. Old stock may have insufficient peroxide molecules for the intended activity.</p>

Typical control measures to reduce risk

- Use the lowest concentration and smallest volume possible.
- Wear eye protection for all but the most-dilute solutions.
- Store concentrated solutions away from heat and light, in bottles with special vented caps. Beware of a rapid release of pressure when opening a bottle.
- Avoid accidental contamination of solutions which may speed up the formation of oxygen and pressure build-up.

Assessing the risks





- **What are the details of the activity to be undertaken? What are the hazards?**
- **What is the chance of something going wrong?**
Eg, Could an impurity / catalyst cause rapid decomposition and frothing?
- **How serious would it be if something did go wrong?**
Eg, If the solution splashes onto the skin, is it sufficiently concentrated to cause burns?
- **How can the risk(s) be controlled for this activity?**
Eg, Can it be done safely? Does the procedure need to be altered? Should goggles or safety spectacles be worn?

Emergency action

- **In the eye** Flood the eye with gently-running tap water for 10 minutes. See a doctor.
- **Swallowed** Do no more than wash out the mouth with water. Do **not** induce vomiting. Sips of water may help cool the throat and help keep the airway open. See a doctor.
- **Spill on the skin or clothing** Flood the area with plenty of water. Remove contaminated clothing and soak it. If a large area is affected or blistering occurs, see a doctor.
- **Spill on the floor, bench, etc** For large spills, and especially for (moderately) concentrated solutions, cover with mineral absorbent (eg, cat litter) and scoop into a bucket. Dilute with at least ten times its own volume of water. Rinse the floor etc with plenty of water.
Wipe up small amounts with a damp cloth and rinse it well.

Carbon & its oxides

including carbon dioxide, carbon monoxide

Substance	Hazard	Comment
Carbon dioxide Gas	 DANGER	It can cause asphyxiation if the proportion of carbon dioxide in the air becomes too high, eg, as a result of the rapid evaporation of the solid in a confined space or, in some African lakes, it is released from decaying organic matter. Because it is denser than air, it may build up in low areas, eg, in caves. For a 15-minute exposure, the concentration in the atmosphere should not exceed 27,000 mg m ⁻³ . About 0.04% is present in normal air, as compared with about 0.03% fifty years ago. This increase is a result of burning fossil fuels in motor vehicles, power stations, etc. This in turn is believed to be contributing to a very gradual rise in the temperature of the Earth (global warming) as a result of the greenhouse effect.
Carbon dioxide Solid 'dry ice'	 COLD	It causes frostbite (burns) and needs careful handling. If it evaporates rapidly in a closed vessel, it may cause an explosion or, in a confined space, it may cause asphyxiation as the air is forced out.
Carbon monoxide Gas	 TOXIC  EXTREMELY FLAMMABLE	It is toxic if breathed in, with the danger of serious damage to health by prolonged exposure. It may cause harm to the unborn child. As little as 0.01% can cause headaches. The gas has no taste or smell. It is often formed when hydrocarbon fuels burn in a limited supply of air, eg, car engines especially in confined spaces, or gas-powered water heaters with poor ventilation. Every year, this causes many deaths in the home. Traces also occur in cigarette smoke and are implicated in heart and artery diseases. It also contributes to the greenhouse effect. For a 15-minute exposure, the concentration in the atmosphere should not exceed 232 mg m ⁻³ . It forms explosive mixtures with air and oxygen. Mixtures with air between 12% and 74% carbon monoxide by volume are explosive.
Carbon Graphite, diamond, buckminsterfullerene	LOW HAZARD	Applies to lampblack, charcoal, activated carbon, decolourising charcoal. Soot is also mainly carbon but may be contaminated with carcinogenic chemicals. This was a cause of cancer amongst chimney sweeps in Victorian times. The hazards of buckminsterfullerene nanotubes are not fully known. Hot charcoal (carbon blocks), even if not glowing red, can slowly combust and stay hot for many hours.

Typical control measures to reduce risk

- Wear protective thermal gloves or use tongs for handling solid carbon dioxide.
- Use energy-efficient vehicles and power stations and/or non-fossil fuels to limit the amount of carbon dioxide or monoxide emitted.
- Use a ducted fume cupboard (**not** a recirculatory filter fume cupboard) for handling carbon monoxide.
- Have gas appliances serviced regularly.
- Use catalytic converters in car exhausts to reduce the amount of carbon monoxide released into the air.
- After use, allow hot charcoal blocks to cool in air; store them in air-tight metal containers.

Assessing the risks









- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong? Eg, Leak of gas from apparatus into the laboratory.*
- *How serious would it be if something did go wrong?*
Eg, Global warming causing rising sea level and resultant flooding of low-lying areas.
- *How can the risk(s) be controlled for this activity?*
Eg, Can it be done safely? Does the procedure need to be altered? Should goggles or safety spectacles be worn?

Emergency action

- **Solid in the eye** Flood the eye with gently-running tap water for 10 minutes. See a doctor if solid carbon dioxide.
- **Solid on the skin or clothing** Brush off quickly and immerse the affected area in cold water. If there are any signs of burning from solid carbon dioxide, call a doctor.
- **Vapour breathed in** For carbon monoxide, or carbon dioxide in large quantities, remove the casualty to fresh air. Call a doctor if carbon monoxide was inhaled or if breathing is difficult.
- **Gas escape in a laboratory** Open all windows. For large amounts of carbon monoxide, evacuate the laboratory.

Hydrogen sulfide & other sulfides

including carbon disulfide, ammonium, sodium, potassium, zinc, copper and iron sulfides

Substance	Hazard	Comment
Hydrogen sulfide Gas	  EXTREMELY VERY FLAMMABLE TOXIC	Mixtures of hydrogen sulfide with air containing between 4% and 45% hydrogen sulfide are explosive. It is very toxic if breathed in (more toxic than hydrogen cyanide). For a 15-minute exposure, the concentration of the gas in the atmosphere should not exceed 14 mg m ⁻³ . In an average school laboratory, that level would be reached by the action of 200 cm ³ . 1 M hydrochloric acid on excess sulfide. It has a very strong smell of rotten eggs and the human nose can detect as little as 0.01 mg m ⁻³ , ie a drop or two 1 M hydrochloric acid on excess sulfide in an average school laboratory. At higher concentrations it anaesthetises (deadens) the sense of smell and so the danger may not be realised. It may sometimes be found in coal mines (<i>stinkdamp</i>) and is produced by rotting seaweed and is the commonest cause of death in sewer workers. Use of solutions of hydrogen sulfide or ammonium, potassium or sodium sulfides is safer than using the gas, although the gas will escape readily from the solutions, especially on warming.
Hydrogen sulfide Solution in water (if 0.3 M or more)	 TOXIC	
Hydrogen sulfide Dilute solution in water (if less than 0.3 M but 0.03 M or more)	 HARMFUL	
Hydrogen sulphide (if less than 0.03M) Very dilute solution in water	LOW HAZARD	
Carbon disulfide Liquid	  HIGHLY TOXIC FLAMMABLE	This is highly flammable and toxic. There is a danger of serious damage to health through prolonged exposure by inhalation. It may harm the unborn child and may impair fertility. It is irritating to eyes and skin. Use of this is not recommended in schools. The demonstration involving the reaction with nitrogen monoxide is very dangerous, especially if the oxide is not pure.
Sodium & potassium sulfide solid or solution (if 0.4 M or more) & ammonium sulfide solution (if 0.7 M or more)	 CORROSIVE	Dilute acid reacts to produce hydrogen sulfide. The solids absorb moisture from the atmosphere, producing hydrogen sulfide. The solutions are strongly alkaline.
Sodium & potassium sulfide dilute solution (if less than 0.4 M but 0.2 M or more) & ammonium sulfide dilute solution (if less than 0.7 M but 0.2 M or more)	 IRRITANT	
Sodium, potassium & ammonium sulfide very dilute solution (if less than 0.2 M)	LOW HAZARD	
Copper sulfide, copper pyrites, iron sulfide, iron pyrites, zinc sulfide solids	LOW HAZARD	

Typical control measures to reduce risk

- If producing the gas in the lab, use the smallest amounts possible, eg no more than a few drops of acid on excess sulfide.
- Wear eye protection.
- Use a fume cupboard if adding more than a few drops of dilute acid to excess sulfide; ensure good laboratory ventilation and quickly dispose of solutions containing hydrogen sulfide.
- If smelling the gas, follow the safe technique: use your hand to waft the gas towards your nose.

Assessing the risks

What are the details of the activity to be undertaken? What are the hazards?





- *What is the chance of something going wrong? Eg, A leak of gas into the laboratory from apparatus or a warmed solution.*
- *How serious would it be if something did go wrong? How can the risk(s) be controlled for this activity?*
Eg, Can it be done safely? Does the procedure need to be altered? Should goggles or safety spectacles be worn?

Emergency action

- | | |
|------------------------------|--|
| • In the eye | Flood the eye with gently-running tap water for 10 minutes. See a doctor. |
| • Vapour breathed in | Remove the casualty to fresh air. Call a doctor if breathing is difficult. |
| • Gas escape in a laboratory | Open all windows. If over 1 litre of gas is released, evacuate the laboratory. |

Ethanol

also applies to **Denatured alcohol and Methylated spirit**

Substance	Hazard	Comment
Ethanol Pure	 HIGHLY FLAMMABLE	There is a serious risk of liquid catching fire; its vapour may catch fire above 13 °C. The vapour / air mixture is explosive (from 3.3 to 19% ethanol). Breathing vapour may result in sleepiness: the concentration in the air should not exceed 5,760 mg m ⁻³ .
Industrial denatured alcohol (IDA) [formerly Industrial methylated spirit (IMS)]	 HIGHLY FLAMMABLE	It is more hazardous than pure ethanol because of the presence of 5% (v/v) methanol which is TOXIC. It is often used as a solvent, eg, for chlorophyll and for indicators, eg, Universal indicator, phenolphthalein and in chromatography.
Completely denatured alcohol (CDA)	 HARMFUL	It contains methanol, pyridine and a purple dye. CDA has a bad odour and is not suitable for use indoors.
Surgical spirit <i>(It contains small amounts of castor oil, methyl salicylate and diethyl phthalate)</i>	 HIGHLY FLAMMABLE	It is suitable for demonstrating the cooling effect of evaporation. It can be applied to the skin on the back of the hand. It is used for medical purposes, eg, foot infections, cleaning the skin. It must not be swallowed.
Ethanol Dilute solution in water	LOW HAZARD	Alcoholic drinks contain ethanol, typically 3 to 7% (beers), 11 to 14% (wines), 30 to 40% (spirits). Although chemical hazards are low, there may be considerable effects on the body leading to a loss of judgement, slower reaction times, etc. Consumption is dangerous if driving a vehicle or operating machinery.

Typical control measures to reduce risk

- Use the smallest volume possible; wear eye protection.
- Make sure the room is well ventilated.
- Check that equipment for extinguishing fires is nearby, eg, damp cloth, bench mat, fire blanket.
- **Do not use near naked flames; if heating is necessary, use an electrically-heated water bath or hot water from a kettle.**

Assessing the risks

- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?*
Eg, Does ethanol need to be heated? Could quantities of the vapour be breathed in? Might there be practical jokes or fooling around? Are any reaction products hazardous?
- *How serious would it be if something did go wrong?*
NB Some of the most serious accidents in school science have involved ethanol fires, including clothing fires, and badly-burnt skin needing grafts.
- *How can the risk(s) be controlled for this activity? Can it be done safely? Does the procedure need to be altered?*



Emergency action

- In the eye
Flood the eye with gently-running tap water for 10 minutes. See a doctor.
- Swallowed
Do no more than wash out the mouth with water. Do **not** induce vomiting. Sips of water may help cool the throat and help keep the airway open. See a doctor. NB: The casualty may show signs of drunkenness.
- Spilt on the skin or clothing
Remove contaminated clothing and rinse it. Wash the affected area and clothing with plenty of water.
- Clothing catches fire
Smother flames on clothing or the skin with a fire blanket or other material. Cool any burnt skin with gently-running tap water for 10 minutes.
- Other ethanol fires
Allow fires in sinks, etc to burn out. Fires at the top of test tubes, beakers, etc should be smothered with a damp cloth or heat-proof mat.
- Spilt on the floor, bench, etc
Extinguish all Bunsen-burner flames. Wipe up small amounts with a cloth and rinse it well. For larger amounts, open all windows, cover with mineral absorbent (eg, cat litter), scoop into a bucket and add water.



Propanone

also known as Acetone

Substance	Hazard	Comment
Propanone (acetone) Liquid Used as nail polish (varnish) remover [but ethyl ethanoate (ethyl acetate) is more usual].	 HIGHLY FLAMMABLE  IRRITANT	There is a serious risk of the liquid catching fire. Its vapour may catch fire above -20°C. It can cause severe eye damage and will degrease the skin. For a 15-minute exposure, the concentration in the atmosphere should not exceed 3620 mg m ⁻³ . The smell can be detected by most people at about 47 mg m ⁻³ , well below the level which could cause harm.

Typical control measures to reduce risk

- Wear eye protection.
- Make sure the room is well ventilated or, in a laboratory, use a fume cupboard if possible.
- Check ways of putting out any fires.
- **Do not use near naked flames; if heating is necessary, use an electrically-heated water bath or hot water from a kettle.**








Assessing the risks

- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?*
 Eg, Does propanone need to be heated? Could there be high levels of vapour, perhaps as a result of chromatograms drying?
- *How serious would it be if something did go wrong?*
- *How can the risk(s) be controlled for this activity?*
 Eg, Can it be done safely? Does the procedure need to be altered? Should goggles or safety spectacles be worn?

Emergency action

- **In the eye** Flood the eye with gently-running tap water for 10 minutes. See a doctor.
- **Vapour breathed in** Remove the casualty to fresh air. Keep him/her warm. See a doctor if breathing is difficult.
- **Swallowed** Do no more than wash out the mouth with water. Do **not** induce vomiting. Sips of water may help cool the throat and help keep the airway open. See a doctor.
- **Clothing catches fire** Smother flames on clothing or the skin with a fire blanket or other material. Cool any burnt skin with gently-running tap water for 10 minutes.
- **Other propanone fires** Allow fires in sinks, etc to burn out. Fires at the top of test tubes, beakers, etc should be smothered with a damp cloth or heat-proof mat.
- **Spilt on the skin or clothing** Remove contaminated clothing. If more than a test-tube amount was involved, wash the affected area and clothing with plenty of water.
- **Spilt on the floor, bench, etc** Put out all Bunsen-burner flames. Wipe up small amounts with a cloth and rinse it well. For larger amounts, open all windows, cover with mineral absorbent (eg, cat litter), scoop into a bucket and add water.

Chlorinated hydrocarbons

Substance	Hazard	Comment
Dichloromethane (Methylene dichloride)	 HARMFUL	It is harmful if breathed in, with a possible risk of effects which cannot be reversed, eg, liver damage. Breathing high concentrations causes headaches. It degreases the skin. There is limited evidence of a carcinogenic effect. It is used in some paint strippers.
Trichloromethane (Chloroform)	 HARMFUL	It is harmful, with a danger of serious damage to health by prolonged exposure through inhalation and if swallowed. There is limited evidence of a carcinogenic effect. It is irritating to the skin. It has been used as an anaesthetic.
Tetrachloromethane (Carbon tetrachloride)	 TOXIC  DANGEROUS FOR THE ENVIRONMENT	It is toxic if swallowed, from skin contact and if breathed in, with the danger of serious damage to health by prolonged exposure through inhalation. There is limited evidence of a carcinogenic effect. It damages the ozone layer and is harmful to aquatic organisms in the environment. It can no longer be legally bought and existing stocks should not be used in work with open test tubes.
1,1,1-trichloroethane (Methyl chloroform) and Tetrachloroethene (Tetrachloroethylene)	 HARMFUL  DANGEROUS FOR THE ENVIRONMENT	1,1,1-trichloroethane is harmful if breathed in. It damages the ozone layer. It damages the ozone layer. It can no longer be legally bought and existing stocks should not be used in work with open test tubes. There is limited evidence that tetrachloroethene is a carcinogen. It is toxic to aquatic organisms in the environment. It is used in dry cleaning.
Trichloroethene (Trichloroethylene)	 TOXIC	It may cause cancer with possible risk of effects which cannot be reversed. It is irritating to the eyes & skin and its vapour may cause drowsiness and dizziness. It was used in dry cleaning but has been replaced by tetrachloroethene.

Typical control measures to reduce risk

- Use the smallest volume possible and wear suitable eye protection.
- Use a fume cupboard for anything larger than test-tube amounts; ensure good laboratory ventilation.
- When choosing a solvent, pick the safest one with suitable properties - cyclohexane, *Volasil*s or *Lotoxane* are safer than chlorinated hydrocarbons and usually work satisfactorily.








Assessing the risks

- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong? How serious would it be if something did go wrong?*
- *How can the risk(s) be controlled for this activity?*
Eg, Can it be done safely? Does the procedure need to be altered? Should goggles or safety spectacles be worn?

Emergency action

- In the eye Flood the eye with gently-running tap water for at least 10 minutes. See a doctor.
- Vapour breathed in Remove the casualty to fresh air. Call a doctor if more than a 'sniff' is breathed in.
- Swallowed Do no more than wash out the mouth with water. Do **not** induce vomiting. Sips of water may help cool the throat and help keep the airway open. See a doctor.
- Spilt on the skin or clothing Remove contaminated clothing. Wash the skin with soap and water. Take contaminated clothing outside for the solvent to evaporate.
- Spilt on the floor, bench, etc **Open windows** if large amounts are spilt. **Consider the need to evacuate the laboratory for large spills of the more-hazardous solvents.** Cover with mineral absorbent (eg, cat litter) and scoop into a bucket. Add washing-up liquid and work into an emulsion. Wash to waste with plenty of water.

Hydrocarbons (2011)

Substance	Hazard	Comment
Methane (natural gas); ethane; propane (Calor gas, camping gas); butane (lighter fuel)	 EXTREMELY FLAMMABLE	These gases form explosive mixtures with air and oxygen. Mixtures with air between 6% and 12% methane by volume are explosive. Such mixtures may ignite below 650 °C. Butane is easily liquefied under pressure (it normally boils at 0 °C) and is denser than air.
Pentane, hexane, heptane, etc; petroleum ethers 40-60 or 60-80; cyclohexane, cyclohexene; petrol (gasoline) (but see also benzene, below); methylbenzene (toluene); dimethylbenzene (xylene).	 HIGHLY FLAMMABLE  HARMFUL / IRRITANT	Hexane and mixtures containing hexane (eg petroleum ether 40-60) are harmful to health by prolonged exposure. For long-term exposure, concentration should not exceed 72 mg m ⁻³ . Cyclohexene and dimethylbenzene are irritating to eyes, skin, lungs; the others are mostly harmful if breathed in.
Benzene and products containing more than 0.1% benzene	 TOXIC  HIGHLY FLAMMABLE	Benzene causes cancer. There is a serious danger to health from breathing it in or from skin contact over the long term, or from swallowing it. Use of benzene or products containing more than 0.1% benzene is banned in all educational laboratories. This includes unleaded petrol, which contains several % benzene.
Paraffin (kerosine); diesel fuel; engine oil	 HARMFUL	Some oils may contain substances which cause cancer. After oil has been used in car engines, some parts may have broken down into more hazardous products.
Naphthalene	 HARMFUL	Harmful if breathed in, swallowed or in contact with skin. Used in moth balls. If heated, the concentration of vapour in the air increases considerably.
Waxes including paraffin wax; medicinal paraffin ('liquid paraffin'), oil for oil baths	LOW HAZARD	For example, candle wax.

Typical control measures to reduce risk

- Use smallest amount possible; wear eye protection; avoid skin contact; make sure room is well ventilated.
- Use fume cupboard or prevent escape of vapour, eg with mineral wool plug in test tube.
- Check gas supplies for leaks; store bottled gas in a cool place; use "spirit burners" with care.
- Check equipment to put out fires, eg damp cloth, bench mat, fire blanket.
- Do not use the highly flammable liquids near naked flames; if heating is necessary, use an electrically-heated water bath or hot water from a kettle.

Assessing the risks

- What are the details of the activity to be undertaken? What are the hazards?
 - What is the chance of something going wrong? Eg, Does hydrocarbon need to be heated? Could quantities of the vapour be breathed in?
 - How serious would it be if something did go wrong?
 - How can the risk(s) be controlled for this activity?
- Eg, Can it be done safely? Does the procedure need to be altered? Should goggles or safety spectacles be worn?

Emergency action

- In eye Flood eye with gently-running tap water for 10 minutes. See doctor.
- Swallowed Wash out mouth. Give glass of water to drink. Do NOT make victim vomit. See doctor.
- Spilt on skin or clothing Remove contaminated clothing. Wash affected area and clothing with plenty of water.
- Clothing catches fire Smother flames on clothing or skin with fire blanket or other material. Cool any burnt skin with gently-running tap water for 10 minutes.
- Other fires Allow fires in sinks, etc to burn out. Fires at top of test tubes, beakers, etc should be smothered with damp cloth or heat-proof mat.
- Spilt on floor, bench, etc Put out all Bunsen burner flames. Wipe up small amounts with cloth. Rinse well. For larger amounts open windows, cover with mineral absorbent (eg, cat litter), scoop into bucket and add water.

Carbohydrates

Substance	Hazard	Comment
Sucrose	LOW HAZARD	This is ordinary table sugar. It is cane sugar (also obtained from sugar beet). Acids formed by bacterial decomposition of sugar in the mouth cause tooth decay. Excess sugars in the diet, coupled with a lack of exercise, cause obesity and diabetes, leading to heart disease. Eating in laboratories is usually illegal under the <i>COSHH Regulations</i> because of the risk of contamination.
Glucose	LOW HAZARD	It is also known as dextrose. Acids formed by bacterial decomposition in the mouth cause tooth decay. Excess sugars in the diet, coupled with a lack of exercise, cause obesity and diabetes, leading to heart disease.
Fructose	LOW HAZARD	It is also known as laevulose or fruit sugar. Acids formed by bacterial decomposition in the mouth cause tooth decay. Excess sugars in the diet, coupled with a lack of exercise, cause obesity and diabetes, leading to heart disease.
Maltose	LOW HAZARD	It is also known as malt sugar.
Lactose	LOW HAZARD	It is also known as milk sugar.
Starch	LOW HAZARD	Starch is broken down by saliva and stomach acids into simple sugars.
Cellulose	LOW HAZARD	It is an approved food additive, E460. Cellulose is derived from the cell walls of fruit, vegetables and cereals. It is not digested. Dietary fibre (roughage) is an important part of the diet, helping prevent various diseases.
Food testing on carbohydrates		See <i>Student Safety Sheet 4</i> .

Typical control measures to reduce risk

- Wear eye protection when handling hazardous solids and solutions, eg, when food testing.
- Do not consume sugars or indeed any food or drink in laboratories; taste-testing investigations must be done outside laboratories unless scrupulous hygiene and no contamination can be ensured.

Assessing the risks



- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?*
Eg, *Small amounts of contaminants entering the mouth during taste-testing activities.*
- *How serious would it be if something did go wrong?*
- *How can the risk(s) be controlled for this activity?*
Eg, *Can it be done safely? Where? Does the procedure need to be altered? Should eye protection be worn?*

Emergency action

- **In the eye** Flood the eye with gently-running tap water for 10 minutes. See a doctor if pain persists.
- **Swallowed** Do no more than wash out the mouth with water. Do **not** induce vomiting. Sips of water may help cool the throat and help keep the airway open. See a doctor.
- **Spilt on the skin or clothing** Brush solid off contaminated clothing. Rinse clothing or the skin as necessary.
- **Spilt on the floor, bench, etc** Brush up solid spills, trying to avoid raising dust, then wipe with a damp cloth. Wipe up solution spills with a cloth and rinse it well.

Methanol

Methyl alcohol (2011)

Substance	Hazard	Comment
Methanol	 HIGHLY FLAMMABLE  TOXIC	<p>Risk of the liquid catching fire.</p> <p>Toxic if swallowed, in contact with skin or if inhaled. There is a risk of very serious irreversible effects.</p> <p>For a 15-minute exposure, the concentration in the atmosphere should not exceed 333 mg m⁻³.</p> <p>Methanol is often added deliberately to ethanol ('methylated spirit') to make it undrinkable. A purple dye and an unpleasant smelling chemical (pyridine) make the product sold to the general public even less palatable. This is called denaturing. 'Industrial denatured alcohol' lacks the purple dye and unpleasant smelling chemical. See <i>CLEAPSS Student Safety Sheet 60</i>.</p>

Typical control measures to reduce risk







- Wear eye protection.
- Make sure the room is well ventilated or, in a laboratory, use a fume cupboard if possible.
- Check ways of putting out any fires.
- **Do not use near naked flames; if heating is necessary, use an electrically-heated water bath or hot water from a kettle.**

Assessing the risks

- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?*
Eg, Does methanol need to be heated? Could there be high levels of vapour?
- *How serious would it be if something did go wrong?*
- *How can the risk(s) be controlled for this activity?*
Eg, Can it be done safely? Does the procedure need to be altered? Should goggles or safety spectacles be worn?

Emergency action

- **In the eye** Flood the eye with gently-running tap water for 10 minutes. See a doctor.
- **Vapour breathed in** Remove the casualty to fresh air. Keep him/her warm. See a doctor if breathing is difficult.
- **Swallowed** Do no more than wash out the mouth with water. Do **not** induce vomiting. Sips of water may help cool the throat and help keep the airway open. See a doctor.
- **Clothing catches fire** Smother flames on clothing or the skin with a fire blanket or other material. Cool any burnt skin with gently-running tap water for 10 minutes.
- **Other methanol fires** Allow fires in sinks, etc to burn out. Fires at the top of test tubes, beakers, etc should be smothered with a damp cloth or heat-resistant mat.
- **Spilt on the skin or clothing** Remove contaminated clothing. If more than a test-tube amount was involved, wash the affected area and clothing with plenty of water.
- **Spilt on the floor, bench, etc** Put out all Bunsen-burner flames. Wipe up small amounts with a cloth and rinse it well. For larger amounts, open all windows, cover with mineral absorbent (eg, cat litter), scoop into a bucket and add water.

Substance	Hazard	Comment
Propan-1-ol (<i>n</i> -propanol), Propan-2-ol (<i>iso</i> -propanol) Liquids	  HIGHLY FLAMMABLE IRRITANT	Risk of catching fire. Vapour may catch fire below room temperature. Can cause eye damage and vapours may cause drowsiness and dizziness. Propan-2-ol is sometimes used as 'rubbing alcohol', especially in the USA. Also used to clean optical surfaces, eg spectacle and camera lenses.
Butan-1-ol (<i>n</i> -butanol), Butan-2-ol (<i>sec</i> -butyl alcohol), 2-methylpropan-1-ol (<i>iso</i> -butanol), Liquids	 IRRITANT / HARMFUL	Risk of catching fire. May irritate respiratory system, skin, eyes and vapours may cause drowsiness and dizziness.
2-methylpropan-2-ol (<i>tert</i> -butyl alcohol) Liquid but may be solid on cold day	  HIGHLY FLAMMABLE IRRITANT	Risk of catching fire. Hazardous if inhaled.
Pentanol (<i>n</i> -amyl alcohol), 3-methylbutan-1-ol (<i>iso</i> -amyl alcohol) Liquids	 HARMFUL	Limited risk of catching fire. Hazardous if inhaled.

Typical control measures to reduce risk





- Wear eye protection.
- Make sure the room is well ventilated or, in a laboratory, use a fume cupboard if possible.
- Check ways of putting out any fires.
- **Do not use near naked flames; if heating is necessary, use an electrically-heated water bath or hot water from a kettle.**

Assessing the risks

- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?*
 Eg, Does the alcohol need to be heated? Could there be high levels of vapour?
- *How serious would it be if something did go wrong?*
- *How can the risk(s) be controlled for this activity?*
 Eg, Can it be done safely? Does the procedure need to be altered? Should goggles or safety spectacles be worn?

Emergency action

- In the eye Flood the eye with gently-running tap water for 10 minutes. See a doctor.
- Vapour breathed in Remove the casualty to fresh air. Keep him/her warm. See a doctor if breathing is difficult.
- Swallowed Do no more than wash out the mouth with water. Do **not** induce vomiting. Sips of water may help cool the throat and help keep the airway open. See a doctor.
- Clothing catches fire Smother flames on clothing or the skin with a fire blanket or other material. Cool any burnt skin with gently-running tap water for 10 minutes.
- Other fires Allow fires in sinks, etc to burn out. Fires at the top of test tubes, beakers, etc should be smothered with a damp cloth or heat-resistant mat.
- Spill on the skin or clothing Remove contaminated clothing. If more than a test-tube amount was involved, wash the affected area and clothing with plenty of water.
- Spill on the floor, bench, etc Put out all Bunsen-burner flames. Wipe up small amounts with a cloth and rinse it well.
 For larger amounts, open all windows, cover with mineral absorbent (eg, cat litter), scoop into a bucket and add water.

Substance	Hazard	Comment
Methanal (formaldehyde) gas	 TOXIC	Toxic by inhalation, skin contact or if swallowed. Causes burns. May cause sensitisation by skin contact. Limited evidence of carcinogenic effect.
Concentrated methanal solution (formalin) if 8M (25%) or more	 TOXIC	For 15-minute or longer term exposure, concentration should not exceed 3.5 mg m ⁻³ . Vapour may arise when handling solution.
Moderately dilute methanal solution (formalin) if less than 8M (25%) but more than 0.3M (1%)	 HARMFUL	Methanal is used to make polymers, eg for cavity wall insulation and there have been suggestions that small amounts may be released into houses if the polymerisation is incomplete. A methanal resin is also used as a binding agent in MDF and machining MDF may cause decomposition and release methanal.
Dilute methanal solution (formalin) if less than 0.3M (1%) but more than 0.07 M (0.2%)	 IRRITANT	Commonly supplied for laboratory use as a saturated solution, about 13 M (40%) solution. This concentration is still recommended for fixing/killing microbes on agar plates. A 1.3 M (4%) solution was commonly used in the past as a preservative for biological specimens and is still used as a fixative. A solution of concentration between 0.07M (0.2%) and 0.3M (1%) was used in the past for extracting earthworms from soil but there are safer alternatives which are also less damaging to the worms.
Very dilute methanal solution if less than 0.07M (0.2%)	LOW HAZARD	

Typical control measures to reduce risk

- Wear appropriate eye protection (depending on the concentration) and, for all except dilute solutions of methanal, wear protective gloves (preferably nitrile).
- Open all except dilute solutions of methanal in a fume cupboard.
- **Do not use near naked flames; if heating is necessary, use an electrically-heated water bath or hot water from a kettle.**

Assessing the risks







- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?*
- *How serious would it be if something did go wrong?*
- *How can the risk(s) be controlled for this activity?*

Eg, Can it be done safely? Would a higher aldehyde be safer? Should goggles or safety spectacles be worn?

Emergency action

- In the eye Immediately rinse the eye with gently-running water for 10 minutes. See a doctor.
- Vapour breathed in Remove the casualty to fresh air. Keep him/her warm. See a doctor if breathing is difficult.
- Swallowed Do no more than wash out the mouth with water. Do **not** induce vomiting. Sips of water may help cool the throat and help keep the airway open. See a doctor.
- Spilt on the skin or clothing Remove contaminated clothing. Wash the affected area and clothing with plenty of water.
- Spilt on the floor, bench, etc Put out all Bunsen-burner flames. Wipe up small amounts with a cloth and rinse it well.
For larger amounts, open all windows, and if the fumes are not too strong, cover with mineral absorbent (eg, cat litter), scoop into a bucket and add water.

Ethanal and higher aldehydes (2013)

Substance	Hazard	Comment
Ethanal (acetaldehyde) Liquid with boiling point close to room temperature (20 °C)	 EXTREMELY FLAMMABLE  HARMFUL	Serious risk of catching fire. Irritating to eyes and respiratory system. Limited evidence of carcinogenic effect. May boil spontaneously during storage or on opening. May spurt out of the bottle as the pressure is released when it is opened. Tiny traces of impurity can cause spontaneous boiling. Cool in an ice bath before opening in a fume cupboard.
Ethanal tetramer (metaldehyde) solid	 HARMFUL	Flammable and harmful by inhalation and if swallowed. Sometimes used as solid fuel for model steam engines but it may spit as it burns. Hexamethylene is possibly safer.
Propanal (propionaldehyde) liquid	 HIGHLY FLAMMABLE  IRRITANT	Highly flammable. Irritating to eyes, respiratory system and skin. Because of its higher boiling point (48 °C), it is much safer to use than ethanal.
Butanal (butyraldehyde) liquid	 HIGHLY FLAMMABLE	Highly flammable. Because of its higher boiling (75 °C), it is much safer to use than ethanal.

Typical control measures to reduce risk

- Wear eye protection and protective gloves (preferably nitrile).
- Open ethanal bottles very cautiously in a fume cupboard, after cooling in an ice bath.
- Avoid using ethanal if at all possible; use propanal or butanal instead.
- **Do not use near naked flames; if heating is necessary, use an electrically-heated water bath or hot water from a kettle.**

Assessing the risks



- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?*
- *How serious would it be if something did go wrong?*
- *How can the risk(s) be controlled for this activity?*
Eg, Can it be done safely? Would a higher aldehyde be safer? Should goggles or safety spectacles be worn?

Emergency action

- **In the eye** Immediately rinse the eye with gently-running water for 10 minutes. See a doctor.
- **Vapour breathed in** Remove the casualty to fresh air. Keep him/her warm. See a doctor if breathing is difficult.
- **Swallowed** Do no more than wash out the mouth with water. Do **not** induce vomiting. Sips of water may help cool the throat and help keep the airway open. See a doctor.
- **Spilt on the skin or clothing** Remove contaminated clothing. Wash the affected area and clothing with plenty of water.
- **Spilt on the floor, bench, etc** Put out all Bunsen-burner flames. Wipe up small amounts with a cloth and rinse it well. For larger amounts, open all windows, cover with mineral absorbent (eg. cat litter), scoop into a bucket and add water.

Dyes & Indicators

Note: Many dyes and indicators are used in school science, in the home and in industry. This *Sheet* applies to those listed below, which include those likely to be found in schools. Be warned that some dyes are toxic and may cause cancer, some may contain hazardous impurities or are made up in hazardous solvents, many have not been well researched because they are not much used in industry and suppliers often vary in the hazard classifications they use.

Substance	Hazard	Comment
Congo red, Methyl orange	 TOXIC	Congo red is a carcinogen. Methyl orange is toxic if swallowed.
Dyes and indicators, solid, including: Acridine orange, Alizarin red S, Aluminon, Aniline blue, Cresol red, Crystal violet (Methyl/Gentian violet), Direct red 23, Disperse yellow 3/7, Dithizone, Eosin, Eriochrome black (Solochrome black), Indigo, Magenta (Basic fuchsin), Malachite green, May-Grunwald stain, Methyl green, Methyl red, Methylene blue, Procion dyes, Resazurin, Rosaniline, Sudan I, II and IV, Xylene cyanol FF.	 HARMFUL & / OR IRRITANT	Skin contamination will be very obvious. This should be avoided and dusts of most dyes can irritate the eyes and lungs while some may act as sensitisers. Dyes for use in the home (eg, <i>Dylon</i>) may be classed as IRRITANT. Dust from Procion dyes may be a sensitiser, but the M-X dyes present a greater risk than the H-E dyes.
Dyes and indicators, solid, including: Acid blue 40, Alizarin, Blue dextran, Brilliant yellow, Bromocresol green, Bromophenol blue, Bromothymol blue, Carmine, DCPIP (PIDCP), Diazine green (Janus green B), Fluorescein (Dichlorofluorescein), Indigo carmine, Litmus, Methyl blue, Murexide, Neutral red, Nigrosin, Orcein, Phenol red, Phenolphthalein, Rhodizonic acid, Sudan black, Sudan III, Thymol blue, Thymolphthalein, Toluidine blue, Xylenol orange.	LOW HAZARD	The substances listed here are not usually classified as hazardous but note the comments in the box at the top of the sheet. They should therefore be used with caution. Skin contamination should be avoided.
Dyes and indicators Dilute <i>aqueous</i> solutions of the above (except Congo red) which include Full-range pH indicator, Screened methyl orange and Universal indicator.	LOW HAZARD	Dyes & indicators in dilute solutions are unlikely to offer significant risk because most are less than 1% by mass. However, some are made up in solvents other than water and the hazards may be greater, eg, ethanol [HIGHLY FLAMMABLE if more than 25% (v/v)] or ethanoic acid which may be CORROSIVE.

Typical control measures to reduce risk

- Use the lowest concentration possible and wear eye protection for all but the most-dilute solutions.
- Reduce the risk of skin contact by wearing disposable gloves.
- Avoid powdered dyes & indicators escaping into the air; use a fume cupboard when handling the more hazardous ones.
- Avoid naked flames if using flammable solvents.




Assessing the risks

- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong? Eg, Could dust from a dye or indicator be breathed in?*
- *How serious would it be if something did go wrong? Eg, Would the problem be more serious than the skin being stained for a few days?*
- *How can the risk(s) be controlled for this activity?*
Eg, Can it be done safely? Does the procedure need to be altered? Should goggles or safety spectacles be worn?

Emergency action

- In the eye Flood the eye with gently-running tap water for at least 10 minutes. See a doctor.
- Swallowed Do no more than wash out the mouth with water. Do **not** induce vomiting. Sips of water may help cool the throat and help keep the airway open. See a doctor.
- Dust breathed in Remove the casualty to fresh air. See a doctor if breathing is difficult.
- Spill on the skin or clothing Remove contaminated clothing. Wash off the skin with soap and plenty of water. Rinse contaminated clothing.
- Spill on the floor, bench, etc Scoop up solids (take care not to raise dust). Wipe up solution spills or any traces of solid with a damp cloth and rinse it well.

including scalpels, knives, syringe needles, seekers, etc (2013)

Source	Hazard	Comment
Scalpels, knives and other blades	 DANGER	Cuts and puncture wounds can lead to infection, especially if the blade or point is contaminated by contact with living or once-living material.
Syringe needles	 DANGER	Careless use and handling of scalpels, syringes with needles, seekers and other sharps can lead to cuts and puncture wounds.
Seekers and other sharps	 DANGER	Sharp scalpels are safer to use than blunt ones because there is less risk of them slipping as less force needs to be used. Carrying scalpels, syringes with needles, seekers and other sharps especially in crowded rooms, can present a hazard to the user and others. Carelessly-disposed sharps can present a hazard to waste handlers and others.

Typical control measures to reduce risk

- Follow your teacher’s guidance on safe practice in relation to the material being dissected.
- Cut in a direction away from yourself and where possible cut using a cutting board, dissection tray or pad or similar.
- Wear eye protection when changing scalpel blades or cutting material likely to “flick” (eg, cartilage or bone).
- Count sharps at the beginning and end of the lesson.
- Carry sharps with the blade or point protected, eg in a shallow tray, and do not carry them at all if you are likely to be jostled..
- Dispose of used sharps in a proper, safe container, eg a sturdy box, clearly labelled, and sealed and wrapped before disposal.

Assessing the risks





- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?*
Eg, Could the user or somebody else be cut or stabbed by accident?
- *How serious would it be if something did go wrong?*
- *How can the risk(s) be controlled for this activity?*
Eg, Can it be done safely? Does the procedure need to be altered?

Emergency action

- **Minor cuts** Rinse the wound with water. Get the casualty to apply a small, sterile dressing.
- **Severe cuts** Lower the casualty to the floor. Raise the wound as high as possible. If feasible, ask the casualty to apply pressure on or as close to the cut as possible, using fingers, a pad of cloth or, better, a sterile dressing (adding further layers as necessary). If the casualty is unable to do so, apply pressure yourself, protecting your skin and clothes from contamination by blood if possible. Leave any embedded large bodies and press around them. Send for a first aider.

Animals (dead) and animal parts (2013)

See also CLEAPSS *Student Safety Sheet 71: Sharps*.

Source	Hazard	Comment
<p>Animal parts (fresh or recently-defrosted from frozen), eg whole rats, mice, fish and organs such as eyes, hearts, kidneys, lungs, and chicken's feet/legs and bones.</p>	 BIOHAZARD	<p>Whole animals obtained from a reputable biological supplier should be safe to use; but road kill, for example, might be infected. Items intended for human consumption, available from butchers, abattoirs and fishmongers, should also be safe. Because of the risk of BSE it would only be legal to supply cattle eyes (or brain tissue) from animals slaughtered at less than 12 months or eyes of sheep and goats from animals slaughtered at less than 12 months or with at least one erupted incisor.</p> <p>Flesh needs to be cleaned off bones before handling. Use a knife to remove as much flesh as possible. Place the bones in a saucepan of water to which sodium carbonate is added and <i>simmer</i> until the remaining flesh can easily be removed, using an old brush. Return to the pan for more simmering until the bones are cleaned.</p> <p>Some people have cultural or religious objections to handling particular species. Some people object to killing animals, whether for food, medical research or dissection in schools. Fewer people object to the use of material intended for human consumption available from butchers, abattoirs and fishmongers.</p>
<p>Animal parts (preserved)</p>	 HARMFUL / IRRITANT  HIGHLY FLAMMABLE	<p>In the past, specimens were preserved in 1.3 M (4%) methanal solution (formalin) (see CLEAPSS <i>Student Safety Sheet 67</i>). Formalin-free preservatives are mostly used now, but formalin will still have been used professionally as a fixing agent. Sometimes 70% ethanol or propanol solutions are used (see CLEAPSS <i>Student Safety Sheets 60 and 66</i>). Preservative should always be rinsed off before use, preferably soaking for an hour in water. However, preservative may still remain in body cavities, which must be rinsed as soon as they are exposed.</p>
<p>Dissection</p>	 DANGER	<p>See CLEAPSS <i>Student Safety Sheet 71: Sharps</i>.</p>

Typical control measures to reduce risk

- Use material from reliable sources.
- Wash preserved material prior to dissection and rinse it if body cavities are exposed during dissection.
- Wear eye protection when cutting bone or cartilage, using preserved material or changing scalpel blades.
- Count sharps at the beginning and end of the lesson and carry around in a safe manner.

Assessing the risks



- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?*
- *How serious would it be if something did go wrong?*
- *How can the risk(s) be controlled for this activity?*
Eg, Can it be done safely? Does the procedure need to be altered?

Emergency action

- **Animal material in the eye** Flood the eye with gently-running tap water for 10 minutes. If discomfort persists, see a doctor.

Animals (living) (2013)

See also CLEAPSS Student Safety Sheet 75, Fieldwork

Source	Hazard	Comment
Vertebrates <i>including</i> small mammals, fish, birds, reptiles, amphibia	 BIOHAZARD	<p>It is illegal to treat vertebrates in a manner causing pain, suffering, distress or lasting harm. Such cruelty might result from some experiments, poor handling, unsuitable housing or inadequate feeding.</p> <p>Some animals may bite and some people may be allergic to hairs, skin, scales, feathers, droppings, etc. Some animals can present a health hazard, although the risk of diseases being passed to humans is usually low but may be higher for farm animals. Wild animals can harbour diseases and parasites, especially if injured. Obtaining animals from reputable sources, preventing contact with wild species and adopting good hygiene practices will usually make the risk insignificant. A few species present higher risks and should be avoided. Bees and farm animals need special facilities and specialist knowledge.</p> <p>Some native species are protected and must not be brought in from the wild. It is illegal to release any non-native species into the wild.</p>
Invertebrates <i>including</i> insects, snails, worms, brine shrimps, water fleas, etc	 BIOHAZARD	<p>Although cruelty to invertebrates is not an offence, they should still be treated humanely, handled carefully and housed and fed in a suitable manner.</p> <p>Any garden 'minibeasts' brought into school for study should be returned to the environment from which they came as quickly as possible. It is illegal to release any non-native species into the wild.</p> <p>Some animals may sting and some people may be allergic to hairs, skin, scales, droppings, etc.</p>

After use, healthy animals taken from the wild should be returned to the place from which they were taken.

Typical control measures to reduce risk

- Check detailed guidance on suitability, handling, housing and feeding of individual species.
- Use material from reliable sources; avoid species presenting higher risks; check that mammals are docile.
- Ensure laboratory mammals cannot come into contact with wild rodents.
- Before handling animals, cover cuts and abrasions on exposed hands and arms. If animals are regularly handled, consider need for anti-tetanus vaccination. Gauntlets may be necessary when handling some animals.
- Wash hands in warm soapy water before and soon after handling animals, or coming into contact with their bedding, water, droppings or housing.
- Wear gloves when cleaning cages or handling soiled bedding; dispose of such bedding by incineration or in a sealed plastic sack with normal refuse.

Assessing the risks




- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?*
- *How serious would it be if something did go wrong?*
- *How can the risk(s) be controlled for this activity?*
Eg, Can it be done safely? Does the procedure need to be altered?

Emergency action

- **Animal material in the eye** Rinse the eye with gently-running water for 10 minutes. Do not attempt to remove any embedded object. If discomfort persists, see a doctor.
- **Animal bites** Wash the wound with warm soapy water; raise and support the wound, cover with a sterile dressing. See a doctor.

Plants, fungi and seeds (2013)

See also CLEAPSS Student Safety Sheet 75, Fieldwork

Source	Hazard	Comment
Plants and fungi	 IRRITANT  TOXIC	<p>Some plants, eg cacti, have spines which can cause deep puncture wounds and other spines may cause skin irritation. Other plants, eg <i>Euphorbia</i> have irritant or poisonous sap. Nettles are well known but hyacinth bulbs can also cause dermatitis (skin rash), as can bulbs of other members of the liliaceae family such as daffodils, tulips and primulas. Many common garden and hedgerow plants are poisonous or have toxic parts.</p> <p>Some <i>Umbellifers</i>, eg giant hogweed, can cause photosensitisation after skin contact, resulting in blisters on exposure to light.</p> <p>Some plants used as common food sources may have poisonous parts, eg rhubarb leaves and the green parts of the potato (including the tuber) and tomato.</p> <p>Some fungi are very poisonous and easily mistaken for the common (field) mushroom.</p> <p>Pollen from some plants can produce an allergic reaction in susceptible individuals, commonly known as hay fever.</p> <p>Plant material collected from farming areas may have been contaminated with pesticides, although most rapidly break down after spraying.</p> <p>Wild plants are protected by law. It is illegal to uproot, pick or destroy certain highly protected plants and it is illegal to uproot any plant without the landowner's permission.</p>
Seeds	 TOXIC	<p>Some seeds are very poisonous, eg castor oil, laburnum. French beans or red kidney beans are poisonous unless cooked.</p> <p>Seeds bought from commercial suppliers are often treated with a pesticide to prevent attack by insects or fungi. Seeds from health food stores will not have been treated.</p> <p>The effects of radiation on plant growth are often investigated using seeds that have been exposed to gamma-radiation. Such seeds are NOT radioactive.</p>

Typical control measures to reduce risk

- Check the hazards of any plants kept in the science department or school grounds.
- Where possible, use seeds known to be pesticide free or rinse the seeds in running water for several hours.
- Treat unknown plants with caution; never taste or eat a plant unless it is definitely known to be non-poisonous.
- Wash hands in warm soapy water after handling seeds and other plant material.
- Wear gloves when handling plants likely to cause irritation or seeds treated with pesticides.

Assessing the risks

- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?*
- *How serious would it be if something did go wrong?*
- *How can the risk(s) be controlled for this activity?*
Eg, Can it be done safely? Does the procedure need to be altered?





Emergency action

- Skin rash from irritant plants Cool the affected area with cold water (if available) and cover with a sterile dressing. You might self-medicate by rubbing a nettle sting (acidic) with a dock leaf (alkaline).

Fieldwork

including any science work outside the laboratory (2013)

See also *CLEAPSS Student Safety Sheets 73, 74.*

Source	Hazard	Comment
Site-specific hazards	 DANGER  BIOHAZARD	Schools will normally have identified any significant hazards in school grounds, as will other sites which regularly welcome schools for fieldwork but broken glass and animal faeces are always possible. Working outdoors, eg at the seaside, in the countryside or near water will introduce hazards specific to the location, eg drowning, trapping by tides, falls from a height, slips and trips, plants with poisonous parts, pesticides, animal bites/stings and animal-borne infections eg toxocariasis from soil contaminated with cat or dog faeces, Weil's disease from water contaminated with rat urine and Lyme disease from ticks. Working outdoors can lead to exposure to weather conditions which present hazards, eg strong sunlight (near ultraviolet, see <i>CLEAPSS Student Safety Sheet 12</i>), freezing cold, rain.
Transport hazards	 DANGER	Walking to the site may result in exposure to traffic hazards. Public transport, hired coaches, the school minibus or private cars introduce a variety of different hazards.
Child abuse &/or disappearance	 DANGER	Children in unfamiliar settings may wander off. If children are in contact with members of the public, there is a small possibility of child abuse.

Typical control measures to reduce risk

- As far as possible, assess the site before visiting and follow the Code of Practice for that type of fieldwork.
- Carefully plan the fieldwork, including supervision on site, choice of safe equipment, transport arrangements.
- When working in shoreline ecologies check tide tables and beware of the risk of slipping on seaweed.
- Ensure shoes and clothing are suitable for the terrain and for varying weather conditions; eg, avoid bare legs and arms in areas known to be infested with ticks or in sunny conditions, wear sun hats (and use sun cream).
- Wear gloves when handling plants likely to cause irritation or seeds treated with pesticides; wear hard hats when working in quarries and eye protection when hammering rocks.
- Avoid contact with water with growths of blue-green algae on the surface; cover cuts and abrasions with water-proof dressings when working in and around water which may be contaminated by rat urine.
- Treat unknown plants with caution; never taste or eat a plant unless it is definitely known to be non-poisonous.
- Approach vertebrates with caution, especially those with young.
- Ensure easy access to hand-washing facilities before eating/drinking; if soap/water unavailable use alcohol gel.
- Beware of the possibility of hay fever, etc. Carry a first-aid kit and ensure at least one person is trained to use it.
- Ensure there is a workable emergency contact system (there may be no mobile phone signal in some areas).

Assessing the risks






- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?*
- *How serious would it be if something did go wrong?*
- *How can the risk(s) be controlled for this activity?*
Eg, Can it be done safely? Does the procedure need to be altered?

Emergency action

- **Insect bites & stings** If sting is visible and can be displaced easily, brush off sideways with the edge of a credit card or finger nail, avoiding further damage. Raise affected body part and if possible apply cold compress for at least 10 min.
- **Tick bites** Remove the tick with forceps by grasping as close to the skin as possible and pulling gently without twisting or jerking. Keep the tick for identification and see a doctor.
- **Animal bites** Wash the wound with warm soapy water or, if unavailable, alcohol-free cleansing wipes. Raise and support the wound, cover with a sterile dressing. See a doctor.
- **Minor cuts** Wash the wound or, if water is unavailable, use alcohol-free cleansing wipes. Get the casualty to apply a small, sterile dressing.

Bioreactors and fermenters (2013)

See also CLEAPSS *Student Safety Sheet 1, Microorganisms*

Source	Hazard	Comment
Microorganisms	 BIOHAZARD	Bioreactors and fermenters present greater risks than agar plates because of the much greater volume of medium involved and the possibility of liquid spills and aerosol formation. Schools should restrict work to yeasts or bacteria with unusual growing conditions, eg, low pH, high salt concentration or specialist media. Generation of biogas from silage or pond mud is acceptable but the use of animal manure as an inoculum should be avoided because it may introduce pathogens and/or medication administered to animals.
Electrical equipment	 ELECTRIC SHOCK	The proximity of large volumes of liquid and mains electrical equipment (eg, from heaters, aerators, sensors, etc) presents a hazard. Commercially-designed equipment from a reliable source should prevent access to live conductors (check the integrity before each use) but d-i-y equipment should not exceed 25 V.
Gases	 EXPLOSION  HIGHLY FLAMMABLE	Depending on the reactions taking place, large volumes of gas may be produced, usually carbon dioxide or methane (biogas). The vessel must be vented to avoid the build up of pressure but it is important to prevent the entry of external microorganisms or the release of aerosols. Care must be taken to ensure no naked flames are near the bioreactor if a highly flammable gas such as methane is being produced.
Sterilisation	 DANGER	Steam sterilisation may be impossible if the bioreactor is too large to fit into an autoclave, so chemical disinfection will be necessary. Some possible disinfectants are hazardous. <i>Virkon</i> is the preferred disinfectant.

Typical control measures to reduce risk

- Use only safe microorganisms from safe sources.
- Do **not** seal bioreactors but prevent the entry of external microorganisms and the release of aerosols.
- Sterilise all equipment before and after use and sterilise the culture before disposal.
- When withdrawing samples, take care to avoid aerosol production and place a pad of tissues moistened with disinfectant underneath to catch drips.
- Keep electrical leads tidy and site mains equipment as far away from the reactor as possible.
- Always wash hands after handling cultures.
- Wear a clean lab. coat or overall to protect cultures from microbes on the skin, clothing, etc.





Assessing the risks

- **What are the details of the activity to be undertaken? What are the hazards?**
- **What is the chance of something going wrong?**
Eg, Could a culture become contaminated? Could microorganisms escape?
- **How serious would it be if something did go wrong?**
Eg, Could there be an explosion resulting from a pressure build-up or ignition of a flammable product?
- **How can the risk(s) be controlled for this activity?**
Eg, Can it be done safely and without risk to health? Does the procedure need to be altered?

Emergency action

- **Spill on the floor, bench, etc** For spills of cultures, place paper towels over the spill, pour disinfectant (eg, *Virkon*) on top and leave for at least 15 minutes.

See also CLEAPSS *Student Safety Sheet 78, Genetic modification*

Source	Hazard	Comment
'Naked' DNA (ie DNA not incorporated into a living cell)	LOW HAZARD	DNA only functions when it is inserted into a living cell, hence work with DNA itself is generally low hazard, although there may be other hazards associated with the process, eg chemical, microbiological or electrical hazards (electrophoresis).
Extraction of DNA from human tissue	 BIOHAZARD	Extraction of DNA from human tissue, eg cheek cells, prior to amplification by the polymerase chain reaction (PCR), could result in the transfer of infective material between participants. See CLEAPSS <i>Student Safety Sheet 3</i> .
DNA from laboratory suppliers	 BIOHAZARD	DNA from sources such as bacteriophage lambda and salmon sperm is generally safe but DNA from mammalian sources may be contaminated with viruses.
Gel electrophoresis	 ELECTRIC SHOCK	Electrophoresis can be very slow unless moderately high voltages are used, giving a risk of electric shock, especially because of the high conductivity of the buffer solutions. If voltages in excess of 40 V are used it must be impossible to touch a live conductor accidentally or to open the tank if a current is flowing. Some commercial tanks, especially if imported from the USA, may not satisfy this requirement.
Chemicals used	 TOXIC	Polyacrylamide gels are too toxic to make or cast in schools. Some stains, eg ethidium bromide are also unsuitable. Others may be used with care. See CLEAPSS <i>Student Safety Sheet 70, Dyes and indicators</i> .

Typical control measures to reduce risk

- If extracting DNA from human tissue, students should only handle their own.
- Avoid using DNA obtained by laboratory suppliers from mammalian sources.
- Carry out electrophoresis at voltages below 40 V unless the design of tank is such that it is impossible to open the tank when a current is flowing or accidentally touch a live conductor.
- Use agarose gels, but if polyacrylamide gels are used, buy ready-made ones.
- Use safe stains such as methylene blue, Azure A or B or Nile blue sulfate; avoid ethidium bromide.

Assessing the risks




- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?*
Eg, Could a culture become contaminated? Could microorganisms escape?
- *How serious would it be if something did go wrong?*
Eg, Could somebody receive an electric shock from damaged or unsuitable equipment?
- *How can the risk(s) be controlled for this activity?*
Eg, Can it be done safely? Does the procedure need to be altered?

Emergency action

- Spill on the floor, bench, etc For spills of DNA extracts, place paper towels over the spill, pour disinfectant (eg, *Virkon*) on top and leave for at least 15 minutes.

Genetic modification (2013)

See also CLEAPSS Student Safety Sheets 1, Microorganisms and 77, Working with DNA

Source	Hazard	Comment
Genetic modification	 DANGER	In law, genetic modification is the alteration of genetic material (DNA or RNA) by means that could not occur naturally by mating and/or recombination. Throughout most of the world, the use of genetically-modified organisms (GMOs) is controlled by law. In the UK separate regulations control work with GMOs in the laboratory and their deliberate release into the environment. Before genetic modification (other than 'self-cloning') is undertaken the premises must be registered and approved by the HSE and other procedures put in place. Some procedures used in schools in the USA, or found on the internet, would be illegal in the UK.
'Self-cloning' (plasmid transfer) (Plasmids are small rings of DNA, comprising just a few genes)	 DANGER	Returning genetic material to a species in which it could occur naturally is called self-cloning; cloning here means making copies of plasmid DNA within an organism, even if the DNA has been modified by enzymes, chemicals, etc. Providing the resulting organism is unlikely to cause disease in humans, other animals or plants no HSE registration is needed. It is still illegal to release the GMO into the environment without approval and so it must be contained. The law requires GMOs to be inactivated after use by validated means, ie by autoclaving.
Incubation	 BIOHAZARD	Although schools normally avoid incubating at 37°C because of the risk of promoting the growth of pathogens, the particular strains of <i>E. coli</i> used for cloning work will not grow quickly or reliably at other temperatures. Hence very strict adherence to good microbiological practice is essential.

Typical control measures to reduce risk

- Do **not** seal cultures **completely** before incubation (otherwise hazardous anaerobic bacteria may be encouraged) but make sure they cannot be opened accidentally.
- Use sterile equipment and procedures (eg, by flaming loops and mouths of bottles, etc).
- Avoid draughts (from open windows and doors) which could contaminate cultures.
- Work near Bunsen-burner flames so that the updraught helps to prevent contamination of cultures.
- After work is complete, treat surfaces using a suitable disinfectant, for a sufficient length of time.
- Dispose of cultures by sterilisation in an autoclave (pressure cooker).
- Always wash hands after handling cultures.
- Wear a clean lab. coat or overall to protect cultures from microbes on the skin, clothing, etc.

Assessing the risks



- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?*
Eg, *Could a culture become contaminated? Could microorganisms escape?*
- *How serious would it be if something did go wrong?*
- *How can the risk(s) be controlled for this activity?*
Eg, *Can it be done safely and without risk to health? Does the procedure need to be altered?*

Emergency action

- Spill on the floor, bench, etc For spills of cultures, place paper towels over the spill, pour disinfectant (eg, *Virkon*) on top and leave for at least 15 minutes.

Alkali metals

includes Lithium, Sodium & Potassium

Substance	Hazard	Comment
Lithium Solid	 HIGHLY FLAMMABLE  CORROSIVE	<p>It reacts rapidly with water to produce hydrogen, an extremely flammable gas (see <i>Sheet 50</i>). Although difficult to ignite, once lit, it burns readily in air and is difficult to extinguish.</p> <p>It causes burns. Contact with moisture produces lithium hydroxide which is irritant to the skin and eyes.</p> <p>It reacts violently with many substances.</p>
Sodium Solid		<p>It reacts violently with water to produce hydrogen, an extremely flammable gas. It burns vigorously and is difficult to extinguish.</p> <p>It causes burns. Contact with moisture produces sodium hydroxide which is corrosive (see <i>Sheet 31</i>).</p> <p>It reacts violently with many substances.</p>
Potassium Solid		<p>It reacts very violently with water to produce hydrogen, an extremely flammable gas. It burns vigorously and is difficult to extinguish.</p> <p>It causes burns. Contact with moisture produces potassium hydroxide which is corrosive (see <i>Sheet 31</i>).</p> <p>It reacts violently with many substances.</p> <p>Over a period of years, it may develop a coating of yellow superoxide. Under slight pressure, eg, from a knife blade, this may explode.</p>

Typical control measures to reduce risk

- Store alkali metals under liquid paraffin. Check potassium samples regularly for signs of yellowing.
- Handle sample using forceps, wear eye protection and use safety screens.
- Conduct all investigations on a small scale - generally use a rice grain-sized piece.
- Make sure everybody involved (eg, technicians clearing away) understands the hazards.
- Take steps to prevent theft.



Assessing the risks

- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?*
Eg, Could molten, corrosive metal spit out of a container?
- *How serious would it be if something did go wrong?*
NB There are occasional reports of pupils being taken to hospital (for treatment to cuts or as a result of chemical splashes) as a result of explosions of apparatus involving sodium.
- *How can the risk(s) be controlled for this activity?*
Eg, Can it be done safely? Does the procedure need to be altered? Should goggles or safety spectacles be worn?

Emergency action

- **In the eye** Flood the eye with gently-running tap water for at least 20 minutes. See a doctor. If it is necessary to go to hospital, continue washing the eye during the journey in an ambulance.
- **Swallowed** Do no more than wash out the mouth with water. Do **not** induce vomiting. Sips of water may help cool the throat and help keep the airway open. See a doctor.
- **Spilt on the skin or clothing** Remove any pieces of solid with forceps. Then drench the skin with plenty of water. If a large area is affected or blistering occurs, see a doctor.
- **Metal catches fire** For sodium and potassium, smother with dry sand, anhydrous sodium carbonate or mineral absorbent (eg, cat litter). For lithium, smother with dry sodium chloride.
- **Spilt on the floor, bench, etc** Scoop up as much metal as possible into a dry container. Cover the area with dry sand or anhydrous sodium carbonate (or, for lithium, sodium chloride) and scoop into a dry bucket for further treatment. Rinse the area with plenty of water and mop.

Group II metals
includes **Magnesium & Calcium**

Substance	Hazard	Comment
Magnesium Solid (ribbon, turnings, powder)	 HIGHLY FLAMMABLE	<p>It is moderately difficult to ignite but, once burning, it does so very vigorously and is difficult to extinguish. Ordinary fire-fighting methods are not suitable, but dry sand may be used. The flame is very bright and may damage eye sight.</p> <p>It reacts readily with acids to produce hydrogen, an extremely flammable gas. (See <i>Sheet 50</i>.)</p>
Calcium Solid	 HIGHLY FLAMMABLE	<p>It reacts readily with water (or acids) to produce hydrogen, an extremely flammable gas. (See <i>Sheet 50</i>.)</p> <p>Contact with moisture forms calcium oxide or hydroxide which are IRRITANT to the eyes and skin.</p> <p>It is difficult to ignite but, once burning, does so vigorously.</p>

Typical control measures to reduce risk

- Conduct all experiments on a small scale.
- Keep careful control of stocks to prevent theft.
- Wear eye protection and avoid looking directly at the flame from burning magnesium.




Assessing the risks

- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?*
Eg, Is there the possibility of theft or foolish behaviour?
- *How serious would it be if something did go wrong?*
- *How can the risk(s) be controlled for this activity?*
Eg, Can it be done safely? Does the procedure need to be altered? Should goggles or safety spectacles be worn?

Emergency action

- **In the eye** If magnesium powder or calcium contaminate the eyes, flood with gently-running tap water for 10 minutes. See a doctor.
- **Swallowed** Do no more than wash out the mouth with water. Do **not** induce vomiting. Sips of water may help cool the throat and help keep the airway open. See a doctor.
- **Skin burnt by burning metal or by moist calcium** Remove any pieces of solid with forceps. Then drench the skin with plenty of water. If a large area is affected or blistering occurs, see a doctor.
- **Burning metal fire** Smother with dry sand.
- **Spilt on the floor, bench, etc** Scoop up as much metal as possible into a dry container. Wipe the area with a damp cloth which (for calcium) should then be placed in a bucket of water.

Sulfur & Phosphorus

Substance	Hazard	Comment
Sulfur Solid	LOW HAZARD	Yellow crystals of sulfur occur in volcanic regions. In Victorian times, children were fed a mixture of brimstone (sulfur) and treacle, to do them good! Sulfur burns to form sulfur dioxide gas (TOXIC). See <i>Sheet 52</i> . Asthmatics are particularly vulnerable. When melting sulfur or heating it, eg, with iron, insert a plug of mineral wool in the mouth of the test tube to prevent sulfur vapour escaping and igniting.
Phosphorus (red) Solid	 HIGHLY FLAMMABLE	It is highly flammable and explosive when mixed with oxidising substances. It has been used in some match heads.
Phosphorus (yellow / white) Solid	  HIGHLY FLAMMABLE / VERY TOXIC	It is very toxic by inhalation and if swallowed. It has a long history of poisoning, eg, amongst workers using phosphorus to make matches. It causes severe burns. When handling it, have copper(II) sulfate(VI) solution available to remove specks on the skin, clothing, bench, etc. It catches fire spontaneously in air. It is used in incendiary bombs. When it burns, corrosive fumes are formed. Phosphorus fires are difficult to extinguish; smother with dry sand. It must be stored under water (or under an inert gas). When cutting phosphorus, do this under water, otherwise friction ignites it. It is hard to cut; do this in a strong container, eg, a mortar.

Typical control measures to reduce risk

- Wear eye protection when handling phosphorus or when heating or burning sulfur. Use small amounts.
- Avoid breathing fumes of sulfur dioxide, eg, use a fume cupboard or prevent sulfur vapour from igniting by using a mineral-wool plug in the mouth of a test tube.
- Wear protective gloves if handling yellow/white phosphorus; store and handle it in the absence of air.

Assessing the risks

- *What are the details of the activity to be undertaken? What are the hazards?*
- *What is the chance of something going wrong?*
Eg, Could sulfur vapour form? Could it ignite?
- *How serious would it be if something did go wrong?*
Eg, Could people be exposed to sulfur dioxide gas?
- *How can the risk(s) be controlled for this activity?*
Eg, Can it be done safely? Does the procedure need to be altered? Should goggles or safety spectacles be worn?
















Emergency action

- In the eye Flood the eye with gently running tap water for 10 minutes. See a doctor unless only a small amount of sulfur is involved.
- Vapour breathed in Remove the casualty to fresh air. Call a doctor if breathing is even slightly affected.
- Swallowed Do no more than wash out the mouth with water. Do **not** induce vomiting. Sips of water may help cool the throat and help keep the airway open. See a doctor.
- Spilt on the skin or clothing For sulfur or red phosphorus, brush or wash off the solid. For yellow/white phosphorus, immerse in copper(II) sulfate(VI) solution for 15 minutes. Then drench the skin with plenty of water. See a doctor.
- Spilt on the floor, bench, etc For sulfur or red phosphorus, brush up. For yellow/white phosphorus, cover with sand to prevent ignition. Soak in copper sulfate solution until there is no further reaction, then brush up.

Aerosol	Very tiny droplets of liquid floating in a gas (usually air). Diseases are often spread by coughing and sneezing, which results in an aerosol containing microorganisms.
Allergy	Some people are allergic to particular substances. Their bodies' immune system reacts to these substances to an unusual extent, resulting in skin rashes, runny noses, wheezing or even shock.
Asthma	One type of allergy, which results in breathing difficulties.
Biohazard	May cause disease or harm in humans.
Carcinogen	A substance which may cause cancer, if breathed in, swallowed or absorbed via the skin.
Corrosive	A substance which may destroy living tissue, causing burns.
COSHH	<i>Control of Substances Hazardous to Health Regulations</i> which aim to limit the exposure of employees and others in the workplace to hazardous substances which may damage their health.
EHT	Extra High Tension. See HT.
Explosive	Substances that may explode as a result of heat, fire, friction or shock.
Eye protection	This includes safety spectacles, goggles and face shields. Goggles (or face shields) give better protection against chemical splashes and should always be used for anything classed as CORROSIVE or TOXIC.
Flammables	Substances which burn easily. There are three groups: EXTREMELY FLAMMABLE, HIGHLY FLAMMABLE and FLAMMABLE, depending on how easily a liquid vapourises.
GHS	Globally harmonised system (of hazard symbols and safety information). See <i>Student Safety Sheet 91a</i> .
Harmful	Similar to the effects of toxic substances, but larger quantities are needed to produce an effect.
HT	High Tension (high voltage); power packs used in schools may deliver more than 40 V at a current of more than 5 mA. These are less safe than EHT power packs, which have an output of up to 5 or 6 kV but the current is limited to 5 mA or less.
Ionising radiation	Radiation which, when absorbed by a substance, including living tissue, causes some of the molecules to turn into ions.
Irritant	A substance (including a dust) which behaves in a similar way to corrosives but, instead of destroying living tissue, causes significant inflammation (reddening) through immediate, prolonged or repeated contact with the skin or a mucous membrane (eg, eyes, lungs, etc).
M	Molarity - a way of measuring concentration. Also written as mol dm ⁻³ or moles per litre. An ammonia solution which is 2 M has twice as many molecules of ammonia dissolved in the water than a solution which is 1 M.
mg m⁻³	Concentrations of pollutant gases in air are sometimes measured as <i>x</i> milligrams of pollutant per cubic metre of air. An alternative unit is ppm, parts per million.
Mineral absorbent	When clearing up spills of chemicals it is often useful to soak them up on something inert (unreactive). Sand can be used, but other substances soak up more, eg, clay in the form of some types of grey 'cat litter' (familiar to those who keep cats as pets).
Mutagen	A substance which may cause genetic defects.
Oxidising agent	A substance which helps other substances to burn or explode.
Pathogen	An organism which causes disease.
Sensitising	A further exposure to a sensitising substance will produce an unusually severe reaction, even when the dose or the exposure time is less than the first exposure.
Toxic	A substance which, in very small quantities, may cause death or damage to health when breathed in, swallowed or absorbed via the skin.
Teratogen	A teratogen is any medication, chemical, infectious disease or environmental agent that might interfere with the normal development of a fetus and result in the loss of a pregnancy, a birth defect or a pregnancy complication.
v/v	A crude measure of concentration. A 10% v/v methanol solution contains 10 ml of methanol in 100 ml water.
w/v	A crude measure of concentration. A 10% w/v sodium chlorate(I) solution contains 10 grams of sodium chlorate(I) in 100 ml water.

Safety signs and symbol-letters (2011)

The hazard symbols on the left hand side are being phased out: see *Student Safety Sheet 91a* for the new ones. Individual *Student Safety Sheets* will be updated as more information becomes available.

		T
	TOXIC	
		Xn
	HARMFUL	
		C
	CORROSIVE	
		Xi
	IRRITANT	
		E
	EXPLOSIVE	
		O
	OXIDISING	
		F+
	EXTREMELY FLAMMABLE	
		F
	HIGHLY FLAMMABLE	
(No symbols required)		
	FLAMMABLE	
		N
	DANGEROUS FOR THE ENVIRONMENT	

	DANGER
	RISK OF ELECTRIC SHOCK
	RADIOACTIVE
	LASER RADIATION
	BIOHAZARD
	YOU MUST WEAR EYE PROTECTION
	YOU MUST WEAR PROTECTIVE GLOVES
	YOU MUST NOT HAVE NAKED FLAMES
	YOU MUST NOT DRINK THIS WATER
	YOU MUST NOT USE WATER TO PUT OUT FIRES

Note: Symbols inside squares are to be used *only* on bottles and other containers. Safety signs which are circular are **mandatory** (you MUST) or **prohibitory** (you MUST NOT). Symbol-letters may be used in written documents but *not* on labels. Colour code: triangular signs have a *yellow* background; square ones an *orange* background; mandatory signs have a white pictogram on a *blue* background; prohibitory signs have a black pictogram on a *white* background, with *red* edging and diagonal line.

Hazard symbols and other safety signs

(2011)

See also *Student Safety Sheet 91* for the old symbols which we expect to remain in use for some time. Individual *Student Safety Sheets* will be updated with the new symbols as information becomes available.

	EXPLOSIVE
	FLAMMABLE
	OXIDISING
	GAS UNDER PRESSURE
	CORROSIVE
	TOXIC
	MODERATE HAZARD (eg, harmful if inhaled or in contact with skin, causes eye irritation)
	HEALTH HAZARD (eg, sensitisers, carcinogens)
	ENVIRONMENTAL HAZARD

	RISK OF ELECTRIC SHOCK
	RADIOACTIVE
	LASER RADIATION
	BIOHAZARD
	YOU MUST WEAR EYE PROTECTION
	YOU MUST WEAR PROTECTIVE GLOVES
	YOU MUST NOT HAVE NAKED FLAMES
	YOU MUST NOT DRINK THIS WATER
	YOU MUST NOT USE WATER TO PUT OUT FIRES

Notes: The hazard symbols inside diamonds (in the left hand column) are part of the 'globally harmonized system' (GHS) and are gradually replacing older symbols inside squares on bottles and other containers. There is not a 1:1 correlation between the old symbol and the new one - some chemicals are being reclassified. The symbol will be accompanied on packages by a **signal word** (DANGER, WARNING or nothing), up to 6 **hazard statements** (explaining the nature of the hazard) and a number of **precautionary statements** (giving advice on handling the chemical).

Safety signs which are circular are **mandatory** (you MUST) or **prohibitory** (you MUST NOT).

Colour code: diamond signs have a black pictogram on a *white* background, with *red* edging; triangular signs have a *yellow* background; mandatory signs have a white pictogram on a *blue* background; prohibitory signs have a black pictogram on a *white* background, with *red* edging and diagonal line.

Using a Bunsen burner (2011)

For heating non-flammable liquids and solids, see *CLEAPSS Student Safety Sheet 93*.

For heating flammable liquids and solids, see *CLEAPSS Student Safety Sheet 94*.

For handling hot liquids in beakers, see *CLEAPSS Student Safety Sheet 95*.




Using a Bunsen burner

- Do not allow solids to drop into the Bunsen burner to clog the gas jet or the collar at the top of the chimney.
- Tie any long hair to the back to avoid it catching fire.
- Make sure your clothing does not get in the way of the flame and don't lean over a flame to reach other apparatus.
- Wear eye protection.
- Place the Bunsen burner on a heat-resistant mat 30 to 40 cm from the edge of the bench.
- Make sure the air hole is closed (unless you are lighting the gas with a piezo-electric lighter, in which case the air hole needs to be half open).
- Attach the gas tubing to the gas tap.
- Light a match or a wooden splint from a central flame. (Do not walk around the laboratory with wooden splint alight.)
- Turn on the gas tap.
- Keeping your head well away from the Bunsen burner, use the match or lighted splint to light the gas coming up the Bunsen burner chimney.

When you have finished:

- Make sure the air is closed and the flame is yellow.
- Switch the gas off.
- Remove the tubing by putting your fingers on the tubing around the gas tap nozzle and pulling. Don't pull the tubing off by stretching it.

Types of flame from a Bunsen burner

Type of flame	Gas tap	Air hole	Appearance	Hazards	When used
Yellow flame	Fully (or partly) open.	Closed		This flame is still hot if you put your hand into it.	To light the burner and when it is not heating anything. It is easy to see and will not readily set fire to clothing etc. This flame is unsuitable for heating as it coats surfaces with soot (carbon).
Gentle and medium flames Yellow just disappears; pale lilac, almost invisible.	The gentle flame has the gas tap half open and the medium flame has the gas tap fully open .	Partly closed		It is difficult to see the flame in bright sunlight. Some risk of blowing out.	For general heating. Start with the gentle flame and then open the gas tap fully open to give the medium flame.
Roaring flame Inner cone blue, outer cone lilac.	Fully open.	Fully open		It is difficult to see the flame in bright sunlight. Some risk of blowing out. Do not partly close the gas tap if the air hole is fully open as this will extinguish the flame.	For very strong heating (which is not very often). The hottest section of the flame is just above the blue cone of unburnt gas.

Heating non-flammable liquids and solids in test tubes (2011)

For using Bunsen burners and especially use of different flames, see *CLEAPSS Student Safety Sheet 92*.

For heating flammable liquids and solids, see *CLEAPSS Student Safety Sheet 94*.

For handling hot liquids in beakers, see *CLEAPSS Student Safety Sheet 95*.

Test tube holders must have the O-ring in the correct place, so that the clamping ends cannot slip apart.

(The test tube holder shown on the right does *not* have the O-ring in the correct position and should not be used). **Tongs should not be used for holding test tubes, they are meant for crucibles.**



Heating non-flammable solids in test tubes

- **Wear eye protection.**
- Do not have the test tube more than *one-fifth* full of solid.
- If the solid is a powder, shake it so that it is sloped in the test tube.
- Using a suitable holder, which is in good condition, keep the test tube pointing just up from the horizontal.
- Hold the test tube so that the bottom is just in the tip of the flame and the top is well clear of the flame.
- Take care that the test tube is not pointing directly at anybody.
- Start with a gentle flame, increase to a medium flame and then a roaring flame, if necessary.



Heating non-flammable liquids in test tubes

- **Wear eye protection.**
- If possible, use a wide-diameter test tube (ie, a boiling tube).
- Do not have the test tube more than *one-tenth* full (it is much less likely to boil over).
- Add an anti-bumping granule ('boiling chip') before starting to heat (but never add one when it is already warm, which might result in it frothing up).
- Using a suitable holder, which is in good condition, keep the test tube at an angle.
- Hold the test tube so that the bottom is just at the tip of the flame and the top is well clear of the flame.
- Take care that the test tube is not pointing directly at anybody.
- Start with a gentle flame and increase it only if necessary.
- Flick your wrist continuously *but gently*, so that the liquid is shaken all the time it is being heated.



Heating flammable liquids and solids in test tubes (2011)

For using Bunsen burners and especially use of different flames, see *CLEAPSS Student Safety Sheet 92*.


For heating non-flammable liquids and solids, see *CLEAPSS Student Safety Sheet 93*.

For handling hot liquids in beakers, see *CLEAPSS Student Safety Sheet 95*.

Heating flammable liquids

For example, when extracting chlorophyll from leaves.

- **Wear eye protection**
- If possible, use a wide-diameter test tube (boiling tube).
- Add an anti-bumping granule ('boiling chip') before starting to heat.
- **Do not heat directly over a naked flame.** Instead, stand the test tube in a beaker half-filled with freshly-boiled water from a kettle.
- (If necessary, boil the water in the beaker using a roaring flame; then extinguish the flame before the flammable liquid is put into the hot water.)
- It is always better to allow the apparatus to cool down before removing the test tube but this can take a long time.
- Use a test tube holder or a piece of folded paper carefully placed around the top of the test tube, and slowly and carefully lift the test tube out of the hot water into a test tube rack.



Heating flammable (organic) solids

For example, heating wax or salol for cooling curves.

Do not heat the wax or salol directly over a naked flame. The tube will be heated quickly and locally to a very high temperature. If a 'spirit' thermometer is used, the spirit vaporises and the glass explodes under the increase in pressure. In addition, the boiling tube may break and the contents catch fire.

- **Wear eye protection.**
- Use a test tube or boiling tube. Test tubes contain less solid and so take a shorter time for the contents to melt and cool. (It took 6-7 minutes for the wax to melt in the boiling tube on the right.)
- Do not have the test tube more than half full of wax or salol.
- Fill a 250 ml beaker half full with hot water from a kettle.
- (If necessary, boil the water in the beaker using a roaring flame; then extinguish the flame before the flammable solid is put into the hot water.)
- After the activity is completed allow the equipment to cool as much as possible.
- Use a test tube holder or a piece of folded paper carefully placed around the top of the test tube, and slowly and carefully lift the test tube out of the hot water into a test tube rack.




If you have to heat the water with a Bunsen burner.

- At the end of the activity, first get the beaker onto the heat-resistant mat, (see *CLEAPSS Student Safety Sheet 95*).
- Then remove the boiling tube using a good test tube holder, as described above.

This method of heating takes about the same time to melt the wax as using water boiled in a kettle and so offers no real advantage.

Note that a thermometer in a beaker on a tripod is at high risk of being knocked over.



Handling hot liquids in beakers (2011)

Do not heat flammable liquids in a beaker using a Bunsen burner flame.

For using Bunsen burners and especially use of different flames, see *CLEAPSS Student Safety Sheet 92*.

For heating non-flammable liquids and solids, see *CLEAPSS Student Safety Sheet 93*.

For heating flammable liquids and solids, see *CLEAPSS Student Safety Sheet 94*.

Heating liquids in beakers

- Wear eye protection.
- Place the Bunsen burner well back from the edge of the bench.
- Do not fill the beaker more than *half* full.
- If available, add an anti-bumping granule ('boiling chip') to the liquid before heating. Do *not* add an anti-bumping granule once the liquid is boiling.
- Place a tripod and gauze on a heat resistant mat.
- Place the Bunsen burner underneath and attach it to the gas.
- Place the beaker of water on the gauze.
- Light the Bunsen burner and open the air hole.
- Once the liquid begins to boil close the air hole to half open and turn the gas tap down.
- At the end it is always better to allow the apparatus to cool down naturally, but this can take a long time. If time is short use one of the procedures described below.
- The tripod will be very hot. Take care.



Removing hot beakers

To remove very hot beakers of liquid from a tripod the teacher (or a technician) should wear thermal protection gloves and go around the laboratory moving the beakers for each group of students. If this is not possible, beakers are best left where they are until cooler.

For less hot beakers, *skilled* students can use the procedure illustrated below:

- Switch off the gas. Place a commercial 'J-cloth' loosely around the hot beaker.
- Carefully tighten the cloth.
- Lift the beaker onto the heat resistant mat.



What is a risk assessment?

A risk assessment is a judgment of how likely it is that someone (anyone) might come to harm if a planned action is carried out. The law requires the likelihood of harm to be reduced to as low as is reasonably practicable. Risk assessments, although an excellent idea for all of us, are only *legally* required for actions which take place at work.

You carry out risk assessments all the time, for example, when riding a bike or crossing the road. When riding a bike in the UK you can choose whether or not to wear a cycling helmet. However, because risk assessments are required at work, paid cycling couriers will wear helmets. The risk of them being knocked off their bike is quite high but a helmet reduces the likelihood of head injury.

Who is responsible for risk assessment?

In law, risk assessment is the responsibility of the employer. The employer can ask employees to assess risks, as long as they have been trained, but must then check from time to time that it is being carried out correctly. Students can be asked to draw up a risk assessment as part of their education, but it must always be checked by teachers before being put into effect. Everybody in a work situation must, by law, take care for their own safety and that of other people and employees must do what their employer requires on health & safety matters.

Model risk assessments

In schools and colleges the employer usually makes use of model risk assessments written for them by national organisations (such as CLEAPSS). Model risk assessments give sufficient details of a procedure to enable it to be carried out safely – equipment, amounts, safety precautions, etc. However teachers (or other employees) must consider whether the model assessment needs to be adapted slightly to the particular circumstances of their own situation, eg the nature of the building or equipment used, the proximity of other students, etc. An activity considered suitable, in the model risk assessment, to be carried out in the open laboratory might not be suitable in a laboratory with poor ventilation.

How do you 'do' a risk assessment?

To make a risk assessment you need to know the **hazards** and the **risk** of them causing harm in the planned activity.

A **hazard** is anything which could cause harm. For example some chemicals, electricity at high enough currents, glass (if it breaks) and even you running in the corridor are all hazards because they can all cause harm. Although sometimes you can use your common sense to identify a hazard, often you will need specialist information, eg as provided on CLEAPSS *Student Safety Sheets* or on chemical suppliers' *Safety Data Sheets*.

The **risk** is the likelihood that a hazard would cause significant harm. It is a matter of judgment and depends on:

- how likely it is that something would go wrong with this hazard;
- how serious any resulting injuries would be; and
- how many people would be affected.

To reduce the risks to an acceptable level, we put in place relevant **control measures**. These are the safety precautions used to reduce the risk of harm. In science we often wear safety spectacles, or use fume cupboards. We also minimise the quantities of materials used and the concentration of hazardous solutions.

What should you do when making a risk assessment?

When making a risk assessment, go through the following process.

1. Consider what materials you are working with and what procedures you are following. You could list them on the CLEAPSS *Student Form for Assessing Risk*. Think about microorganisms, heavy weights, electricity, chemicals (how much of each, what concentration of solutions), hot objects. You should also try to find out if there are any hazardous materials produced by your procedure - you may need to ask your teacher!
2. For each of the materials and procedures, ask what are the hazards? Add them to your list. What could possibly go wrong? Look up the materials and procedures in reliable and relevant sources, eg, the *Student Safety Sheets*.
3. How many people could be affected if it went wrong? Who would they be?
4. What control measures (safety precautions) would you adopt? Check relevant CLEAPSS *Student Safety Sheets*.
5. Make sure you record anything important and especially the control measures.
6. Have the result of the risk assessment checked by your teacher before you carry on.

Transferring (Handling) Solid Chemicals

Why 'transferring' and not 'handling'

It is better to use the word 'transferring' as opposed to 'handling' because 'handling', if taken literally, means 'using your fingers and hands'. Many chemicals are toxic, corrosive or irritant to the skin so directly 'handling' such chemicals is never a good idea.

Should I wear gloves?

The use of chemically resistant gloves should always be considered but wearing gloves reduces manual dexterity, gives rise to an environmental issue (because they do not degrade very quickly in the waste) and are expensive for the school. More importantly, if a chemical is on the gloves, the wearer may not realise it is there and so may wipe that chemical on other parts of the body (eg, eyes). However, if there are cuts which cannot be covered or other skin issues on the hand then gloves should be worn. For a small number of chemicals which are corrosive but do not immediately produce a sensation of burning (eg, phenol) they should also be worn.

Transferring solids

When transferring solid chemicals, the main risk is of spilling a hazardous solid.

A spatula is the correct tool for transferring solids from one container to another. Always check that the spatula is clean, and do not use the same spatula for different solids, unless cleaned in water and dried. Spatulas come in various shapes and sizes so beware of instructions that simply say "use a spatula-full".

Nuffield spatula

This is the most common spatula used by students in schools, about 14 cm long.

But with either end available for use, care must be taken in being using the same end and to clean and dry the spatula before changing to another chemical. The 'curved' end is the most suitable to use.



Chattaway spatula

This is available in different sizes. Students should use the small size version,

about 10 cm long; teachers and technicians may use larger versions, about 20 cm long, in the preparation of solutions. There are also micro-sized versions.



Trulla (trowel spatula) and Spoon Spatulas

This is usually only used by technicians or teachers for transferring larger quantities of solids.



DIY spatula - use a wooden splint

If you have used a wooden splint to transfer one solid chemical, the end can then be cut off with scissors and

another chemical can be transferred with the same splint. It can be cut to a point to transfer tiny amounts of solids.



Mixing solids

The solids to be mixed should each be placed on separate pieces of paper (or in plastic weighing boats) and the solids then poured gently from one onto the other, back and forth. Repeat the pouring action about 10 times so that there is thorough mixing. This is the only safe way of preparing explosive mixtures and is good practice for all solid mixtures.

Transferring (Handling) Liquid Chemicals

Why 'transferring' and not 'handling'

It is better to use the word 'transferring' as opposed to 'handling' because 'handling', if taken literally, means 'using your fingers and hands'. Many chemicals are toxic, corrosive or irritant to the skin so directly 'handling' such chemicals is never a good idea.

Should I wear gloves?

The use of chemically resistant gloves should always be considered but wearing gloves reduces manual dexterity, gives rise to an environmental issue (because they do not degrade very quickly in the waste) and are expensive for the school. More importantly, if a chemical is on the gloves, the wearer may not realise it is there and so may wipe that chemical on other parts of the body (eg, eyes). However, if there are cuts which cannot be covered or other skin issues on the hand then gloves should be worn. For a small number of chemicals which are corrosive but do not immediately produce a sensation of burning (eg, phenol) they should also be worn.

Transferring liquids

When transferring chemicals which are liquid, the main risk is of spilling or splashing a hazardous liquid or a hazardous aqueous solution.

Spills occur when people attempt to pour liquids from a large container (bottle) into a small container such as a test tube. There is a risk of liquids dribbling down the side of the bottle or measuring cylinders, possibly damaging labels, making the bottle unsafe to pick up for the unwary, or producing fumes in the store as the liquid evaporates. It is better to pour from large bottles into (labelled) beakers first.

Pouring from bottles, measuring cylinders and beakers

One way of avoiding dribbles is to pour down a glass rod into a container via a funnel.



Small volumes of liquid (up to 3 ml)

Use plastic teat pipettes or dropping bottles.



Using automatic or volumetric pipettes

More sophisticated pipettes are available for purposes.



other

Mixing liquids

Stirring

Spatulas should not be used for stirring. Stirring rods made of glass or plastic should be used. Over enthusiastic stirring can cause a glass stirrer or container to break or the liquid to splash out. Some laboratories now have magnetic stirrers.

Filling a test tube

If using a test tube, do not fill it more than one-fifth full. To mix the contents, 'waggle' the test tube from side to side. Do not shake it up and down, especially not with a thumb over the end.