

Mark Scheme (Results) November 2010

IGCSE

IGCSE Mathematics (4400)
Paper 4H Higher Tier

Edexcel is one of the leading examining and awarding bodies in the UK and throughout the world. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. Through a network of UK and overseas offices, Edexcel's centres receive the support they need to help them deliver their education and training programmes to learners.

For further information please call our Customer Services on + 44 1204 770 696, or visit our website at www.edexcel.com.

If you have any subject specific questions about the content of this Mark Scheme that require the help of a subject specialist, you may find our **Ask The Expert** email service helpful.

Ask The Expert can be accessed online at the following link:

<http://www.edexcel.com/Aboutus/contact-us/>

November 2010

All the material in this publication is copyright

© Edexcel Ltd 2010

November 2010 IGCSE Mathematics (4400) Mark Scheme - Paper 4H

Apart from Questions 18, 20 and 21(b)(ii) (where the mark scheme states otherwise), the correct answer, unless clearly obtained by an incorrect method, should be taken to imply a correct method.

Question	Working	Answer	Mark		Notes
1. a	$\frac{10.73}{5.3} + 1.4 = 2.0245\dots + 1.4$		2	M1	for 10.73 or 2.0245... or 1.6014...
		3.424528302		A1	for at least first 5 figures
b		3.42	1	B1	ft from (a) if non-trivial
					Total 3 marks

2.	248 × 1.25 oe		3	M2	M1 for 248 × 1.15 or 285.2 or 248 × 75 or 18 600
		310		A1	cao
					Total 3 marks

3. a		(7, 6)	2	B2	B1 for 7 B1 for 6
b		C (3, 10) D (11, 2) or C (11, 2) D (3, 10)	2	B2	B1 for (3, 10) B1 for (11,2)
					Total 4 marks

Question	Working	Answer	Mark		Notes
4 a	$1 - (0.3 + 0.1)$		2	M1	
		0.6		A1	cao
b	$0.1 + \text{"0.6"} \text{ or } 1 - 0.3$		2	M1	do not award if ans to (a) > 1
		0.7		A1	ft from (a) if ans to (b) < 1
c	0.3×160		2	M1	for 0.3×160 or 0.3×200 or $\frac{48}{60}$
		48		A1	cao
					Total 6 marks

5.	$50 \times 0.72 \times 221$		2	M1	for $\times 0.72$ or $\times 221$
		7956		A1	cao
					Total 2 marks

6. a	$\frac{2}{3} \times 2.6 \times 1.5^2$		2	M1	for correct substitution
		3.9		A1	cao
b	$35 = \frac{2}{3} \times h \times 2.5^2$ or $(h =) \frac{35}{\frac{2}{3} \times 2.5^2}$ oe		2	M1	for correct substitution or correct rearrangement
		8.4		A1	cao
c	$y^2 = \frac{3V}{2h}$		2	M1	for $y^2 = \frac{3V}{2h}$ oe
		$\sqrt{\frac{3V}{2h}}$		A1	for $\sqrt{\frac{3V}{2h}}$ or $\pm \sqrt{\frac{3V}{2h}}$ oe
					Total 6 marks

Question	Working	Answer	Mark		Notes
7. a		Q correct Vertices (6, 10) (9, 10) (6, 16)	3	B3	B2 for translation of correct shape or 2 correct vertices B1 for right-angled triangle with base 3 or height 6 in the same orientation as P
b		R correct Vertices (10, 2) (13, 2) (10, 8)	2	B2	for R correct or ft their Q B1 for translation of 4 to the right or 8 down ft their Q
c	Enlargement with scale factor 3 and centre (1, 8)		2	B2	B1 for Enlargement 3 B1 for (1, 8)
					Award no marks if answer is not a single transfn
					Total 7 marks

8.	$\frac{19.6 \times 50000}{100 \times 1000}$		3	M1	for 19.6×50000 or 980 000 or number with digits 98 or $\frac{50000}{100 \times 1000}$ or $\frac{1}{2}$ km
				M1	for completing calculation "980000" $\frac{980000}{100 \times 1000}$ or $19.6 \times \frac{1}{2}$
		9.8		A1	cao
					Total 3 marks


Question	Working	Answer	Mark		Notes
9.		$x \geq 1$	3	B1	for $x \geq 1$ or $x > 1$ oe
		$y \geq 2$		B1	for $y \geq 2$ or $y > 2$ oe
		$x + y \leq 8$ oe		B1	for $x + y \leq 8$ or $x + y < 8$ oe
					SC B1 if all inequalities reversed
					Total 3 marks

10.		$\angle ACO = 21^\circ$ or $\angle COB = 42^\circ$ or $\angle ACB = 90^\circ$		4	B1	Angles may be stated or marked on diagram
		$\angle OCP = 90^\circ$ or $\angle CBP = 111^\circ$ or $\angle BCP = 21^\circ$			B1	
		$180 - 21 - (90 + 21)$ or $180 - 42 - 90$ or $180 - 21 - 111$			M1	
			48		A1	Award 4 marks for an answer of 48, unless obtained by a clearly incorrect method.
						Total 4 marks

Question	Working	Answer	Mark		Notes
11. a	1350 - 1269 or 81		3	M1	
	$\frac{81}{1350} \times 100$ or $\frac{81}{1269} \times 100$			M1	for $\frac{81}{1350}$ or $\frac{81}{1269}$ or 0.06 or 0.0638... or M1 for $\frac{1350}{1269}$ or 0.94 or 94 M1 for 1-“0.94” ” or 100-“94” ” or M1 for $\frac{1350}{1269}$ or 1.06... or 106... M1 for “1.06...”-1 or “106”-100 0
					Award both method marks for an answer of 6.4, 6.38 or better.
		6		A1	cao Do not award this mark if a denominator of 1269 used.
b	$\frac{9519}{1.14}$ or $9519 \times \frac{100}{114}$ oe		3	M2	M2 for $\frac{9519}{1.14}$ or $9519 \times \frac{100}{114}$ oe M1 for $\frac{9519}{114}$, 83.5 seen, $114\% = 9519$, $\frac{9519}{x} = 1.14$, $9519 = 1.14x$
		8350		A1	cao
					Total 6 marks

Question	Working	Answer	Mark		Notes
12. a	$-\frac{5-1}{2}$ oe		3	M1	for clear attempt to use <u>vert difference</u> <u>horiz difference</u>
	$m = -2$			A1	for $m = -2$
		$y = -2x + 5$ oe		B1	ft from their m SC If M0A0, award B1 for $y = mx + 5$
b	$y = "-2"x + c$		2	M1	$c \neq 5$
		$y = -2x + 6$ oe		A1	ft from (a)
					SC If M0, award B1 for $-2x + 6$ or $L = -2x + 6$ ft
Total 5 marks					

Question	Working	Answer	Mark		Notes
13.	$11x + x = 180$ or $12x = 180$ or for $\frac{360}{n}$ or $\frac{180(n-2)}{n}$		4	M1	May be implied by $\frac{180}{12}$ or 15
	(exterior angle =) 15 or $\frac{360}{n} \times 11 = \frac{180(n-2)}{n}$ oe or $180 - \frac{360}{n} = 11 \times \frac{360}{n}$			A1	
	$\frac{360}{15}$ or simplified correct equation "15" in which n appears only once eg $360 \times 11 = 180(n-2)$ or $360 \times 11 = 180n - 360$ or $12 \times \frac{360}{n} = 180$			M1	
		24		A1	cao Award 4 marks for an answer of 24 unless clearly obtained by an incorrect method.
					Total 4 marks

Question	Working	Answer	Mark		Notes
14. a			3	B3	B1 $\frac{3}{9}$ and $\frac{2}{9}$ correct on LH branches B2 All RH branches correct (B1 one RH branch correct ie 3 probabilities)
b	$\frac{4}{9} \times \frac{2}{8} + \frac{2}{9} \times \frac{4}{8}$ oe		3	M1	for $\frac{4}{9} \times \frac{2}{8}$ or $\frac{2}{9} \times \frac{4}{8}$ oe Award for correct use of probabilities (must be < 1)
				M1	for sum of both products from their tree diagram.
		$\frac{16}{72}$ or $\frac{2}{9}$ oe		A1	for $\frac{16}{72}$ or $\frac{2}{9}$ oe
					Total 6 marks

Question	Working	Answer	Mark		Notes
15. a		3.6×10^{15}	1	B1	cao
bi	Correct expression for xy stated or clearly implied with 7×5 evaluated eg $35 \times 10^{m+n}$ $3.5 \times 10^{(1)} \times 10^m \times 10^n$		5	M1	
	States or clearly implies that $xy = 3.5 \times 10^{m+n+1}$ oe or $3.5 \times 10^{(1)} \times 10^{m+n}$ oe or $m+n+1$ *			A1	SC If A1 not scored, award B1 for 35×10^{11} seen. *dep on $(3.5 \times) 10^{(1)} \times 10^m \times 10^n$ $= (3.5 \times) 10^{12}$
bii	$m - n = 27$ oe			B1	for $m - n = 27$ oe inc $m = n + 27$
	$2m = 38$ or $2n = -16$			M1	Adding or subtracting $m + n = 11$ and $m - n = 27$
		$m = 19$ $n = -8$		A1	for both values correct Award 3 marks for both values correct, unless clearly obtained by an incorrect method.
					Total 6 marks

Question	Working	Answer	Mark		Notes
16. a	$P = \frac{k}{V}$		3	M1	for $P = \frac{k}{V}$ but not for $P = \frac{1}{V}$ Also award for a correct equation in P , V and a constant or $P = \text{some numerical value} \times \frac{1}{V}$
	$18 = \frac{k}{24}$			M1	for $18 = \frac{k}{24}$ or for correct substitution into an equation which scores first method mark (may be implied by correct evaluation of the constant)
		$P = \frac{432}{V}$		A1	Award 3 marks if answer is $P = \frac{k}{V}$ but k is evaluated as 432 in <i>any</i> part
b	$3V^2 = 432$ or $3V \times V = 432$		2	M1	for $3V^2 = 432$ or $3V \times V = 432$ or $V^2 = 144$
		12		A1	Also accept ± 12
					Total 5 marks

17. a		18	1	B1	cao
b	(2.5-4) bar height 19 little squares		2	B1	Allow $\pm \frac{1}{2}$ sq
	(4-6) bar height 6 little squares			B1	Allow $\pm \frac{1}{2}$ sq
					Total 3 marks

Question	Working	Answer	Mark		Notes
18.	$\frac{-8 \pm \sqrt{8^2 - 4 \times 3 \times 2}}{2 \times 3}$ or for this expression with one or more of 8^2 , $4 \times 3 \times 2$ or 2×3 correctly evaluated		3	M1	for correct substitution
	obtains $\sqrt{40}$ or $\sqrt{64 - 24}$ or $2\sqrt{10}$ or 6.32...			M1	(independent)for correct simplification of discriminant
		-0.279, -2.39		A1	dep on <u>both</u> method marks for values rounding to -0.279 and -2.39 (-0.27924... , -2.38742...)
					Total 3 marks

Question	Working	Answer	Mark		Notes
19. a	$AE \times 4 = 16 \times 5$		2	M1	
		20		A1	cao
bi		12	5	B1	cao
bii	$(\cos x^\circ =) \frac{5^2 + 8^2 - 12^2}{2 \times 8 \times 5} \text{ or } \frac{5^2 + OE^2 - "12"{}^2}{2 \times OE \times 5}$ $(\cos \angle OEC =) \frac{16^2 + 8^2 - 12^2}{2 \times 16 \times 8} \text{ or } \frac{16^2 + OE^2 - "12"{}^2}{2 \times 16 \times OE}$ <p>or, using the midpoint of CD, $\cos \angle OEC = \frac{5.5}{8}$</p> <p>or $\frac{5.5}{OE}$</p> <p>or complete, correct method of finding $\sin \angle OEC$ or $\tan \angle OEC$</p>		M2	M1 for $12^2 = 5^2 + 8^2 - 2 \times 8 \times 5 \cos x^\circ$ or $"12"{}^2 = 5^2 + OE^2 - 2 \times OE \times 5 \cos x^\circ$ or $12^2 = 16^2 + 8^2 - 2 \times 16 \times 8 \times \cos \angle OEC$ or $"12"{}^2 = 16^2 + OE^2 - 2 \times 16 \times OE \times \cos \angle OEC$	
		133.4		A2	for answer rounding to 133.4 (133.4325...) A1 for $\frac{-55}{80}$ oe or -0.6875 If $\angle OEC$ is used, award A1 for $\frac{176}{256}$ oe or 0.6875 or value rounding to 46.6 seen. If midpoint of CD is used, award A1 for $\frac{5.5}{8}$ oe or 0.6875 or value rounding to 46.6 seen.
					Total 7 marks

Question	Working	Answer	Mark		Notes
20.	$x^2 = 7x - 10$ (may be implied by 2nd M1)		5	M1	$y = \left(\frac{y+10}{7}\right)^2$
	$x^2 - 7x + 10 (= 0)$ oe			M1	$y^2 - 29y + 100 (= 0)$ oe
	$(x - 5)(x - 2) (= 0)$ oe or $\frac{7 \pm \sqrt{9}}{2}$ or $\frac{7 \pm \sqrt{49 - 40}}{2}$ or $\frac{7 \pm 3}{2}$			M1	$(y - 4)(y - 25) (= 0)$ or $\frac{29 \pm \sqrt{441}}{2}$ or $\frac{29 \pm \sqrt{841 - 400}}{2}$ or $\frac{29 \pm 21}{2}$
		$x = 2, x = 5$		A1	$y = 4, y = 25$ dep on all method marks
		$x = 2, y = 4$ $x = 5, y = 25$		A1	dep on all method marks (may be implied by 2nd M1)
					Total 5 marks

21. ai		a + b	3	B1	
aii		3a - b		B1	
aiii	$\frac{3}{4}a + \frac{3}{4}b$ or $b + \frac{1}{4}(3a - b)$ or $3a - \frac{3}{4}(3a - b)$ oe		B1		
bi	collinear, in a (straight) line oe	2	B1		
bii		$\frac{3}{4}$		B1	dep on B1 in both (a)(i) and (a)(iii)
					Total 5 marks

Question	Working	Answer	Mark		Notes
22.	$1 + \frac{(x+3)(x-2)}{(x+4)(x-2)}$ or $\frac{(x+4)(x-2) + x^2 + x - 6}{(x+4)(x-2)}$ or $\frac{(x+4)(x-2) + x^2 + x - 6}{x^2 + 2x - 8}$		4	B1	for correct factorisation or for correct single fraction, even if unsimplified
	$1 + \frac{x+3}{x+4}$ or $\frac{2x^2 + 3x - 14}{(x+4)(x-2)}$ or $\frac{2x^2 + 3x - 14}{x^2 + 2x - 8}$ or $\frac{(x-2)[(x+4) + (x+3)]}{(x+4)(x-2)}$			B1	
	$\frac{x+4+x+3}{x+4}$ or $\frac{x+4}{x+4} + \frac{x+3}{x+4}$ or $\frac{(2x+7)(x-2)}{(x+4)(x-2)}$			B1	
		$\frac{2x+7}{x+4}$		B1	
					Total 4 marks

				TOTAL FOR PAPER: 100 MARKS
--	--	--	--	-----------------------------------

Further copies of this publication are available from
International Regional Offices at www.edexcel.com/international

For more information on Edexcel qualifications, please visit www.edexcel.com
Alternatively, you can contact Customer Services at www.edexcel.com/ask or on + 44 1204 770 696

Edexcel Limited. Registered in England and Wales no.4496750
Registered Office: One90 High Holborn, London, WC1V 7BH