

4400 IGCSE Mathematics
May 2006
Paper 4H

1.	$\frac{1}{2}(180 - 38)$	71 seen Isosceles Corresponding	4	M1 A1 B1 B1	Allow on diag or < s on st line & interior < s. Not "F" or vert opp < s & alt < s	Total 4 marks
-----------	-------------------------	---------------------------------------	---	----------------------	---	----------------------

2.	(a)	$x(3x - 2)$	1	B1		Total 5 marks
	(b)	$y^4 - 4y^3$	2	B1B1	Incorr subs wking: - B1. Corr fact'n ISW	
	(c)	$30 = 5 + 10t$ $t = 2.5$	2	M1 A1	or $(30 - 5)/10$	

3.	(a)	$4x$	1	B1	or $4 \times x$ or $x4$. Ignore "y = ", not "x ="	Total 5 marks
	(b)	$4x - 6$ or $x + 6$	2	M1 A1		
	(c)	$3x - 6 = 6$ or $4x = x + 12$	2	M1 A1	correctly collect either xs or consts ft (b) (if ≥ 3 terms, lin = lin): M1 only cao Allow $x = 4$	

4.	(a)	$4/8$ or 0.5 oe $\sin x^\circ = 4/8$ oe	3	M1 M1 A1		Total 6 marks
	(b)	$\cos 32^\circ = ML/12$ $12 \times \cos 32^\circ$	3	M1 M1 A1	May be implied or $12^2 - (12\sin 32^\circ)^2$ or $\sqrt{(12^2 - (12\sin 32^\circ)^2)}$ Allow 10 with working	

5.	(a)	(i)		Parallelograms	1	B1	Allow "Squares & rectangles"
		(ii)		Rectangles	1	B1	
	(b)	(i)		\emptyset or {} or empty oe	1	B1	Allow "Intersection of P & Q" oe
		(ii)		Yes. $10 \in Q$ or 10 is mult of 5 or 3, 5, 6, 9, 10 listed	1	B1	
							Total 4 marks

6.	(a)			$2 + 3 \times 4$ or $2 \times (3 + 4)$	1	B1	$or\ 2 + (3 \times 4)$ or $2(3 + 4)$
	(b)			$(2 + 3) \div 4$ or $2 - 3 \div 4$	1	B1	
	(c)			$2 \div 3 \times 4$ or $2 \div (3 \div 4)$	1	B1	$or\ (2 \div 3) \times 4$

7.	(a)		$4 \times 6 - (3 + 7 + 10)$	4	2	M1	$or\ 3 + 7 + 10 + x = 4 \times 6$ embedded: M1A0
	(b)		5, 5, 8	5, 5, 8	2	A1	
	(c)			7, 7, 5, (any no < 5)	2	B2	B1: 4 nos with mode 7 OR median 6

8.	(a)		$3x + 12 = 27$ $3x = 15$	5	3	M1	$x + 4 = 9:$ M1A1
	(b)		$(y - 12)(y + 10)$ or $\frac{2 \pm \sqrt{((-2)^2 - 4x(-120))}}{2}$	$y = 12$ or -10	3	A1	
						A1	Total 6 marks

9.	(a)	$35^2 - 10^2$ 33 to 34 $\frac{1}{2} \times 20 \times \text{“ht”}$	M1 A1 M1 A1			$20^2 = 35^2 + 35^2 - 2 \times 35 \times 35 \cos A$ or $\sin x = 10/35$ 33(.2) $\frac{1}{2} \times 35^2 \times \sin^2 \text{“33.2”}$	$35^2 = 35^2 + 20^2 - 2 \times 35 \times 20 \times \cos B$ or $\cos B = 10/35$ 73(.4) $\frac{1}{2} \times 35 \times 20 \times \sin \text{“73.4”}$	Total 7 marks
	(b)	$40^2 = 20^2 + 30^2 - 2 \times 20 \times 30 \cos x$ $\cos x = \frac{20^2 + 30^2 - 40^2}{2 \times 20 \times 30} (= -0.25)$	M1 M1 A1	4	335	May be implied or $\cos x = \frac{-300}{1200}$ oe Scale drawing: M0A0		
					104 to 105			
				3				

10.	(a)	60 x 20/100 or 12 sec or 1.2 min seen	M1 A1		72			Total 7 marks
	(b)	5 / 72 x 60 or 5 / 1.2	M1 A1f	2	4.16 to 4.17	or 5/6 x 5 or 4 or 4.2 with wking (eg 5:72 = x:60) ft only if wking NBI!! 80% of 5 = 4		
	(c)	$\frac{4.167}{100} / 5 \times 100$ $\frac{5 - 4.167}{100 - 83.3...} / 5 \times 100$	M1 M1 A1	3	16.6% to 17%	ft M mks only if wking cao		

11.	(a)	80 to 81 incl	B1	1			Consistent use of total = 50 in (abc): (a) B0	
	(b)	Read graph at 70(±1) & 92 - 94 eg marks on curve or x-axis	M1				(b) Read at 72(±1) & 109-111: M1A0	
	(c)	21 - 24 20 cao	A1 B1	2 1			(c) 25 cao: B1	
	(d)	Read graph at 100 (±1)	M1 A1	1		eg 34(±1) seen		
							Total 6 marks	

12.	(a)		$2x(5x-1)$	2	B2	B1 for $2(5x^2 - x)$ or $x(10x - 2)$
	(b)		$(x-3)(x+3)$	1	B1	
	(c)		$(3x-1)(x-4)$	2	B2	B1 for $(3x \pm 1)(x \pm 4)$ ISW
						Total 5 marks

13.	(a)	2^3 seen	$2^{3/2}$ or $2^{1.5}$ or $2^{1\frac{1}{2}}$	2	M1 A1	
	(b)	$9^{1/2}$ seen	$9^{1/4}$ or $9^{0.25}$	2	M1 A1	
	(c)	$\frac{1}{2^2 \times 2^{3/2}}$ $\frac{1}{2^{3/2}}$	$\frac{\sqrt{2}}{8}$ $\frac{1}{\sqrt{2^5}}$	3	M1 M1 A1	or $2^{-2} \times 2^{-1/2}$: M2
			$2^{-5/2}$ or etc			Total 7 marks

14.	(a)		$\begin{pmatrix} 5 \\ 2 \end{pmatrix}$	1	B1	Ignore fraction lines thro' out
	(b)	(i)	$k \begin{pmatrix} 5 \\ 2 \end{pmatrix}$ oe	1	B1f	or \overrightarrow{kOB} oe Not x or 0.5 for k
		(ii)	$-\begin{pmatrix} 1 \\ 2 \end{pmatrix} + k \begin{pmatrix} 5 \\ 2 \end{pmatrix}$ oe	1	B1f	or $-\overrightarrow{OA} + \overrightarrow{kOB}$ oe Allow without brackets or arrows
		(iii)	$\begin{pmatrix} 4 \\ 0 \end{pmatrix} - k \begin{pmatrix} 5 \\ 2 \end{pmatrix}$ oe	1	B1f	or $-\overrightarrow{kOB} + \overrightarrow{OC}$ oe
	(c)	$-\begin{pmatrix} 1 \\ 2 \end{pmatrix} + k \begin{pmatrix} 5 \\ 2 \end{pmatrix} = \begin{pmatrix} 4 \\ 0 \end{pmatrix} - k \begin{pmatrix} 5 \\ 2 \end{pmatrix}$ oe	$k = \frac{1}{2}$	2	M1 A1	or $-1 + 5k = 4 - 5k$ or $-2 + 2k = -2k$ No wking, $k = 0.5$: M1A1 ft(b) for M1 only
	(d)		$k = \frac{1}{2} \Rightarrow X$ is midpt of OB		B1	No marks unless (c) 2 mks "k = 1/2 $\Rightarrow X$ is midpt of OB & AC" or "k = 1/2 $\Rightarrow X$ is midpt of //m" : B1

		$\overline{AX} = \overline{XC} \Rightarrow X$ is midpt of AC	2	B1	Allow without arrows	Total 8 marks
--	--	--	---	----	----------------------	---------------

15.	(a)	$x = kt^2$ or $19.6 = k \times 2^2$ $k = 4.9$	$x = 4.9t^2$ oe	M1 A1 A1	oe Allow $x \propto 4.9t^2$ for A1	Total 8 marks
	(b)	$3^2 \times 4.9$	$x = 44.1$	M1 A1f	Follow her (a) if of form kt^2	
	(c)	$10 = 4.9t^2$ $t^2 = 10 / 4.9$ or 2.04...	1.43 or 1.4 with wking	M1 M1 A1	Follow her (a) if of form kt^2 cao	

16.		$\frac{5}{6} \times \frac{1}{6} \times \frac{1}{6} \times \frac{1}{6}$ oe $\times 3$ $\frac{1}{6} \times \frac{1}{6} \times \frac{1}{6} \times \frac{1}{6}$ oe	$\frac{2}{27}$ or $\frac{16}{216}$ or 0.074...	M1 M1 M1 A1	or $15x^{1/6}x^{1/6}x^{1/6}x^{1/6}$: M2 or $16x^{1/6}x^{1/6}x^{1/6}x^{1/6}$: M3	Dep on 1 – : $(\frac{5}{6})^2 \times \frac{1}{6}$ $\times 3$ $(\frac{5}{6})^3$	Total 4 marks
-----	--	--	--	----------------------	--	---	---------------

17.	$x^2 + (2x + 1)^2 = 13$ $x^2 + 4x^2 + 2x + 2x + 1 = 13$ $(5x^2 + 4x - 12 = 0)$ $(5x - 6)(x + 2) = 0$ or $x = \frac{-4 \pm \sqrt{(4^2 - 4 \times 5 \times (-12))}}{2 \times 5}$ $x = -2$ and $x = 1.2$ Subst two values of x into eqn			M1 M1	or further simplified condone without “= 0” oe must be correct	Follow similar scheme for subst for x
				M1 A1 M1 A1	dep M2 For incorr x must see wking paired, eg by alignment or coords T & I: 6 mks or 0 mks	
			6			Total 6 marks

18.	Attempt differentiate once $-20t^{-2}$ or $-20/t^2$			M1 A1 A1	NB $20/t^2$ check whether attempt diff	
			3			
						Total 3 marks
PAPER TOTAL 100 MARKS						